Issuing Date 15-Dec-2014

Revision date 15-Mar-2022

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name

Consolideck® ColorHard- Graphite

Other means of identification Product Code(s)

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

46490

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Specific target organ toxicity (repeated exposure)

Label elements

 Warning

 Hazard statements

 May cause damage to organs through prolonged or repeated exposure

 Image: Colored Liquid

 Physical state
 Liquid

 Odor
 Slight

 Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response Get medical advice/attention if you feel unwell

Precautionary Statements - Disposal



Category 2

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) Other information • May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Iron Oxide (black)	1317-61-9	60 - 100	*
Water	7732-18-5	15 - 40	*
Ethylene Glycol	107-21-1	3 - 7	*
Silicon Dioxide	7631-86-9	1 - 5	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures		
General advice	If symptoms persist, call a physician.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May be harmful if swallowed. May cause irritation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	0. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective e	quipment and emergency procedures	
Personal precautions	Use personal protective equipment as required. Avoid contact with eyes and skin.	
Environmental precautions		
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep out of the reach of children. Keep tightly closed in a dry and cool place.	
Incompatible materials	None known based on information supplied.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

6 ACCIDENTAL RELEASE MEASURES

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol 107-21-1	STEL: 50 ppm vapor fraction STEL: 10 mg/m ³ inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m ³	
Silicon Dioxide 7631-86-9		TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 6 mg/m ³ <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m ³ TWA	IDLH: 3000 mg/m ³ TWA: 6 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962
	(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	None under normal use conditions.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.

Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	When using do not eat, drink or smoke. Wash contaminated clothing before reuse.	
9. PHYSICAL AND CHEMICAL PROPERTIES		

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid colored Liquid black
Property pH Melting point / freezing point °F Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	Values90 °C / 32 °FNo information availableNo information available

Odor Odor threshold

Slight No information available

Remarks • Method ph Range 8-10

No information available

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None under normal use conditions.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin Contact	Avoid contact with skin. May cause irritation.
Ingestion	Do not taste or swallow. May be harmful if swallowed.

Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Iron Oxide (black)	> 10000 mg/kg (Rat)		
1317-61-9			
Water	> 90 mL/kg (Rat)		
7732-18-5			
Ethylene Glycol	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	
107-21-1			
Silicon Dioxide	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2.08 mg/L (Rat) 4 h
7631-86-9			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	May be harmful if swallowed. May cause irritation.		
Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.		
Reproductive toxicity STOT - single exposure STOT - repeated exposure Target organ effects Aspiration hazard	No information available. No information available. May cause damage to organs through prolonged or repeated exposure. central nervous system, Respiratory system. No information available.		

Numerical measures of toxicity - Product Information

Unknown acute toxicity The following values are calculated	based on chapter 3.1 of the GHS document
ATEmix (oral)	5435 mg/kg
ATEmix (dermal)	102946 mg/kg mg/l
ATEmix (inhalation-dust/mist)	55 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol 107-21-1	6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50	14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h	-	46300: 48 h Daphnia magna mg/L EC50

		Oncorhynchus mykiss mg/L LC50 static 41000: 96 h Oncorhynchus mykiss mg/L LC50		
Silicon Dioxide 7631-86-9	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static	-	7600: 48 h Ceriodaphnia dubia mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Ethylene Glycol	-1.93
107-21-1	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

14. TRANSPORT INFORMATION

DOT

Not Regulated for all modes of transportation.

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
Legend:	•

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
---------------	---------	----------	----------------------------------

Ethylene Glycol - 107-21-1	107-21-1	3 - 7	1.0
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	Yes		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ethylene Glycol	5000 lb	-	RQ 5000 lb final RQ
107-21-1			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol 107-21-1	Х	Х	Х
Silicon Dioxide 7631-86-9	-	Х	Х

16. OTHER INFORMATION					
NFPA_	Health hazards 2	Flammability 0	Instability 0	Physical and chemical properties -	
HMIS	Health hazards 2	Flammability 0	Physical hazards 0	Personal protection X	
Prepared By	Regulato	ry Department			
Issuing Date	15-Dec-2014				
Revision date	15-Mar-2022				
Revision Note					
SDS sections updated 7	11 15				

Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet