SAFETY DATA SHEET



Issuing Date 05-Jan-2015 Revision date 17-Jun-2025

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Conservare® H100 Consolidation Treatment

Other means of identification

Product Code(s) 42025 UN number UN1866

Recommended use of the chemical and restrictions on use

Recommended use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)785-865-4200
800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 3

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if inhaled
Causes skin irritation
Causes serious eye irritation
May damage fertility or the unborn child
May cause respiratory irritation
Flammable liquid and vapor



Appearance clear Physical state Liquid Odor Alcohol

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/ and /lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- · May be harmful if swallowed
- · Harmful to aquatic life

20% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Isobutyl triethoxysilane	17980-47-1	30 - 60	*
Ethyl Silicate	78-10-4	10 - 30	*
Dioctyltin dilaurate	3648-18-8	0.1 - 1	*
Dibutyltin Dilaurate	77-58-7	0.1 - 1	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice

In case of accident or unwellness, seek medical advice (show directions for use or safety

data sheet if possible).

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin Contact Wash off immediately with plenty of water. Wash contaminated clothing before reuse. If skin

irritation persists, call a physician.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Call a

physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth

to an unconscious person. Call a physician.

Self-protection of the first aiderUse personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms Harmful if inhaled. Causes serious eye irritation. Causes skin irritation. Respiratory irritation.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined

areas. Remove all sources of ignition. Use personal protective equipment as required. Pay

attention to flashback. Take precautionary measures against static discharges.

Environmental precautions

Environmental precautions Prevent product from entering drains. Do not flush into surface water or sanitary sewer

system. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Take precautionary measures against static discharges. Use only non-sparking

tools.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks,

flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. When using do not smoke. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in properly labeled containers. Keep away from heat. Keep containers tightly closed in

a dry, cool and well-ventilated place. Keep out of the reach of children.

Incompatible materials Incompatible with oxidizing agents. Acids. Bases. Water.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Silicate	Ethyl Silicate TWA: 10 ppm		IDLH: 700 ppm
78-10-4		TWA: 850 mg/m ³	TWA: 10 ppm
		(vacated) TWA: 10 ppm	TWA: 85 mg/m ³
		(vacated) TWA: 85 mg/m ³	
Dioctyltin dilaurate	STEL: 0.2 mg/m ³ Sn	TWA: 0.1 mg/m ³ Sn	IDLH: 25 mg/m ³ Sn
3648-18-8	TWA: 0.1 mg/m ³ Sn	(vacated) TWA: 0.1 mg/m ³ Sn	TWA: 0.1 mg/m ³ except
	S*	(vacated) S*	Cyhexatin Sn
Dibutyltin Dilaurate	STEL: 0.2 mg/m ³ Sn	TWA: 0.1 mg/m ³ Sn	IDLH: 25 mg/m ³ Sn
77-58-7	TWA: 0.1 mg/m ³ Sn	(vacated) TWA: 0.1 mg/m ³ Sn	TWA: 0.1 mg/m³ except
	S*	(vacated) S*	Cyhexatin Sn

NIOSH IDLH Immediately Dangerous to Life or Health

Other information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance clear Odor Alcohol

Color colorless or Slight yellow Odor threshold No information available

ASTM D 5095

PropertyValuesRemarks • MethodpHNot ApplicableNot Applicable

Melting point / freezing point °F -30 °C / -22 °F

Boiling point / boiling range No information available

Flash point 43 °C / 109 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific gravity 0.936 Water solubility negligible

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Incompatible with oxidizing agents. Acids. Bases. Water.

Hazardous decomposition products

Carbon oxides. silicon dioxide. Hydrocarbons. Ethanol.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation Avoid breathing vapors or mists. Harmful by inhalation. May cause irritation of respiratory

tract.

Eye contact Avoid contact with eyes. Severely irritating to eyes.

Skin Contact Avoid contact with skin. Causes skin irritation.

Ingestion Do not taste or swallow.

Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Isobutyl triethoxysilane 17980-47-1	> 5000 mg/kg (Rat)		> 13750 mg/m³ (Rat) 4 h
Ethyl Silicate 78-10-4	= 6270 mg/kg (Rat)	= 5878 mg/kg (Rabbit)	< 1837 ppm(Rat)4 h
Dioctyltin dilaurate 3648-18-8	= 6450 mg/kg (Rat)		
Dibutyltin Dilaurate 77-58-7	= 45 mg/kg(Rat)	= 630 mg/kg (Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Harmful if inhaled. Causes serious eye irritation. May cause respiratory irritation. Causes

skin irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity May damage fertility or the unborn child.

STOT - single exposure
STOT - repeated exposure
Target organ effects
Aspiration hazard

May cause respiratory irritation.
No information available.
Respiratory system.
No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 20% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2565 mg/kg
ATEmix (dermal) 15123 mg/kg mg/l

ATEmix (inhalation-dust/mist) 3.2 mg/l ATEmix (inhalation-vapor) 40.2 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isobutyl triethoxysilane 17980-47-1	-	85: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	-	-
Ethyl Silicate 78-10-4	-	245: 96 h Danio rerio mg/L LC50 semi-static	-	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT Non-Hazardous/Non-Regulated (Under 119 Gallons per container) by ground transportation

UN number UN1866 UN proper shipping name Resin Solution

Transport hazard class(es) 3
Packing group |||

<u>IATA</u>

UN number UN1866 UN proper shipping name UN1866 Resin Solution

Transport hazard class(es) 3
Packing group III

IMDG

UN number UN1866 UN proper shipping name Resin Solution

Transport hazard class(es) 3
Packing group

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No

Reactive Hazard

No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl Silicate	X	X	X
78-10-4			

16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 2 Instability 0 Physical and chemical

properties -

HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

 Issuing Date
 05-Jan-2015

 Revision date
 17-Jun-2025

Revision Note

No information available

Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet