

Issuing Date 16-Jul-2019

Revision date 12-Dec-2024

## **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product identifier Product Name

PROSOCO® Saltguard® VOC

Other means of identification Product Code(s) UN number

47060 UN1866

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

785-865-4200 800-535-5053

## 2. HAZARDS IDENTIFICATION

### **Classification**

Flammable liquids

### Label elements

	Emergency Overview	
Danger		
Hazard statements		
Highly flammable liquid and vapor		
Appearance clear	Physical state Liquid	Odor Petroleum
Precautionary Statements - Prevention		

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/ .? /lighting equipment



Category 2

Use only non-sparking tools Take precautionary measures against static discharge

# Wear protective gloves/protective clothing/eye protection/face protection

### Precautionary Statements - Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower In case of fire: Use CO2, dry chemical, or foam for extinction

### Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

### Other information

May be harmful in contact with skin

Causes mild skin irritation

8% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Weight-%	Trade Secret
Dimethyl carbonate	616-38-6	60 - 100	*
Heavy Alkylate Naphtha (petroleum)	64741-65-7	5 - 10	*
Triethoxyoctysilane	2943-75-1	1 - 5	*
Proprietary - Proprietary methoxyfunctional silanes	Undisclosed	1 - 5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice (show directions for use or safety data sheet if possible).	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.	
Skin Contact	Wash off immediately with plenty of water. If symptoms persist, call a physician.	
Inhalation	Move to fresh air in case of accidental inhalation of vapors or decomposition products. If symptoms persist, call a physician.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.	
Self-protection of the first aider	Remove all sources of ignition.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May cause irritation.	
Indication of any immediate medical attention and special treatment needed		

## 47060 PROSOCO® Saltguard® VOC

Note to physicians

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition. Flammable.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions	<u>, protective equipn</u>	<u>nent and emergenc</u>	y procedures
-		-	

Personal precautionsRemove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate<br/>ventilation, especially in confined areas. Vapors may travel to source of ignition and flash<br/>back. Use personal protective equipment as required.

#### Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Use only non-sparking tools. Ground and bond containers when transferring material.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded.

#### Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep away<br/>from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and<br/>static electricity). Keep out of the reach of children.

Incompatible materials

OXIDIZERS.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.	
Appropriate engineering controls		
Engineering Controls	Take precautionary measures against static discharges. Showers. Eyewash stations. Ventilation systems.	
Individual protection measures, suc	ch as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color

### Property pН Melting point / freezing point °F Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** Kinematic viscosity **Dynamic viscosity**

Liquid clear clear

#### Values

Not Applicable 3 °C / 37 °F 90 °C / 194 °F 17 °C / 63 °F No information available No information available

No information available No information available No information available No information available 1.04 negligible No information available Odor Odor threshold Petroleum No information available

Remarks • Method Not Applicable

## **10. STABILITY AND REACTIVITY**

Reactivity No data available

**Chemical stability** 

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

### Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials OXIDIZERS.

# Hazardous decomposition products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	Avoid contact with skin, eyes and inhalation of vapors
Inhalation	Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Ingestion	Do not taste or swallow.

## **Component Information**

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Dimethyl carbonate	= 13 g/kg (Rat)	> 5 g/kg (Rabbit)	= 140 mg/L (Rat)4 h
616-38-6			
Heavy Alkylate Naphtha (petroleum)	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.04 mg/L (Rat)4 h
64741-65-7			
Triethoxyoctysilane	= 10060 µL/kg (Rat)		
2943-75-1			

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

May cause irritation.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

### Numerical measures of toxicity - Product Information

Unknown acute toxicity	8% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated	based on chapter 3.1 of the GHS document .
ATEmix (oral)	13350 mg/kg
ATEmix (dermal)	2745 mg/kg
ATEmix (inhalation-gas)	30781 mg/l

# **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

## 47060 PROSOCO® Saltguard® VOC

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Dimethyl carbonate 616-38-6	-	100: 96 h Danio rerio mg/L LC50 flow-through	-	-
Heavy Alkylate Naphtha (petroleum) 64741-65-7	30000: 72 h Pseudokirchneriella subcapitata mg/L EC50	-	-	2: 48 h Mysidopsis bahia mg/L LC50
Triethoxyoctysilane 2943-75-1	-	0.055: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-	-
Persistence and degrada	ability			
<b>Bioaccumulation</b> No information available.				

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D001

# 14. TRANSPORT INFORMATION

DOT	Regulated
UN number	UN1866
UN proper shipping name	Resin Solution
Transport hazard class(es)	3
Packing group	II

# 15. REGULATORY INFORMATION

International Inventories TSCA DSL/NDSL Legend:

Complies Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

## <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Methanol - 67-56-1	Developmental	

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dimethyl carbonate	X	X	Х
616-38-6			

## **16. OTHER INFORMATION**

<u>NFPA</u>	Health hazards 1	Flammability 3	Instability 0	Physical and chemical properties -
<u>HMIS</u>	Health hazards 1	Flammability 3	Physical hazards 0	Personal protection X
Prepared By Issuing Date Revision date Revision Note No information available	Regulatory Department 16-Jul-2019 12-Dec-2024			

**Disclaimer** 

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

### **End of Safety Data Sheet**