



HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	G

Section I - Product Identification

Date. 2016

Product Name:	QC ColorTech: Green		
Company	QC Construcion Products 11901, Gavin Rd, Laredo Tx, 78045		
Chemical Name:	Chromium(III) oxide		
Chemical Family:	Inorganic oxide		
Chemical Formula:	Proprietary		
D.O.T. Hazard Class:	Cr2O3, with CaCO3		
Appearance & Odor:	Odorless powder, color green		
Emergency Telephone Number:	CHEMTREC (800) 424-9300		
Telephone Number for Information:	956 622 7677		
Product Use:			

Section II - Hazards Identification

Hazard Symbol:





Emergency Overview: Green. Powder. May cause coughing and wheezing. Dust may irritate respiratory tract.

Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get

medical attention.

Acute Potential Health Effects/ Routes of Entry:

Ihalation: May cause coughing and wheezing. Dust may irritate respiratory tract.

Eyes: Dust may cause eye irritation. May cause mechanical irritation or abrasion. Direct contact

may cause temporary redness and discomfort.

Ingestion: May cause gastrointestinal irritation, nausea, and vomiting.

Skin: May cause mild irritation.

Aggravated Medical

Conditions:

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure

Chronic Health Effects: Repeated and prolonged exposures to trivalent chromium compounds may cause

delayed effects involving the respiratory system.

Composition	CAS Number	Weight %
Chrome oxide	1308-38-9	20 - 60
Titanium Dioxide	13463-67-7	20 - 60
Yellow Iron Oxide	51274-00-1	20 - 60
Iron Oxide Black	1317-61-9	20 - 60
Iron Oxide Red	1309-37-1	20 - 60
Limestone	1317-65-3	< 10
Silicon Dioxide crystalline	14808-60-7	< 10

Section IV - First Aid Measures

Inhalation: Remove victim to fresh air.

Skin Contact: Wash with soap and water. Thoroughly clean contaminated clothing and shoes before reuse.

Eye Contact: Flush with large amount of water, consult an eye physician.

Ingestion: Do not induce vomiting unless advised by a physician. Call nearest poison control.

Seek immediate medical assistance.

Section V - Fire Fighting Measure

Flash Point: N/A

Flammable Limits: N/A

Firefighting Media: Dry chemical water spray, form CO2

Special Firefighting Procedure: Exposure to excessive heat greater than 131 °F (55 °C) can cause this

product to become unstable and slowly auto oxidize from Fe3O4 to Fe2O3, which generates additional heat. Under certain conditions the heat may be

sufficient to cause combustible materials to ignite.

Unusual Fire Hazards: Slow oxidation at elevated temperatures may occur, which generates heat.

Section VI - Accidental Release Measures

Use appropriate protective equipment. Avoid contact with material. Dampen material with water to control dusting. Scoop up and transfer to appropriate container for disposal. Flush spill area with water.

Section VII - Handling and Storage

Prevent inhalation of dust and contact with skin and eyes. Clean hands thoroughly after handling. Precautions also apply to emptied containers. Personal protective equipment must be worn during maintenance or repair of contaminated mixer, reactor, or other equipment. Store in sealed containers in a cool, dry, ventilated warehouse location.

Section VIII - Exposure Controls / Personal Protection

Personal Protection Equipment



Respirator: Dust mast should be worn. If exposure limits are exceeded, use NIOSH approved dust

respirator.

Ventilation: Remove airborne dust.

Special: N/A

Protective Gloves: Rubber, cloth or plastic gloves. Eye Protection: Safety glasses or goggles.

Other Protective

Clothing Required: N/A

Section VIII - Exposure	Section VIII - Exposure Controls / Personal Protection				
Chemical Name:	CAS Number:	Regulatión: Limit: Form:			
Iron Oxide Red	1309-37-1	ACGIH TWA: 10 mg/m3 OSHA PEL: 15 mg/m3 Total dust. OSHA TWA: 15 mg/m3 Total dust. OSHA TWA: 5 mg/m3 Respirable fraction			
Yellow Iron Oxide	51274-00-1	ACGIH TWA: 10 mg/m3 OSHA PEL: 15 mg/m3 Total dust. OSHA TWA: 15 mg/m3 Total dust. OSHA TWA: 5 mg/m3 Respirable fraction.			
TITANIUM DIOXIDE	13463-67-7	ACGIH TWA: 10 mg/m3 OSHA PEL: 15 mg/m3 OSHA TWA: 15 mg/m3 OSHA TWA: 5 mg/m3 Respirable fraction.			
IRON OXIDE BLACK	1317-61-9	ACGIH TWA: 10 mg/m3 OSHA PEL: 15 mg/m3 Total dust. OSHA TWA: 15 mg/m3 Total dust. OSHA TWA: 5 mg/m3 Respirable fraction.			
CHROME OXIDE	1308-38-9	OSHA PEL: 0.5 mg/m3 Total dust.			

Section IX - Physical and Chemical Properties

Specific Gravity (H2O=1): 5.1 Boiling Point: N/A

Melting Point: 4415 °F (2435 °C)

Vapor Pressure: N/A
Vapor Density: N/A
Evaporation Rate: N/A

Solubility In Water: Insoluble (Dispersible)

pH / 10% Solution: 4.0 – 6.0

Section X - Reactivity / Estability

Reactivity: Stable

Incompatibilities: Strong oxidizing agents, strong acids.

Decomposition or Byproducts: None

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Storage at temperatures above 140 °F due to possible slow oxidation.

Section XI - Toxicological Information

No Data Available

Section XII - Ecological Information

No Data Available

Section XIII - Disposal Considerations

Disposal Method: Not regulated under RCRA. Dispose of in compliance with state and local regulations. Do not incinerate.

Section XIV - Transportation / Shipping Data

DOT Hazard Class:

Not regulated

Section XV - Regulatory Information

U. S. Federal Regulations:

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, material safety data sheets, training, and access to written records. It is your legal duty to make all information in this *Material Safety Data Sheet* available to your employees.

State Regulations:

State of California *Safe Drinking Water and Toxic Enforcement Act of 1986* (*Proposition 65*); WARNING: This product contains one or more chemicals known to the State of California to cause cancer, or birth defects or other reproductive harm.

International Regulations:

Consult the regulations of the importing country.

OSHA Hazardous Components :	Chrome oxide	1308-38-9
	Titanium Dioxide	13463-67-7
	Yellow Iron Oxide	51274-00-1
	Iron Oxide Black	1317-61-9
	Iron Oxide Red	1309-37-1
MASS RTK Components :	Chrome oxide	1308-38-9
	Titanium Dioxide	13463-67-7
	Yellow Iron Oxide	51274-00-1
	Iron Oxide Black	1317-61-9
	Iron Oxide Red	1309-37-1
Penn RTK Components :	Chrome oxide	1308-38-9
	Titanium Dioxide	13463-67-7
	Yellow Iron Oxide	51274-00-1
	Iron Oxide Black	1317-61-9
	Iron Oxide Red	1309-37-1
NJ RTK Components :	Chrome oxide	1308-38-9
	Titanium Dioxide	13463-67-7
	Yellow Iron Oxide	51274-00-1
	Iron Oxide Black	1317-61-9
	Iron Oxide Red	1309-37-1

Section XVI - Other Information

HMIS Rating: **HEALT**

1 0 = Minimum3 = Serious **FLAMMABILITY** 0 1 = SlightREACTIVITY 0 4 = Severe2 = Moderate

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Legend

ACGIH - American Conference of Governmental Hygienists PEL - Permissible Exposure Limit

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

RCRA - Resource Conservation and Recovery Act

DOT - Department of Transportation RTK - Right To Know

DSL - Domestic Substance List SARA - Superfund Amendments and Reauthorization Act

EPA - Environmental Protection Agency STEL - Short Term Exposure Limit HMIS - Hazardous Materials Information System TLV - Threshold Limit Value

IARC - International Agency for Research on Cancer TSCA - Toxic Substances Control Act

MSHA - Mine Safety Health Administration TWA - Time Weighted Average

NDSL - Non-Domestic Substance List V - Volume

NIOSH - National Institute for Occupational Safety and Health VOC - Volatile Organic Compound

NTP - National Toxicology Program

WHMIS - Workplace Hazardous Materials Information System

OSHA - Occupational Safety and Health Administration

References:

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response,

Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation

EINECS: European Inventory of Existing Commercial

chemical Substances

ENCS: Existing and New Chemical Substances IARC: International Agency for Research on Cancer

IBC: Intermediate Bulk Container

IECSC: Inventory of Existing Chemical Substances IMDG: International Maritime Dangerous Goods

Inh: Inhalation

IOC: Inventory of Chemicals

KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NOEC: No observable effect concentration

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average TSCA: Toxic Substance Control Act

WHMIS: Workplace Hazardous Materials Identification System

1. ACGIH, Threshold Limit Values for Chemical Sunstances and Physical Agents & Biological Exposure Indices for 2015.

2. International Agency for Research on Cancer Monographs, searched 2015.

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015 (Chempendium, HSDB, RTECs).

4. Material Safety Data Sheet from manufacturer.

5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal,

2015

5. US EPA Title III List of Lists

6. California Proposition 65 List

DISCLAIMER

This Safety Data Sheet was prepared by JBM Inc. using information provided by "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE.

Before using this product:

Complety read the QC Tech-Data Bulletin Antiquing Release and the product label.

10.05M

QC ColorTech: Green

QC ColorTech: Green