



PERSONAL PROTECTION

HEALTH

PHYSICAL HAZARD

Date. 2016

0

G

Section I - Product Identification

Product Name:	QC ColorTech: Red, Yellow and Black		
Company	QC Construcion Products 11901, Gavin Rd, Laredo Tx, 78045		
Chemical Name:	Iron oxide		
Chemical Family:	Inorganic oxide		
Chemical Formula:	Proprietary		
D.O.T. Hazard Class:	Fe2O3, with CaCO3		
Appearance & Odor:	Odorless powder, color RYB		
Emergency Telephone Number:	CHEMTREC (800) 424-9300		
Telephone Number for Information:	956 622 7677		
Product Use:			

### Section II - Hazards Identification

Hazard Symbol:



Emergency Overview: Red, Yellow and Black Powder. May cause coughing and wheezing. Dust may irritate respiratory tract. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry:

Ihalation : Eyes :	May cause coughing and wheezing. Dust may irritate respiratory tract. Dust may cause eye irritation. May cause mechanical irritation or abrasion. Direct contact may cause temporary redness and discomfort.
Ingestion : Skin :	May cause gastrointestinal irritation, nausea, and vomiting. May cause mild irritation.
Aggravated Medical Conditions:	Pre-existing eye, skin and respiratory disorders may be aggravated by exposure

Chronic Health Effects: Repeated and prolonged exposures to trivalent chromium compounds may cause delayed effects involving the respiratory system.

Section III - Product Composition		
Composition	CAS Number	Weight %
Titanium Dioxide	13463-67-7	20 - 60
Yellow Iron Oxide	51274-00-1	20 - 60
Iron Oxide Black	1317-61-9	20 - 60
Iron Oxide Red	1309-37-1	20 - 60
Limestone	1317-65-3	< 10
Silicon Dioxide crystalline	14808-60-7	< 10

### Section IV - First Aid Measures

Inhalation: Remove victim to fresh air.

Skin Contact: Wash with soap and water

Eye Contact: Flush with large amount of water, consult an eye physician.

Ingestion: Do not induce vomiting unless advised by a physician. Call nearest poison control. Seek immediate medical assistance.

#### Section V - Fire Fighting Measure

Flash Point:	N/A
Flammable Limits:	N/A
Firefighting Media:	Dry chemical water spray, form CO2
Special Firefighting Procedure:	Exposure to excessive heat greater than 131 °F (55 °C) can cause this product to become unstable and slowly auto oxidize from Fe3O4 to Fe2O3, which generates additional heat. Under certain conditions the heat may be sufficient to cause combustible materials to ignite.
Unusual Fire Hazards:	Slow oxidation at elevated temperatures may occur, which generates heat.

### Section VI - Accidental Release Measures

Use appropriate protective equipment. Avoid contact with material. Dampen material with water to control dusting. Scoop up and transfer to appropriate container for disposal. Flush spill area with water.

#### Section VII - Handling and Storage

Prevent inhalation of dust and contact with skin and eyes. Clean hands thoroughly after handling. Precautions also apply to emptied containers. Personal protective equipment must be worn during maintenance or repair of contaminated mixer, reactor, or other equipment. Store in sealed containers in a cool, dry, ventilated warehouse location.

### Section VIII - Exposure Controls / Personal Protection

Personal Protection Equipment



Respirator:	Dust mast should be worn. If exposure limits are exceeded, use NIOSH approved dust respirator.
Ventilation:	Remove airborne dust.
Special:	N/A
Protective Gloves:	Rubber, cloth or plastic gloves.
Eye Protection:	Safety glasses or goggles.
Other Protective	
Clothing Required:	N/A

### Section VIII - Exposure Controls / Personal Protection

Chemical Name:	CAS Number:	Regulatión: Limit: Form:
TITANIUM DIOXIDE	13463-67-7	ACGIH TWA: 10 mg/m3 OSHA PEL: 15 mg/m3 Total dust. OSHA TWA: 15 mg/m3 Total dust. OSHA TWA: 5 mg/m3 Respirable fraction
IRON OXIDE BLACK	1317-61-9	ACGIH TWA: 10 mg/m3 OSHA PEL: 15 mg/m3 Total dust. OSHA TWA: 15 mg/m3 Total dust. OSHA TWA: 5 mg/m3 Respirable fraction.
IRON OXIDE RED	1309-37-1	ACGIH TWA: 10 mg/m3 OSHA PEL: 15 mg/m3 Total dust. OSHA TWA: 15 mg/m3 Total dust. OSHA TWA: 5 mg/m3 Respirable fraction.
Yellow Iron Oxide	51274-00-1	ACGIH TWA: 10 mg/m3 OSHA PEL: 15 mg/m3 Total dust. OSHA TWA: 15 mg/m3 Total dust. OSHA TWA: 5 mg/m3 Respirable fraction.

### Section IX - Physical and Chemical Properties

Specific Gravity (H2O=1):	4.2 – 4.9
Boiling Point:	N/A
Melting Point:	N/A
Vapor Pressure:	N/A
Vapor Density:	N/A
Evaporation Rate:	N/A
Solubility In Water:	Insoluble (Dispersible)
pH / 10% Solution:	4.0 - 7.0

### Section X - Reactivity / Estability

Reactivity:	Stable
Incompatibilities:	Strong oxidizing agents, strong acids.
Decomposition or Byproducts:	None
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Storage at temperatures above 140 °F due to possible slow oxidation.

Section XI - Toxicological Information

No Data Available

### Section XII - Ecological Information

No Data Available

### Section XIII - Disposal Considerations

Disposal Method : Not regulated under RCRA. Dispose of in compliance with state and local regulations. Do not incinerate.

### Section XIV - Transportation / Shipping Data

DOT Hazard Class:

Not regulated

### Section XV - Regulatory Information

U. S. Federal Regulations: OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, material safety data sheets, training, and access to written records. It is your legal duty to make all information in this Material Safety Data Sheet available to your employees. State Regulations: State of California Safe Drinking Water and Toxic Enforcement Act of 198 (Proposition 65); WARNING: This product contains one or more chemicals 6 known to the State of California to cause cancer, or birth defects or other reproductive harm. International Regulations: Consult the regulations of the importing country. Titanium Dioxide **OSHA Hazardous Components :** 13463-67-7 51274-00-1 Yellow Iron Oxide Iron Oxide Black 1317-61-9 Iron Oxide Red 1309-37-1 **Titanium Dioxide** MASS RTK Components : 13463-67-7 Yellow Iron Oxide 51274-00-1 Iron Oxide Red 1309-37-1 13463-67-7 Penn RTK Components : **Titanium Dioxide** Yellow Iron Oxide 51274-00-1 Iron Oxide Black 1317-61-9 Iron Oxide Red 1309-37-1 NJ RTK Components : **Titanium Dioxide** 13463-67-7 Yellow Iron Oxide 51274-00-1 Iron Oxide Black 1317-61-9 Iron Oxide Red 1309-37-1

Section XVI -	Other Information			
F	HEALT FLAMMABILITY REACTIVITY PPE	1 0 0	0 = Minimum 1 = Slight 2 = Moderate	3 = Serious 4 = Severe

#### Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

### Legend

ACGIH - American Conference of Governmental Hygienists PEL - Permissible Exposure Limit CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act RCRA - Resource Conservation and Recovery Act DOT - Department of Transportation RTK - Right To Know DSL - Domestic Substance List SARA - Superfund Amendments and Reauthorization Act EPA - Environmental Protection Agency STEL - Short Term Exposure Limit HMIS - Hazardous Materials Information System TLV - Threshold Limit Value IARC - International Agency for Research on Cancer TSCA - Toxic Substances Control Act MSHA - Mine Safety Health Administration TWA - Time Weighted Average NDSL - Non-Domestic Substance List V - Volume NIOSH - National Institute for Occupational Safety and Health VOC - Volatile Organic Compound NTP - National Toxicology Program WHMIS - Workplace Hazardous Materials Information System

OSHA - Occupational Safety and Health Administration

#### **References:**

CAS: Chemical Abstract ServicesNTP:CAS: Chemical Abstract ServicesNTP:CERCLA: Comprehensive Environmental Response,OSHACompensation, and Liability Act of 1980PEL:1CFR: Code of Federal RegulationsPICC3DOT: Department of TransportationRCRAEINECS: European Inventory of Existing CommercialRTECchemical SubstancesSARAENCS: Existing and New Chemical SubstancesSTELIARC: International Agency for Research on CancerTDG:IBC: Intermediate Bulk ContainerTLV:IECSC: Inventory of Existing Chemical SubstancesTWA:IMDG: International Maritime Dangerous GoodsTSCAInh: InhalationWHMIOC: Inventory of Chemicals1. ACKECI: Korean Existing Chemicals InventoryBiologKECL: Korean Existing Chemicals List2. InterLD: Lethal Dose(ChemMA: Massachusetts4. MatMN: Minnesota5. OEN/Ap: Not Applicable2015.N/Av: Not Available5. US	<ul> <li>C: No observable effect concentration</li> <li>National Toxicology Program</li> <li>A: Occupational Safety and Health Administration</li> <li>Permissible exposure limit</li> <li>S: Philippine Inventory of Chemicals and Chemical Substances</li> <li>A: Resource Conservation and Recovery Act</li> <li>S: Registry of Toxic Effects of Chemical Substances</li> <li>A: Superfund Amendments and Reauthorization Act</li> <li>S: Short Term Exposure Limit</li> <li>Canadian Transportation of Dangerous Goods Act &amp; Regulations</li> <li>Threshold Limit Values</li> <li>Time Weighted Average</li> <li>A: Toxic Substance Control Act</li> <li>IS: Workplace Hazardous Materials Identification System</li> <li>GIH, Threshold Limit Values for Chemical Sunstances and Physical Agents &amp; gical Exposure Indices for 2015.</li> <li>Pernational Agency for Research on Cancer Monographs, searched 2015.</li> <li>nadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015</li> <li>npendium, HSDB, RTECs).</li> <li>terial Safety Data Sheet from manufacturer.</li> <li>CD - The Global Portal to Information on Chemical Substances - eChemPortal,</li> </ul>
---	---

#### DISCLAIMER

This Safety Data Sheet was prepared by JBM Inc. using information provided by "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE.

Before using this product : Complety read the QC Te

Complety read the QC Tech-Data Bulletin Antiquing Release and the product label. 10.05M QC ColorTech: Red, Yellow and Black