

# SAFETY DATA SHEET



HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	1

## Section I - Product Identification

Date: 2016

Product Name:	QC Concrete Degreaser and Neutralizer
Company	QC Construcion Products 11901, Gavin Rd, Laredo Tx, 78045
Chemical Name:	N/A
Chemical Family:	N/A
Chemical Formula:	Proprietary
D.O.T. Hazard Class:	Compound cleaning liquid (non-hazardous)
Appearance & Odor:	Green liquid, pine odor.
Emergency Telephone Number:	CHEMR EC (800) 424-9300
Telephone Number for Information:	956 622 7677
Product Use:	

## Section II - Hazards Identification

Hazard Symbol:



### HEALTH

Acute toxicity:	Category 5 (Oral)
Acute toxicity:	Category 5 (Inhalation)
Serious Eye Damage/Eye Irritation:	Category 1
Skin Corrosion/Irritation:	Category 1

### ENVIRONMENTAL

Acute Toxicity:	None Known
Chronic Toxicity:	None Known

### PHYSICAL

None

### Hazard Statements

Causes severe skin burns and eye damage

May be harmful if swallowed

May be harmful if inhaled

### Precautionary Statements

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe mists, vapors or spray.

IF IN EYES: Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Center or Physician.

IF ON SKIN: Remove immediately all contaminated clothing. Rinse skin with water for several minutes. If skin irritation occurs or persists get medical attention.

Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or Physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a Poison Center or Physician.

Store in a closed, original container in a well ventilated area.

Dispose of contents/container in accordance with local regulation.

## Section III - Product Composition

Composition	Weight %	CAS No.
2-Butoxyethanol*	7 - 9	111-76-2
2-Aminoethanol*	8 - 10	141-43-5
Potassium Hydroxyde	0.1 - 0.5	1310-58-3
Nonylphenol Polyethylene Glycol Ether	2 - 4	127087-87-0

# SAFETY DATA SHEET

## Section IV - First Aid Measures

- Eye Contact: Rinse with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Center or Physician.
- Skin Contact: Remove immediately all contaminated clothing. Rinse skin with water for several minutes. If skin irritation occurs or persists get medical attention. Wash contaminated clothing before reuse.
- Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or Physician.
- Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a Poison Center or Physician.  
Store in a closed, original container in a well ventilated area.

## Section V - Fire Fighting Measure

Fire Extinguishing media: Use dry chemical, carbon dioxide or water spray. For larger fires use regular foam, dry chemical, carbon dioxide or water spray. Move containers away from fire area if it can be done without risk. From a safe distance and keeping upwind, apply flooding amounts of water to sides of container exposed to fire for cooling purposes until well after the fire is extinguished. Stay away from tanks engulfed in flames. (Emergency Response Guidebook Guide #154)

Hazards during fire-fighting: Containers may rupture when exposed to extreme heat.

Protective equipment for fire-fighting: Wear NFPA-approved self-contained breathing apparatus, helmet, hood, boots and gloves.

## Section VI - Accidental Release Measures

Personal precautions:

Use recommended personal protective clothing and equipment. To prevent slipping, do not walk through spilled material.

Environmental precautions:

Follow all Federal, State and Local regulations when storing and disposing of substances. Do not allow material to run off work area. Material should be absorbed, collected and disposed of in accordance with regulations. Keep product from entering storm drains. Consult local and federal guidelines for proper disposal of these materials.

Cleanup:

- For small amounts of released material: Mop or vacuum up then transfer to suitable container for disposal. - For large amounts of released material: Dike around spilled material to contain. Spilled material may be mopped or vacuumed up, then transferred to plastic containers for disposal.

## Section VII - Handling and Storage

Handling:

General advice - No specific measures are necessary provided product and recommended protective clothing/equipment are used correctly. Do not mix with other chemicals. This is a commercial product, not intended for home use. Keep out of reach of children.

Storage:

General advice - Protect against physical damage. Store in tightly closed containers in a cool, well ventilated area. Do not allow product to freeze.

Shelf Life:

12 months minimum

# SAFETY DATA SHEET

## Section VIII - Exposure Controls / Personal Protection

### Personal Protective Equipment



#### Advice on system design:

Provide local exhaust ventilation to control vapors/mist for published exposure limits.

Personal protective equipment (HMIS rating 'H'):

Eye protection: Wear splash-proof safety goggles to prevent exposure.

Skin protection: Chemical-resistant gloves and chemical-resistant, high traction footwear. Wear appropriate protective (impervious) clothing equipment to prevent possible skin contact.

Respiratory protection: Use proper NIOSH-OSHA respirator for contamination levels found in work area or if ventilation is inadequate.

General safety and hygiene measures: Exercise stringent hygiene practices to minimize exposure.

If contact occurs, wash any body part with soap and water immediately. Wash hands after use, and before eating, drinking or smoking.

Other protective measures:

Nearby running water on the job site is necessary, should an accident occur.

#### Exposure Guidelines:

**ACGIH TLV: 20 ppm (111-76-2), 3 ppm (141-43-5) and 2 mg/m<sup>3</sup> (1310-58-3)**

**STEL: 6 ppm (141-43-5)**

**OSHA PEL: 50 ppm- Skin (111-76-2), 3 ppm (141-43-5) and 2 mg/m<sup>3</sup> (1310-58-3)**

## Section IX - Physical and Chemical Properties

Appearance:	Clear green liquid	Flash Point:	None
Odor:	Pine	Upper/Lower Flammability Limits:	No information available
pH value:	12.5 ± 0.2 (Concentrate) 11.2 ± 0.2 (1:32 dilution)	Relative Density (water):	1.04
		Auto-Ignition Temperature:	No information available
		Decomposition temperature:	No information available
Specific gravity: 1.04 (H <sub>2</sub> O = 1)		Partition Coefficient	No information available
Solidification temperature:	No information available	Odor Threshold	No information available
Freezing/Melting point:	32 °F (0 °C)	Viscosity:	< 10 cps.
Boiling point:	212°F (100 °C)	Partition Coefficient	No information available
Vapor density:	No information available	Solubility in water:	100%
Vapor pressure:	No information available		
Evaporation Rate:	No information available		
Regulatory VOC:	16.6% by weight (concentrate) 0.5 % by weight (at routine maximum concentration – 1:32 dilution)		

## Section X - Reactivity / Estability

Conditions to avoid:	Excessive heat or flame.
Substances to avoid:	Strong acids, oxidizers (e.g., bleach).
Hazardous reactions:	Product is chemically stable. Reaction with strong acids may generate high heat.
Decomposition or By-products:	In fire conditions: carbon monoxide (CO), carbon dioxide (CO <sub>2</sub> ) nitric oxides (NO <sub>x</sub> ) and ammonia.
Corrosion to metals:	Concentrate may be slightly corrosive to aluminum, copper and copper alloys.

## Section XI - Toxicological Information

#### Acute Toxicity (Symptoms):

Ingestion: May be harmful if swallowed. Ingestion may cause irritation of the mouth and throat with consequent pain, nausea, vomiting and diarrhea.

Eye Contact: Can cause serious eye damage. Severe irritation, conjunctivitis, redness. Contact may cause permanent eye damage.

Skin Contact: Can cause severe skin burns. Irritation, inflammation, ulceration, necrosis and possible chemical burns.

Inhalation: May be harmful if inhaled. May cause respiratory irritation including nasal and throat discomfort.

# SAFETY DATA SHEET

## Section XI - Toxicological Information

### Numerical Measures of Toxicity:

Calculated Acute Toxicity Estimates (ATE) based on available information.

ATEmix (oral): 2363 mg/kg

ATEmix (inhalation): 23.5 mg/l

### Chronic Toxicity:

Other information: No components present at 0.1% or greater are considered carcinogens by ACGIH, IARC, NTP or OSHA.

## Section XII - Ecological Information

### Biodegradation:

Test method: Unspecified

Analysis method: Unspecified

Degree of elimination: Expected to be biodegradable.

### Environmental toxicity:

Acute and prolonged toxicity to fish: Not Established

Toxicity to microorganisms: Not Established

Other ecotoxicological advice: Not Established

## Section XIII - Disposal Considerations

Waste disposal of substance: Dispose of in accordance with all Federal, State and Local regulations when storing and disposing of substances. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA (EPA regulations for hazardous waste). Container disposal: Dispose of in a licensed facility in accordance with local regulations.

RCRA: Unspecified.

## Section XIV - Transportation / Shipping Data

DOT: Proper Shipping Name: COMPOUND CLEANING LIQUID (NON-HAZARDOUS)

## Section XV - Regulatory Information

### Federal Regulations:

Registration status:

TSCA, US: All components are listed or exempt.

SARA hazard category (EPCRA 311/312): Acute health hazard SARA TITLE III, SECTION 313:

CAS Number: Chemical Name:

111-76-2 2-Butoxyethanol

### State Regulations:

Chemicals known to the State of California to cause cancer, birth defects or other reproductive harm

CAS Number: Chemical Name:

111-42-2 Diethanolamine (May contain trace levels)

## Section XVI - Other Information

### HMIS Rating :

HEALT	2	0 = Minimum
FLAMMABILITY	0	1 = Slight
REACTIVITY	0	2 = Moderate
PPE		3 = Serious

# SAFETY DATA SHEET

## Section XVI - Other Information

### Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

### Legend

ACGIH - American Conference of Governmental Hygienists PEL - Permissible Exposure Limit  
CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act  
RCRA - Resource Conservation and Recovery Act  
DOT - Department of Transportation RTK - Right To Know  
DSL - Domestic Substance List SARA - Superfund Amendments and Reauthorization Act  
EPA - Environmental Protection Agency STEL - Short Term Exposure Limit  
HMIS - Hazardous Materials Information System TLV - Threshold Limit Value  
IARC - International Agency for Research on Cancer TSCA - Toxic Substances Control Act  
MSHA - Mine Safety Health Administration TWA - Time Weighted Average  
NDSL - Non-Domestic Substance List V - Volume  
NIOSH - National Institute for Occupational Safety and Health VOC - Volatile Organic Compound  
NTP - National Toxicology Program  
WHMIS - Workplace Hazardous Materials Information System  
OSHA - Occupational Safety and Health Administration

### References:

CA: California	NOEC: No observable effect concentration
CAS: Chemical Abstract Services	NTP: National Toxicology Program
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980	OSHA: Occupational Safety and Health Administration
CFR: Code of Federal Regulations	PEL: Permissible exposure limit
DOT: Department of Transportation	PICCS: Philippine Inventory of Chemicals and Chemical Substances
EINECS: European Inventory of Existing Commercial chemical Substances	RCRA: Resource Conservation and Recovery Act
ENCS: Existing and New Chemical Substances	RTECS: Registry of Toxic Effects of Chemical Substances
IARC: International Agency for Research on Cancer	SARA: Superfund Amendments and Reauthorization Act
IBC: Intermediate Bulk Container	STEL: Short Term Exposure Limit
IECSC: Inventory of Existing Chemical Substances	TDG: Canadian Transportation of Dangerous Goods Act & Regulations
IMDG: International Maritime Dangerous Goods	TLV: Threshold Limit Values
Inh: Inhalation	TWA: Time Weighted Average
IOC: Inventory of Chemicals	TSCA: Toxic Substance Control Act
KECI: Korean Existing Chemicals Inventory	WHMIS: Workplace Hazardous Materials Identification System
KECL: Korean Existing Chemicals List	1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2015.
LC: Lethal Concentration	2. International Agency for Research on Cancer Monographs, searched 2015.
LD: Lethal Dose	3. Canadian Centre for Occupational Health and Safety, CCHInfoWeb Databases, 2015 (Chempendium, HSDB, RTECs).
MA: Massachusetts	4. Material Safety Data Sheet from manufacturer.
MN: Minnesota	5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.
N/Ap: Not Applicable	6. US EPA Title III List of Lists
N/Av: Not Available	6. California Proposition 65 List
NIOSH: National Institute of Occupational Safety and Health	
NJ: New Jersey	

### DISCLAIMER

This Safety Data Sheet was prepared by JBM Inc. using information provided by "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product.

JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE.

Before using this product :

Completely read the QC Tech-Data Bulletin  
Antiquing Release and the product label.

10.05M QC Concrete Degreaser and Neutralizer