



Date. 2016

D

PERSONAL PROTECTION

HEALTH

Section I - Product Identification

Product Name:	QC Patina Stain "Adobe"	
Company	QC Construcion Products 11901, Gavin Rd, Laredo Tx, 78045	
Chemical Name:	Inorganic acid	
Chemical Family:	Inorganic salts/acids	
Chemical Formula:	Proprietary	
D.O.T. Hazard Class:	Corrosive liquid, acidic, inorganic, N.O.S., (Hydrochloric Acid, Solution), 8, UN3264, PGIII, ERG#153	
Appearance & Odor:	Brownish-red liquid, chlorine odor.	
Emergency Telephone Number:	CHEMTREC (800) 424-9300	
Telephone Number for Information:	956 622 7677	
Product Use:		

Section II - Hazards Identification

Hazard Symbol: **Emergency Overview** Liquid. May cause mucous membrane irritation. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention. Acute Potential Health Effects/ Routes of Entry

Inhalation : Eves :	May cause mucous membrane irritation. May cause irreversible damage and burns to the eyes.
Ingestion :	May cause burns to lips, tongue, oral mucosa, esophagus and stomach.
Skin :	May cause severe burns, blistering and skin damage.
ted Medical Co	nditions

Agravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use. Skin, Lung, Eye

Target Organs:

Section III - Product Composition

Composition	Weight	CAS Number
Water	Proprietary	10-40
Hydrogen Chloride	Proprietary	0-20
Chromic acid , disodium salt	Proprietary	0-20
Ferrous Chloride	Proprietary	40-70

Section IV - First Aid Measures

Get immediate medical attention for any significant overexposure.

Inhalation : Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Eye contact : Flush with water for at least 15 minutes while holding eye lids apart. Get medical attention immediately.

Skin contact : Remove from skin and immediately flush with water for 15 minutes. Get medical attention.

Ingestion : Get medical attention. Do not induce vomiting.

Section V - Fire Fighting Measure	
Flash point :	Not available.
Method :	Not available.
Lower explosion limit :	Not available.
Upper explosion limit :	Not available.
Autoignition temperature :	Not available.
Extinguishing media :	This product is not expected to burn under normal conditions of use.
Hazardous combustion products:	Carbon monoxide, carbon dioxide, and nitrogen oxides.
Protective equipment for firefighters:	Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).
Fire and explosion conditions :	This product not expected to ignite under normal conditions of use.

Section VI - Accidental Release Measures

Neutralize with alkaline material. Do not store in steel drums. Absorb spill in sand, earth or other suitable material.

Section VII - Handling and Storage

Prevent inhalation of vapor, ingestion, and contact with skin eyes and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Change soiled work clothes frequently. Clean hands thoroughly after handling. Store under normal warehouse conditions in sealed containers. Do not store or use near food.

Section VIII - Exposure Controls / Personal Protection

Personal Protection Equipment



Respiratory protection : Use full engineering controls before relying on personal protective equipment.

- Hand protection : Protect hands with impervious gloves.
- Eye protection : Wear chemical safety goggles and/or face shield to prevent eye contact. Do not wear contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye washing facilities readily available.
- Skin and body protection : Prevent contact with shoes and clothing. Use rubber apron and overshoes.

Section VIII - Exposure Controls / Personal Protection

Protective measures :	Use professional judgment in the selection, care, and use.
Engineering measures :	Not required under normal conditions of use.Use local exhaust when the general ventilation is inadequate.

Work/Hygiene Practices

Exercise stringent hygiene practices to minimize exposure. If contact occurs, wash any body part with soap and water immediately. Wash hands after use, and before eating, drinking or smoking.

Chemical Name:	CAS Number:	Regulatión:	Limit:	Form:
Chromic acid , disodiur	n salt 10588-01-9	ACGIH TWA	0.05 mg/m3	Cr
		ACGIH TWA OSHA PEL	0.01 mg/m3 1 mg/m3	Cr Cr
Ferrous Chloride	7758-94-3	ACGIH TWA	1 mg/m3	Fe
Section IX - Physical a	nd Chemical Properties			
Form :	Liquid			
Color :	Adobe			
Odor :	Pungent			
pH :	< 1			
Vapour pressure :	Not available.			
Vapor density :	Not available.			
Melting point/range :				
Freezing point :	Not available.			
Boiling point/range :	Not available.			
Water solubility :	Not available.			
Specific Gravity :	1.1344			
% Volatile Weight :	78.3 %			
Section X - Reactivity	y / Estability			
Substances to avoid · I	Metal.Strong bases.Oxidizing agent	tc		
Stability : Stable	fictal.sciolig bases.exializing agen			
Hazardous polymeriza	ation · Will not occur			
. ,	nical Information			
Section XI - Toxicolo				
Section XI - Toxicolo Hydrogen chloride,	CAS-No.: 7647-01-0			
Section XI - Toxicolo Hydrogen chloride, Acute oral toxicity	CAS-No.: 7647-01-0 (LD-50 oral) 900 mg/kg (R		h (Marras)	
Section XI - Toxicolo Hydrogen chloride, Acute oral toxicity Acute inhalation toxicit	CAS-No.: 7647-01-0 (LD-50 oral) 900 mg/kg (R (LC-50) 3,124 mg/l for 1 h	(Rat) 1,108 mg/l for 1	h (Mouse)	
Section XI - Toxicolo Hydrogen chloride, Acute oral toxicity Acute inhalation toxicity Acute dermal toxicity	CAS-No.: 7647-01-0 (LD-50 oral) 900 mg/kg (R (LC-50) 3,124 mg/l for 1 h (LD-50 dermal) 1,449 mg/l	(Rat) 1,108 mg/l for 1	h (Mouse)	
Section XI - Toxicolo Hydrogen chloride, Acute oral toxicity Acute inhalation toxicit	CAS-No.: 7647-01-0 (LD-50 oral) 900 mg/kg (R (LC-50) 3,124 mg/l for 1 h (LD-50 dermal) 1,449 mg/l	(Rat) 1,108 mg/l for 1	h (Mouse)	
Section XI - Toxicolo Hydrogen chloride, Acute oral toxicity Acute inhalation toxicit Acute dermal toxicity Section XII - Ecologic	CAS-No.: 7647-01-0 (LD-50 oral) 900 mg/kg (R (LC-50) 3,124 mg/l for 1 h (LD-50 dermal) 1,449 mg/l	(Rat) 1,108 mg/l for 1	h (Mouse)	
Section XI - Toxicolo Hydrogen chloride, Acute oral toxicity Acute inhalation toxicit Acute dermal toxicity Section XII - Ecologic	CAS-No.: 7647-01-0 (LD-50 oral) 900 mg/kg (R ty (LC-50) 3,124 mg/l for 1 h (LD-50 dermal) 1,449 mg/l cal Information	(Rat) 1,108 mg/l for 1	h (Mouse)	
Section XI - Toxicolo Hydrogen chloride, Acute oral toxicity Acute inhalation toxicit Acute dermal toxicity Section XII - Ecologic No D Section XIII - Disposal RCRA Class : D	CAS-No.: 7647-01-0 (LD-50 oral) 900 mg/kg (R ty (LC-50) 3,124 mg/l for 1 h (LD-50 dermal) 1,449 mg/l cal Information Data Available Considerations 007: Reportable Quantity = 10 lbs. Chro	(Rat) 1,108 mg/l for 1 kg (Mouse) omium		
Section XI - Toxicolo Hydrogen chloride, Acute oral toxicity Acute inhalation toxicit Acute dermal toxicity Section XII - Ecologic No E Section XIII - Disposal RCRA Class : Di	CAS-No.: 7647-01-0 (LD-50 oral) 900 mg/kg (R ty (LC-50) 3,124 mg/l for 1 h (LD-50 dermal) 1,449 mg/l cal Information Data Available Considerations 007: Reportable Quantity = 10 lbs. Chro his classification applies only to the ma	(Rat) 1,108 mg/l for 1 kg (Mouse) omium aterial as it was originally	produced.	r
Section XI - Toxicolo Hydrogen chloride, Acute oral toxicity Acute inhalation toxicit Acute dermal toxicity Section XII - Ecologic No E Section XIII - Disposal RCRA Class : D Th Disposal Method : Su	CAS-No.: 7647-01-0 (LD-50 oral) 900 mg/kg (R ty (LC-50) 3,124 mg/l for 1 h (LD-50 dermal) 1,449 mg/l cal Information Data Available Considerations 007: Reportable Quantity = 10 lbs. Chro	(Rat) 1,108 mg/l for 1 kg (Mouse) omium aterial as it was originally storage, and disposal req	produced. uirements unde	

Section XIV - Transportation / Shipping Data		
CFR / DOT:	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric Acid), 8, PG III	
TDG:	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric Acid), 8, PG III	
IMDG:	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric Acid), 8, PG III	
Further Information:	The above shipping description.	

Section XV - Regulatory Information

North American Inventories:

All components are listed or exempt from the TSCA inventory. This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components : Chromic acid , disodium salt Hydrogen chloride	CAS: 10588-01-9 CAS 7647-01-0	
SARA 311/312 Hazards : Acute Health Hazard Chronic Health Hazard		
OSHA Hazardous Components : Chromic acid , disodium salt Ferrous Chloride	CAS: 10588-01-9 CAS: 7758-94-3	

Section XVI - Other Information

Hydrogen chloride

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

CAS: 7647-01-0

Legend

ACGIH - American Conference of Governmental Hygienists PEL - Permissible Exposure Limit
CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
RCRA - Resource Conservation and Recovery Act
DOT - Department of Transportation RTK - Right To Know
DSL - Domestic Substance List SARA - Superfund Amendments and Reauthorization Act
EPA - Environmental Protection Agency STEL - Short Term Exposure Limit
HMIS - Hazardous Materials Information System TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer TSCA - Toxic Substances Control Act
MSHA - Mine Safety Health Administration TWA - Time Weighted Average
NDSL - Non-Domestic Substance List V - Volume
NIOSH - National Institute for Occupational Safety and Health VOC - Volatile Organic Compound
NTP - National Toxicology Program
WHMIS - Workplace Hazardous Materials Information System
OSHA - Occupational Safety and Health Administration

Section XVI - Other Information

References:

CAS: Chemical Abstract ServicesNTFCERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980PELCFR: Code of Federal RegulationsPICDOT: Department of TransportationRCFEINECS: European Inventory of Existing Commercial chemical SubstancesRTFENCS: Existing and New Chemical SubstancesSTFIARC: International Agency for Research on CancerTDGIBC: Intermediate Bulk ContainerTLVIECSC: Inventory of Existing Chemical SubstancesTW/IMDG: International Maritime Dangerous GoodsTSGInh: InhalationWHIIOC: Inventory of Chemicals InventoryBioldKECI: Korean Existing Chemicals List2. InLC: Lethal Concentration3. CLD: Lethal Dose(ChemicalsMA: Massachusetts4. MMN: Minnesota5. ON/Ap: Not Applicable2011N/Av: Not Available5. U	EC: No observable effect concentration P: National Toxicology Program HA: Occupational Safety and Health Administration L: Permissible exposure limit CCS: Philippine Inventory of Chemicals and Chemical Substances RA: Resource Conservation and Recovery Act ECS: Registry of Toxic Effects of Chemical Substances RA: Superfund Amendments and Reauthorization Act EL: Short Term Exposure Limit G: Canadian Transportation of Dangerous Goods Act & Regulations V: Threshold Limit Values V: Threshold Limit Values V: Threshold Limit Values V: Threshold Limit Values CA: Toxic Substance Control Act IMIS: Workplace Hazardous Materials Identification System ACGIH, Threshold Limit Values for Chemical Sunstances and Physical Agents & logical Exposure Indices for 2015. International Agency for Research on Cancer Monographs, searched 2015. Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015 mempendium, HSDB, RTECs). Material Safety Data Sheet from manufacturer. DECD - The Global Portal to Information on Chemical Substances - eChemPortal, 15. JS EPA Title III List of Lists California Proposition 65 List
--	---

DISCLAIMER

This Safety Data Sheet was prepared by JBM Inc. using information provided by "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE.

Before using this product : Complety read the QC Tech-Data Bulletin Antiquing Release and the product label.

10.05M QC PATINA STAIND "ADOBE"