

SAFETY DATA SHEET



HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	1
PERSONAL PROTECTION	G

Section I - Product Identification

Date: 2016

Product Name:	QC Thin-Pave NI Powder
Company	QC Construcion Products 11901, Gavin Rd, Laredo Tx, 78045
Chemical Name:	N/A
Chemical Family:	Cements
Chemical Formula:	Proprietary
D.O.T. Hazard Class:	Dry building mortar, not regulated.
Appearance & Odor:	Gray powder, no odor.
Emergency Telephone Number:	CHEMTREC (800) 424-9300
Telephone Number for Information:	956 622 7677
Product Use:	

Section II - Hazards Identification

Hazard Symbol:



Emergency Overview

Powder. Dust may irritate nose and throat. Dust irritating to the respiratory tract. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation :	Dust may irritate nose and throat. Dust irritating to the respiratory tract.
Eyes :	Direct contact may cause severe irritation. May cause mechanical irritation or abrasion, and possible chemical burns. May cause temporary injury.
Ingestion :	May cause irritation to the mouth, throat and stomach. May cause gastrointestinal irritation, nausea, and vomiting.
Skin :	May cause severe irritation. May cause dryness, cracking, irritation, and chemical burns.

May produce cement dermatitis due to primary irritation from alkaline, hygroscopic and abrasive properties.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Inhalation of crystalline silica (quartz) can cause cancer based on animal data, and IARC concludes sufficient evidence in humans (Group 1). Prolonged and repeated overexposure to free crystalline silica dust above the TLV level may cause scarring of the lungs with cough and shortness of breath. A delayed lung injury, silicosis may result from breathing free silica

Section III - Product Composition

Composition	% Weight	CAS Number
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	Proprietary
Portland cement	65997-15-1	Proprietary
Vinyl Acetate copolymer	Proprietary	Proprietary
Amorphous silica	7631-86-9	Proprietary

SAFETY DATA SHEET

Section IV - First Aid Measures

Get immediate medical attention for any significant overexposure.

Inhalation : Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.
Eye contact : Flush with water for at least 15 minutes while holding eye lids apart. Get medical attention immediately.
Skin contact : Clean area of contact thoroughly using soap and water. If irritation, rash or other disorders develop, get medical attention immediately.
Ingestion : Do not induce vomiting unless advised by a physician. Call nearest Poison Control Center or Physician immediately.

Section V - Fire Fighting Measure

Flash point : Not available.
Method : Not available.
Lower explosion limit : Not available.
Upper explosion limit : Not available.
Autoignition temperature : Not available.
Extinguishing media : This product is not expected to burn under normal conditions of use. Use that which is appropriate to the surroundings.
Hazardous combustion products: Not available.
Protective equipment for firefighters: Not applicable. Product is not expected to burn.
Fire and explosion conditions : This product not expected to ignite under normal conditions of use.

Section VI - Accidental Release Measures

Use appropriate protective equipment. Avoid contact with material. Dampen material with water to control dusting. Scoop up and transfer to appropriate container for disposal. Flush spill area with water.

Section VII - Handling and Storage

Prevent inhalation of dust and contact with skin and eyes. Clean hands thoroughly after handling. Precautions also apply to emptied containers. Personal protective equipment must be worn during maintenance or repair of contaminated mixer, reactor, or other equipment. Store in sealed containers in a cool, dry, ventilated warehouse location.

Section VIII - Exposure Controls / Personal Protection

Personal Protection Equipment



Respiratory protection : Wear appropriate, properly fitted NIOSH/MSHA approved dust respirator where airborne concentrations are expected to exceed exposure limits indicated on the MSDS. Follow manufacturer's directions for respirator use.
Hand protection : Use suitable impervious rubber or vinyl gloves and protective apparel to reduce exposure.
Eye protection : Wear appropriate eye protection. Wear chemical safety goggles and/or face shield to prevent eye contact. Do not wear contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye washing facilities readily available.

SAFETY DATA SHEET

Section VIII - Exposure Controls / Personal Protection

Skin and body protection : Prevent contact with shoes and clothing.

Protective measures : Use professional judgment in the selection, care, and use. Wear gloves, head coverings and full body clothing as necessary to prevent skin irritation.

Washable or disposable clothing may be used. Do not take unwashed clothing home. Work clothes should be washed separately from other clothing and the washing machine rinsed thoroughly following use. Inform the launderer of the proper procedures. Store work clothes and street clothes separately to prevent contamination.

Engineering measures : Use only in well ventilated areas. Provide maximum ventilation in enclosed areas. Use local exhaust when the general ventilation is inadequate.

Chemical Name:	CAS Number:	Regulation:	Limit:	Form:
Crystalline Silica (Quartz)/Silica Sand	14808-60-7	OSHA TWA	0.1 mg/m ³	Respirable.
		OSHA TWA	0.3 mg/m ³	Total dust.
		OSHA PEL	15 mg/m ³	Total dust.
		OSHA PEL	5 mg/m ³	Respirable fraction
		ACGIH TWA	0.025 mg/m ³	Respirable fraction
Portland cement	65997-15-1	OSHA PEL	5 mg/m ³	Respirable fraction.
		OSHA PEL	15 mg/m ³	Total dust.
		ACGIH TWA	1 mg/m ³	Respirable fraction
Amorphous silica	7631-86-9	ACGIH TWA	3 mg/m ³	Respirable particles
		ACGIH TWA	10 mg/m ³	Inhalable particles.
		OSHA PEL	15 mg/m ³	Total dust.
		OSHA PEL	5 mg/m ³	Respirable fraction.
		OSHA TWA	0.8 mg/m ³	

Section IX - Physical and Chemical Properties

Form :	Powder
Color :	Different Colors
Odor :	None
pH :	Not available.
Vapour pressure :	Not available.
Vapor density :	Not available.
Melting point/range :	Not available.
Freezing point :	Not available.
Boiling point/range :	Not available.
Water solubility :	Miscible
Specific Gravity :	1.68
% Volatile Weight :	0.0 %

Section X - Reactivity / Estability

Substances to avoid :	Not Applicable.
Stability :	Material is stable under normal storage, handling, and use.
Hazardous polymerization :	Will not occur under normal conditions.

Section XI - Toxicological Information

Amorphous silica, CAS-No.: 7631-86-9
Acute oral toxicity (LD-50 oral) 22,500 mg/kg (Rat) 15,000 mg/kg (Mouse)

Section XII - Ecological Information

No Data Available

SAFETY DATA SHEET

Section XIII - Disposal Considerations

Disposal Method : Not regulated under RCRA. Dispose of in compliance with state and local regulations. Do not incinerate.

Section XIV - Transportation / Shipping Data

CFR / DOT:
Not Regulated

TDG:
Not Regulated

IMDG:
Not Regulated

Section XV - Regulatory Information

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components : None present or none present in regulated quantities.
SARA 311/312 Hazards : Acute Health Hazard Chronic Health Hazard

U.S. State Regulations:

MASS RTK Components :

Crystalline Silica (Quartz)/ Silica Sand	14808-60-7
Portland cement	65997-15-1
Amorphous silica	7631-86-9

Penn RTK Components :

Crystalline Silica (Quartz)/ Silica Sand	14808-60-7
Portland cement	65997-15-1
Vinyl Acetate copolymer	Proprietary
Amorphous silica	7631-86-9

NJ RTK Components :

Crystalline Silica (Quartz)/ Silica Sand	14808-60-7
Portland cement	65997-15-1

Section XVI - Other Information

HMIS Rating :	HEALT	2	0 = Minimum
	FLAMMABILITY	0	1 = Slight
	REACTIVITY	1	2 = Moderate
	PPE		3 = Serious
			4 = Severe

SAFETY DATA SHEET

Section XVI - Other Information

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Legend

ACGIH - American Conference of Governmental Hygienists PEL - Permissible Exposure Limit
CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
RCRA - Resource Conservation and Recovery Act
DOT - Department of Transportation RTK - Right To Know
DSL - Domestic Substance List SARA - Superfund Amendments and Reauthorization Act
EPA - Environmental Protection Agency STEL - Short Term Exposure Limit
HMIS - Hazardous Materials Information System TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer TSCA - Toxic Substances Control Act
MSHA - Mine Safety Health Administration TWA - Time Weighted Average
NDSL - Non-Domestic Substance List V - Volume
NIOSH - National Institute for Occupational Safety and Health VOC - Volatile Organic Compound
NTP - National Toxicology Program
WHMIS - Workplace Hazardous Materials Information System
OSHA - Occupational Safety and Health Administration

References:

CA: California	NOEC: No observable effect concentration
CAS: Chemical Abstract Services	NTP: National Toxicology Program
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980	OSHA: Occupational Safety and Health Administration
CFR: Code of Federal Regulations	PEL: Permissible exposure limit
DOT: Department of Transportation	PICCS: Philippine Inventory of Chemicals and Chemical Substances
EINECS: European Inventory of Existing Commercial chemical Substances	RCRA: Resource Conservation and Recovery Act
ENCS: Existing and New Chemical Substances	RTECS: Registry of Toxic Effects of Chemical Substances
IARC: International Agency for Research on Cancer	SARA: Superfund Amendments and Reauthorization Act
IBC: Intermediate Bulk Container	STEL: Short Term Exposure Limit
IECSC: Inventory of Existing Chemical Substances	TDG: Canadian Transportation of Dangerous Goods Act & Regulations
IMDG: International Maritime Dangerous Goods	TLV: Threshold Limit Values
Inh: Inhalation	TWA: Time Weighted Average
IOC: Inventory of Chemicals	TSCA: Toxic Substance Control Act
KECI: Korean Existing Chemicals Inventory	WHMIS: Workplace Hazardous Materials Identification System
KECL: Korean Existing Chemicals List	1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2015.
LC: Lethal Concentration	2. International Agency for Research on Cancer Monographs, searched 2015.
LD: Lethal Dose	3. Canadian Centre for Occupational Health and Safety, CCHInfoWeb Databases, 2015 (Chempendium, HSDB, RTECs).
MA: Massachusetts	4. Material Safety Data Sheet from manufacturer.
MN: Minnesota	5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.
N/Ap: Not Applicable	5. US EPA Title III List of Lists
N/Av: Not Available	6. California Proposition 65 List
NIOSH: National Institute of Occupational Safety and Health	
NJ: New Jersey	

DISCLAIMER

This Safety Data Sheet was prepared by JBM Inc. using information provided by "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product.

JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of JBM Inc. and "QC" CONSTRUCTION PRODUCTS QUALITY ARCHITECTURAL CONCRETE.

Before using this product :

Completely read the QC Tech-Data Bulletin
Antiquing Release and the product label.

10.05M QC THIN-PAVE NI POWDER