Version 1.0	Revision Date: 08/24/2020		DS Number: 00000260271	Date of last issue: - Date of first issue: 08/24/2020
SECTION	1. IDENTIFICATION			
Produ	uct name	:	STUCCOBASE	
Produ	uct code	:	0000000005018	32543 000000000050182543
Manu	afacturer or supplier's	deta	ails	
Com	pany name of supplier	:	Master Builders-0 US, LLC	Construction Systems
Addre	ess	:	23700 CHAGRIN Beachwood OH 4	
Emer	gency telephone	:	ChemTel: +1-813	3-248-0585
Reco	mmended use of the o	cher	nical and restriction	ons on use
Reco	mmended use	:	Product for const	ruction chemicals
Restr	ictions on use	:	Reserved for indu	ustrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	:	2
Serious eye damage/eye irritation	:	Category 1
Specific target organ toxicity - single exposure	:	3
Specific target organ toxicity - repeated exposure	:	Category 1 (Lung)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H318 Causes serious eye damage. H315 Causes skin irritation. H335 May cause respiratory irritation. H372 Causes damage to organs (Lung) through prolonged or repeated exposure.
Precautionary Statements	:	Prevention:

/ersion I.0	Revision Date: 08/24/2020	SDS Number: 000000260271	Date of last issue: - Date of first issue: 08/24/2020
		face protection P271 Use only P260 Do not b P270 Do not ea	otective gloves/ protective clothing/ eye protection/ outdoors or in a well-ventilated area. reathe dust or mist. at, drink or smoke when using this product. ce, hands and any exposed skin thoroughly after
		Response:	
		for several min to do. Continue P304 + P340 II keep comfortal P303 + P352 II and water. P332 + P313 II tion. P362 + P364 T reuse.	F INHALED: Remove person to fresh air and ble for breathing. F ON SKIN (or hair): Wash with plenty of soap f skin irritation occurs: Get medical advice/ atten- ake off contaminated clothing and wash it before F exposed or concerned: Call a POISON
		Storage:	
		P403 + P233 S tightly closed. P405 Store loc	Store in a well-ventilated place. Keep container keed up.
		Disposal:	
		P501 Dispose waste collectio	of contents/container to appropriate hazardous n point.
	hazards a available.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1	>= 50 - < 75
Iron oxide	1309-37-1	>= 7 - < 10
Calcium dihydroxide	1305-62-0	>= 5 - < 7
Calcium sulphate	7778-18-9	>= 3 - < 5
calcium oxide	1305-78-8	>= 1 - < 3
magnesium oxide	1309-48-4	>= 1 - < 3
Limestone	1317-65-3	>= 1 - < 3
Quartz (SiO2)	14808-60-7	>= 0 - < 3

SECTION 4. FIRST AID MEASURES

General advice

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).

Versio 1.0	on	Revision Date: 08/24/2020		9S Number: 0000260271	Date of last issue: - Date of first issue: 08/24/2020
				Move out of dange Consult a physicia	an. I safety data sheet to the doctor in attend-
li	f inhale	d	:	tion.	a, remove to fresh air, seek medical atten- nister a corticosteroid from a con- ose inhaler.
				advice.	ace in recovery position and seek medical st, call a physician.
lı	n case	of skin contact	:		thoroughly with plenty of water, apply ster- sult a skin specialist.
				If skin irritation pe If on skin, rinse wo If on clothes, remo	
li	n case	of eye contact	:		a affected eyes for at least 15 minutes under a eyelids held open, consult an eye special-
				sue damage and l In the case of con of water and seek Continue rinsing e Remove contact le Protect unharmed Keep eye wide op	tact with eyes, rinse immediately with plenty medical advice. eyes during transport to hospital. enses. l eye.
li	f swallo	owed	:	Immediately rinse seek medical atter Keep respiratory t Do NOT induce vo	ract clear.
				Never give anythin If symptoms persi	r alcoholic beverages. ng by mouth to an unconscious person. st, call a physician. diately to hospital.
a		portant symptoms ects, both acute and	:	Causes serious e May cause respire	ye damage.
١	Notes to	o physician	:	Treat symptomation	cally.

ersion 0	Revision Date: 08/24/2020		0S Number: 0000260271	Date of last issue: - Date of first issue: 08/24/2020			
ECTION	5. FIRE-FIGHTING ME	ASL	JRES				
Suital	ole extinguishing media	:	Water spray Foam Dry powder Carbon dioxide (0	CO2)			
Unsu media	table extinguishing	:	High volume wate	er jet			
Specific hazards during fire fighting		:	Do not allow run- courses.	Do not allow run-off from fire fighting to enter drains or water courses.			
Furth	er information	:	must not be disch Fire residues and	ated fire extinguishing water separately. Th arged into drains. contaminated fire extinguishing water mus accordance with local regulations.			
	al protective equipment e-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if ne			
ECTION	6. ACCIDENTAL RELE	AS	E MEASURES				
tive e	nal precautions, protec- quipment and emer- / procedures	:	Use personal pro Avoid dust format Avoid breathing c				
Enviro	onmental precautions	:	Prevent further le	rom entering drains. akage or spillage if safe to do so. taminates rivers and lakes or drains inform ities.			
	ods and materials for		Keen in suitable	closed containers for disposal.			

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Avoid formation of respirable particles. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated

Versio 1.0	on	Revision Date: 08/24/2020		OS Number: 0000260271	Date of last issue: - Date of first issue: 08/24/2020
				place. Observe label pre Electrical installat the technological	ions / working materials must comply with
		information on stor- nditions	:	Containers should	d be stored tightly sealed in a dry place.
N	Materia	als to avoid	:	Segregate from n Segregate from a Segregate from o Segregate from fo	cids and bases.
-	Further	information on stor- bility	:	No data available	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Calcium dihydroxide	1305-62-0	TWA value	5 mg/m3	ACGIHTLV
		REL value	5 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA	5 mg/m3	ACGIH
		TWA	5 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
		TWA	5 mg/m3	OSHA P0
calcium oxide	1305-78-8	TWA value	2 mg/m3	ACGIHTLV
		REL value	2 mg/m3	NIOSH
		PEL	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		TWA value	5 mg/m3	29 CFR 1910.1000 (Table Z-1-A)
		TWA	2 mg/m3	ACGIH
		TWA	2 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA Z-1
		TWA	5 mg/m3	OSHA P0

sion	Revision Date: 08/24/2020	SDS Number: 000000260271	Date of las Date of firs	t issue: - t issue: 08/24/202	0
Iron o	xide	1309-37-1	TWA value (Respirable fraction)	5 mg/m3	ACGIHTL
			REL value (Dust and fume)	5 mg/m3 (iron (Fe))	NIOSH
			PEL (fumes/smok e)	10 mg/m3	29 CFR 1910.1000 (Table Z-1
			TWA value (fumes/smok e)	10 mg/m3	29 CFR 1910.1000 (Table Z-1
			TWA (Res- pirable par- ticulate mat- ter)	5 mg/m3	ACGIH
			TWA (dust and fume)	5 mg/m3 (Iron)	NIOSH RE
			TWA (Fumes)	10 mg/m3	OSHA Z-1
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction) TWA	5 mg/m3	OSHA Z-1
		4000 40 4	(Fumes)	10 mg/m3	OSHA PO
magn	esium oxide	1309-48-4	TWA value (Inhalable fraction)	10 mg/m3	ACGIHTL\
			PEL (Total particulate)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Total partic- ulate)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
			TWA (fume, total particu- late)	15 mg/m3	OSHA Z-1
			TWA (Fume - total particu- late)	10 mg/m3	OSHA P0
Limes	stone	1317-65-3	REL value (Respirable)	5 mg/m3	NIOSH
			REL value (Total)	10 mg/m3	NIOSH
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)

ersion 0	Revision Date: 08/24/2020	SDS Number: 000000260271	Date of las Date of firs	t issue: - t issue: 08/24/2020)
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-,
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH RE
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH RE
Calciu	um sulphate	7778-18-9	TWA value (Inhalable fraction)	10 mg/m3	ACGIHTLV
			REL value (Respirable)	5 mg/m3	NIOSH
			REL value (Total)	10 mg/m3	NIOSH
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA value (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1-
			TWA (Res- pirable)	5 mg/m3	NIOSH RE
			TWA (total) TWA (total dust)	10 mg/m3 15 mg/m3	NIOSH REI OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Inhal- able particu-	10 mg/m3 (Calcium)	ACGIH

sion	Revision Date: 08/24/2020	SDS Number: 000000260271	Date of last issue: - Date of first issue: 08/24/2020			
			late matter)		1	
Quart	z (SiO2)	14808-60-7	TWA value (Respirable fraction)	0.025 mg/m3	ACGIHTL	
			TWA value	0.05 mg/m3 (Respirable dust)	29 CFR 1910.1001 1050	
			OSHA Action level	0.025 mg/m3 (Respirable dust)	29 CFR 1910.1001 1050	
			REL value (Respirable dust)	0.05 mg/m3	NIOSH	
			TWÁ (Res- pirable dust)	0.05 mg/m3	OSHA Z-1	
			TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3	
			TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3	
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
			PEL (respir- able)	0.05 mg/m3	OSHA CA	
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE	
Ceme	ent, portland, chemicals	65997-15-1	TWA value (Respirable fraction)	1 mg/m3	ACGIHTL	
			REL value (Total)	10 mg/m3	NIOSH	
			REL value (Respirable)	5 mg/m3	NIOSH	
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1	
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1	
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1	
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1	
			TWA value	50 millions of particles per cubic foot of air	29 CFR 1910.1000 (Table Z-3	
			TWA (Res- pirable par-	1 mg/m3	ACGIH	

sion	Revision Date: 08/24/2020	SDS Number: 00000026027		Date of last issue: - Date of first issue: 08/24/2020			
			ticulate mat- ter)				
			TWA (Res- pirable)	5 mg/m3	NIOSH RE		
			TWA (total)	10 mg/m3	NIOSH RE		
			TWA (total dust)	15 mg/m3	OSHA Z-1		
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1		
			TWA (Total dust)	10 mg/m3	OSHA P0		
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0		
			TWA (Dust)	50 Million parti- cles per cubic foot	OSHA Z-3		
Engir	neering measures	: Provide loc P.E.L.	Provide local exhaust ventilation to maintain recommended P.E.L.				
	onal protective equip						
Respi	ratory protection		protection if dusts a OSH-certified (or e	are formed. quivalent) particulate	respirator.		
Hand	protection						
Re	emarks		ility for a specific w oducers of the prot	orkplace should be d ective gloves.	iscussed		
Eye p	rotection	Tightly fittir	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.				
Skin a	and body protection		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.				
Protec	ctive measures	Avoid inha In order to working clo Handle in a	Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice.				
Hygie	ne measures	When usin	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.				

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: powder

Version 1.0	Revision Date: 08/24/2020		S Number: 0000260271	Date of last issue: - Date of first issue: 08/24/2020	
Color		:	dark gray		
Odor		:	odorless		
Odor	Threshold	:	Not determined of	due to potential health hazard by inhalation.	
рН		:	slightly alkaline		
Meltir	ng point	:	No applicable inf	ormation available.	
Boilin	g point	:	No applicable inf	ormation available.	
Flash	point	:	does not flash		
Evapo	pration rate	:	No applicable inf	ormation available.	
Flamr	mability (solid, gas)	:	not determined		
Self-ię	gnition	:	not self-igniting		
	r explosion limit / Upper nability limit	:	: As a result of our experience with this product and knowledge of its composition we do not expect any long as the product is used appropriately and in ac with the intended use.		
	r explosion limit / Lower nability limit	:	knowledge of its	experience with this product and our composition we do not expect any hazard as uct is used appropriately and in accordance l use.	
Vapor	r pressure	:	No applicable inf	ormation available.	
Relati	ve vapor density	:	No applicable inf	ormation available.	
Relati	ve density	:	0.8		
Bulk o	density	:	1,800 - 2,400 kg/	/m3	
	ility(ies) ater solubility	:	No data available	9	
Sc	olubility in other solvents	:	No applicable inf	ormation available.	
	ion coefficient: n- ol/water	:	No applicable inf	ormation available.	
Autoi	gnition temperature	:	No applicable inf	ormation available.	
Deco	mposition temperature	:	: No decomposition if stored and handled as pre- scribed/indicated.		
Visco Vis	sity scosity, dynamic	:	No data available	Э.	

SAFETY DATA SHEET

STUCCOBASE

Version 1.0	Revision Date: 08/24/2020	SDS Number: 000000260271	Date of last issue: - Date of first issue: 08/24/2020	
Viscosity, kinematic Explosive properties		: No applicabl : Not explosiv Not explosiv		
Oxidi	zing properties	: Based on its as oxidizing.	structural properties the product is not classified	
Self-heating substances		: No data ava	ilable	
Subli	mation point	: No applicable information available.		
Molecular weight		: No data ava	ilable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong bases Strong acids
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: Remarks: No applicable information available.
Acute inhalation toxicity	: Remarks: No applicable information available.
Acute dermal toxicity	: Remarks: No applicable information available.
Skin corrosion/irritation Causes skin irritation.	

Product:

Remarks : Extremely corrosive and destructive to tissue.

/ersion I.0	Revision Date: 08/24/2020	SDS Number: 000000260271	Date of last issue: - Date of first issue: 08/24/2020
Seriou	us eye damage/eye irri	tation	
Cause	es serious eye damage.		
Produ	ict:		
Rema	rks	: May cause irre	versible eye damage.
Respi	ratory or skin sensitiz	ation	
Skin s	ensitization		
Not cla	assified based on availa	ble information.	
Respi	ratory sensitization		
Not cla	assified based on availa	ble information.	
Produ	ict:		
Rema	rks		s product has been reduced. Sensitization due hin stated shelf-live is unlikely.
	cell mutagenicity assified based on availa	ble information.	
	nogenicity assified based on availa	ble information.	
-	ductive toxicity assified based on availa	ble information.	
STOT	-single exposure		
May c	ause respiratory irritatio	n.	
	-repeated exposure es damage to organs (Lu	ung) through prolong	ged or repeated exposure.
Aspira	ation toxicity		
Not cla	assified based on availa	ble information.	
Furthe	er information		
<u>Produ</u> Rema		: No data availat	ble
SECTION '	12. ECOLOGICAL INFO	ORMATION	
Ecoto	xicity		
<u>Produ</u>	ict:		
Ecoto	xicology Assessment		
Acute	aquatic toxicity	: This product ha	as no known ecotoxicological effects.
	ic aquatic toxicity	. This product he	as no known ecotoxicological effects.

rsion	Revision Date: 08/24/2020	SDS Number: 000000260271		Date of last issue: - Date of first issue: 08/24/2020			
Persi	stence and degradab	ility					
Produ	uct:						
	gradability	:	Remarks: Not	applicable for inorganic substances.			
Bioad	cumulative potential						
Produ	uct:						
Bioac	cumulation	:	Remarks: The product will not be readily bioavailable due t its consistency and insolubility in water.				
<u>Com</u>	oonents:						
Ceme	ent, portland, chemica	als:					
	on coefficient: n- ol/water	:	GLP: no Remarks: not	applicable			
Iron o	oxide:						
	on coefficient: n- ol/water	:	Remarks: Stud	dy scientifically not justified.			
Calci	um dihydroxide:						
	on coefficient: n- ol/water			value has not been determined because the norganic.			
Calci	um sulphate:						
	Partition coefficient: n- octanol/water		GLP: no Remarks: The substance is ir	value has not been determined because the norganic.			
calciu	um oxide:						
	on coefficient: n- ol/water	:	Remarks: The substance is in	value has not been determined because the norganic.			
magn	esium oxide:						
	on coefficient: n- ol/water	:	Remarks: No	data available.			
Quart	tz (SiO2):						
Partiti	on coefficient: n- ol/water	:	: Remarks: not applicable				
Mobi	lity in soil						
<u>Produ</u>	uct:						
	oution among environ- al compartments	:		owing exposure to soil, adsorption to solid so bable, therefore contamination of groundwated			

Version 1.0	Revision Date: 08/24/2020		DS Number: 00000260271	Date of last issue: - Date of first issue: 08/24/2020
			The substance w the water surface	ill not evaporate into the atmosphere from
Oth	er adverse effects			
<u>Pro</u>	duct:			
Results of PBT and vPvB assessment		:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
	Additional ecological infor- mation		harmful to aquation The product has	robability that the product is not acutely c organisms. not been tested. The statements on ecotoxi- n derived from the properties of the individual

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Version 1.0	Revision Date: 08/24/2020	SDS Number: 000000260271	Date of last issue: - Date of first issue: 08/24/2020
SECTION	15. REGULATORY	NFORMATION	
US S	tate Regulations		
Penn	sylvania Right To K	now	
	Quartz (SiO2) Calcium sulphat Limestone Calcium dihydro calcium oxide Iron oxide magnesium oxic Cement, portlan listed	xide le	14808-60-7 7778-18-9 1317-65-3 1305-62-0 1305-78-8 1309-37-1 1309-48-4 65997-15-1
New	Jersey Right To Kno	w	
	Calcium dihydro calcium oxide magnesium oxid Cement, portlan Limestone Calcium sulphat Iron oxide Quartz (SiO2) listedSpecial Ha	le d, chemicals e	1305-62-0 1305-78-8 1309-48-4 65997-15-1 1317-65-3 7778-18-9 1309-37-1 14808-60-7

California Prop. 65

WARNING: This product can expose you to chemicals including Quartz (SiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.


The ingredients of this product are reported in the following inventories:

TSCA

: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information



1-A) / TWA value		
	0 (Table Z- :	Permissible exposure limit
1) / PEL		
29 CFR 1910.100	0 (Table Z- :	Time Weighted Average (TWA):
3) / TWA value		
29 CFR 1910.100	1-1050 / :	OSHA Action level:
OSHA Action level	l	
29 CFR 1910.100	1-1050 / :	Time Weighted Average (TWA):
TWA value		
ACGIH / TWA	:	8-hour, time-weighted average
ACGIHTLV / TWA	value :	Time Weighted Average (TWA):
NIOSH / REL valu	e :	Recommended exposure limit (REL):

Version 1.0	Revision Date: 08/24/2020	SDS Number: 000000260271	Date of last issue: - Date of first issue: 08/24/2020
OSH/ OSH/ OSH/	H REL / TWA A CARC / PEL A P0 / TWA A Z-1 / TWA A Z-3 / TWA	workday duri : Permissible e : 8-hour time v : 8-hour time v	ed average concentration for up to a 10-hour ng a 40-hour workweek exposure limit (PEL) veighted average veighted average veighted average
			5 5

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Revision Date

: 08/24/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/24/2020	00000260271	Date of first issue: 08/24/2020

, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN