Revision Date 02/06/2018

### 1. Identification

Product name	:	Sika <sup>®</sup> Injection-306 Accelerator
Supplier	:	Sika Corporation
		201 Polito Avenue Lyndhurst, NJ 07071 USA www.sikausa.com
Telephone	:	(201) 933-8800
Telefax	:	(201) 804-1076
E-mail address	:	ehs@sika-corp.com
Emergency telephone	:	CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887
Recommended use of the chemical and restrictions on use	:	For further information, refer to product data sheet.

#### 2. Hazards identification


#### **GHS Classification**

Serious eye damage, Category 1 Carcinogenicity, Category 2 Specific target organ systemic toxicity repeated exposure, Category 2 (Oral) H318: Causes serious eye damage.H351: Suspected of causing cancer.H373: May cause damage to organs through prolonged or repeated exposure if swallowed.

#### **GHS** label elements

Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H318 Causes serious eye damage. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure if swallowed.
Precautionary Statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P280 Wear eye protection/ face protection. P281 Use personal protective equipment as required.







#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P310 Immediately call a POISON CENTER/doctor.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

See Section 11 for more detailed information on health effects and symptoms. There are no hazards not otherwise classified that have been identified during the classification process.

There are no ingredients with unknown acute toxicity used in a mixture at a concentration >= 1%.

#### 3. Composition/information on ingredients

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration (%)
2,2-iminodiethanol	111-42-2	>= 5 - < 10 %

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4.	First	aid	measures
----	-------	-----	----------

If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	<ul> <li>Take off contaminated clothing and shoes immediately.</li> <li>Wash off with soap and plenty of water.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of eye contact	<ul> <li>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.</li> <li>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>Continue rinsing eyes during transport to hospital.</li> <li>Remove contact lenses.</li> <li>Keep eye wide open while rinsing.</li> </ul>
If swallowed	<ul> <li>Clean mouth with water and drink afterwards plenty of water.</li> <li>Do not induce vomiting without medical advice.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>
Most important symptoms	: No known significant effects or hazards.

Revision Date 02/06/2018



and effects, both acute and delayed	
uelayeu	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
	Causes serious eye damage. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance.
Notes to physician	: Treat symptomatically.
5. Fire-fighting measures	
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific extinguishing methods	<ul> <li>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.</li> <li>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.</li> </ul>
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus.
6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	<ul> <li>Do not flush into surface water or sanitary sewer system.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> <li>Local authorities should be advised if significant spillages cannot be contained.</li> </ul>
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
7. Handling and storage	

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.





	Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products.
Conditions for safe storage	<ul> <li>Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Store in accordance with local regulations.</li> </ul>
Materials to avoid	: No data available

#### 8. Exposure controls/personal protection

Component	CAS-No.	Basis **	Value	Exposure limit(s)* / Form of exposure
Triethanolamine	102-71-6	ACGIH	TWA	5 mg/m3
2,2-iminodiethanol	111-42-2	ACGIH	TWA	1 mg/m3 Inhalable fraction and vapor
		OSHA P0	TWA	3 ppm 15 mg/m3

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### \*\*<u>Basis</u>

ACGIH. Threshold Limit Values (TLV) OSHA P0. Table Z-1, Limit for Air Contaminat (1989 Vacated Values) OSHA P1. Permissible Exposure Limits (PEL), Table Z-1, Limit for Air Contaminant OSHA P2. Permissible Exposure Limits (PEL), Table Z-2 OSHA Z3. Table Z-3, Mineral Dust

Engineering measures : Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

#### Personal protective equipment

Respiratory protection	:	Use a properly fitted NIOSH approved air-purifying or air-fect respirator complying with an approved standard if a risk assessment indicates this is necessary.		
		The filter class for the respirator must be suitable for the maximum expected contaminant concentration		

Revision Date 02/06/2018



	(gas/vapor/aerosol/particulates) that may arise when har the product. If this concentration is exceeded, self-conta breathing apparatus must be used.	•
Hand protection Remarks	Chemical-resistant, impervious gloves complying with ar approved standard should be worn at all times when har chemical products if a risk assessment indicates this is necessary.	
Eye protection	Safety eyewear complying with an approved standard sh be used when a risk assessment indicates this is necess	
Skin and body protection	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and the specific work-place.	d to
Hygiene measures	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handli product. Remove contaminated clothing and protective equipment before entering eating areas. Wash thoroughly after handling.	0

### 9. Physical and chemical properties

Appearance	:	liquid
Color	:	transparent
Odor	:	slight
Odor Threshold	:	No data available
Flash point	:	> 209.8 °F (> 98.8 °C)
Ignition temperature	:	No data available
Decomposition temperature	:	No data available
Lower explosion limit (Vol%)	:	No data available
Upper explosion limit (Vol%)	:	No data available
Flammability (solid, gas)	:	No data available
Oxidizing properties	:	No data available
рН	:	Note: Not applicable
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Vapor pressure	:	17 mmHg (23 hpa)

Revision Date 02/06/2018



Density	:	ca.1.1 g/cm3 at 68 °F (20 °C)
Water solubility	:	Note: soluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20.5 mm2/s at  104 °F (40 °C)
Relative vapor density	:	No data available
Evaporation rate	:	No data available
Burning rate	:	No data available
Volatile organic compounds (VOC) content	:	806 g/l A+B+C Combined

#### 10. Stability and reactivity

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: Stable under recommended storage conditions.
Conditions to avoid	: No data available
Incompatible materials	: No data available

#### 11. Toxicological information

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.



Revision Date 02/06/2018

Reproductive toxicity		
Not classified based on availab	ole information.	
STOT-single exposure		
Not classified based on availab	ble information.	
STOT-repeated exposure		
May cause damage to organs	through prolonged or repe	eated exposure if swallowed.
Aspiration toxicity		
Not classified based on availab	ble information.	
Carcinogenicity		
Suspected of causing cancer.	Group 2B: Possibly carc	inogenic to humans
		, and the second s
NTP	2,2-iminodiethanol Not applicable	111-42-2
Ecological information		
Other information	Do not empty into d	rains; dispose of this material and its

Other information		Do not empty into drains; dispose of this material and its container in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Component:		
2,2-iminodiethanol	111-42-2	Toxicity to daphnia and other aquatic invertebrates: EC50 Species: Daphnia magna (Water flea) Dose: 55 mg/l Exposure time: 48 h Toxicity to algae: EC50 Species: Pseudokirchneriella subcapitata (green algae) Dose: 75 mg/l Exposure time: 72 h

13. Disposa	I considerations
-------------	------------------

Disposal methods		
Waste from residues	Disposal of this product, solutions and any by-products shou at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.	ld
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.	

Revision Date 02/06/2018



#### 14. Transport information

DOT Not dangerous goods IATA Not dangerous goods IMDG Not dangerous goods

Special precautions for user No data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

#### 15. Regulatory information

TSCA list	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory
	exemption.

#### EPCRA - Emergency Planning and Community Right-to-Know

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Serious eye damage or eye in Carcinogenicity Specific target organ toxicity (		d exposure)
SARA 302 :	This material does not contain 302 EHS TPQ.	any components	s with a section
SARA 313 :	The following components are established by SARA Title III, 2,2-iminodiethanol	•	ting levels 7.49 %
Clean Air Act			
Ozone-Depletion Potential	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).		
The following chemical(s) are li 61):	sted as HAP under the U.S. Cle	an Air Act, Sectio	on 12 (40 CFR

2,2-iminodiethanol 111-42-2 7.49 %

#### Revision Date 02/06/2018

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

California Prop 65

MARNING: Cancer – www.P65Warnings.ca.gov

#### 16. Other information

**HMIS Classification** 

Health •	3
Flammability	1
Physical Hazard	0
Personal Protection	X

**Caution:** HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.

#### Notes to Reader

The information contained in this Safety Data Sheet applies only to the actual Sika Corporation ("Sika") product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section 1 of this SDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sikausa.com or 201-933-8800.

Revision Date 02/06/2018

Material number: 177926

