

PRODUCT DATA SHEET

Crossgrip XTRA

Crossgrip XTRA is a rolled-out, open grid, walkway mat

PRODUCT DESCRIPTION

Crossgrip XTRA is a rolled-out, open grid, walkway mat used to protect Sarnafil® and Sikaplan® roof membranes from regular foot traffic.

USES

Walkway mat to protect Sarnafil and Sikaplan roof membranes from regular foot traffic.

AREAS OF APPLICATION

- Low-sloped roofs

CHARACTERISTICS / ADVANTAGES

- Open grid design
- Loose-laid for easy installation
- Resists winds up to 60 mph

PRODUCT INFORMATION

Chemical Base	Flexible PVC
Recycled Content	10% pre-consumer
Packaging	3 ft x 33 ft (0.91 m x 10 m) roll, 118 lb (53.5 kg) per roll
Shelf Life	N/A
Storage Conditions	Store rolls on pallets and fully protected from the weather with clean canvas tarpaulins
Appearance / Color	Gray, White, Yellow, and Black
Height	0.625" (15.8 mm)
Weight	1.2 lbs/ft ² (5.8 kg/m ²)

TECHNICAL INFORMATION

Dimensional Stability	Shrinkage	Up to 2%	
Solar Reflectance	EnergySmart White	0.82	(ASTM C-1549)
	EnergySmart Gray	0.51	
Continuous film of compound only			
Solar Reflectance Index	EnergySmart White	102	(ASTM E-1980)
	EnergySmart Gray	60	
Continuous film of compound only			
Thermal Emittance	EnergySmart White	0.82	(ASTM C-1371)
	EnergySmart Gray	0.81	
Continuous film of compound only			
Skid / Slip Resistance	0.72/0.61 (Dry/Wet)		(ASTM F-1677)
Longitudinal direction of walkway mat			
Reaction to Fire	Did not ignite		(UL 94 HB)

BASIS OF PRODUCT DATA

Results may differ based upon statistical variations depending upon mixing methods and equipment, temperature, application methods, test methods, actual site conditions and curing conditions.

AVAILABILITY/WARRANTY

AVAILABILITY

From Sika Corporation – Roofing Authorized Applications for use within Sarnafil or Sikaplan systems.

WARRANTY

Upon successful completion of the installed roof by the Sika Authorized Applicator in compliance with Sika requirements, Sika Corporation will provide a warranty to the Building Owner via the Sika Authorized Applicator.

LIMITATIONS

As a Sika supplied accessory, Crossgrip XTRA is covered under Sika Corporation warranties. However, in the event Crossgrip XTRA is in anyway attached to the Sarnafil or Sikaplan membrane, any and all damage that may result directly or indirectly from such attachment is explicitly excluded from warranty coverage.

ENVIRONMENTAL, HEALTH AND SAFETY

For further information and advice regarding transportation, handling, storage and disposal of chemical products, user should refer to the actual Safety Data Sheets containing physical, environmental, toxicological and other safety related data. User must read the current actual Safety Data Sheets before using any products. In case of an emergency, call CHEMTREC at 1-800-424-9300, International 703-527-3887.

APPLICATION INSTRUCTIONS

APPLICATION

Unroll and position Crossgrip XTRA within the specified areas and cut to desired length. Do not install Crossgrip XTRA directly over Sarnabars. Crossgrip XTRA is installed loose-laid on top of completed Sarnafil and Sikaplan roof assemblies.

COVERAGE

Approximately 99 ft² per roll (9.2 m²).

MAINTENANCE

Standard maintenance of Sarnafil and Sikaplan systems should include regular inspections of flashings, drains, and termination sealants at least twice a year and after each storm.

OTHER RESTRICTIONS

See Legal Disclaimer.

LEGAL DISCLAIMER

- KEEP CONTAINER TIGHTLY CLOSED
- KEEP OUT OF REACH OF CHILDREN
- NOT FOR INTERNAL CONSUMPTION
- FOR INDUSTRIAL USE ONLY
- FOR PROFESSIONAL USE ONLY

Prior to each use of any product of Sika Corporation, its subsidiaries or affiliates ("SIKA"), the user must always read and follow the warnings and instructions on the product's most current product label, Product Data Sheet and Safety Data Sheet which are available at usa.sika.com or by calling SIKA's Technical Service Department at 1-800-933-7452. Nothing contained in any SIKA literature or materials relieves the user of the obligation to read and follow the warnings and instructions for each SIKA product as set forth in the current product label, Product Data Sheet and Safety Data Sheet prior to use of the SIKA product.

SIKA warrants this product for one year from date of installation to be free from manufacturing defects and to meet the technical properties on the current Product Data Sheet if used as directed within the product's shelf life. User determines suitability of product for intended use and assumes all risks. User's and/or buyer's sole remedy shall be limited to the purchase price or replacement of this product exclusive of any labor costs. **NO OTHER WARRANTIES EXPRESS OR IMPLIED SHALL APPLY INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SIKA SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.**

Sale of SIKA products are subject to the Terms and Conditions of Sale which are available at <https://usa.sika.com/en/group/SikaCorp/termsandconditions.html> or by calling 1-800-933-7452.

Sika Corporation

201 Polito Avenue
Lyndhurst, NJ 07071
Phone: +1-800-933-7452
Fax: +1-201-933-6225
usa.sika.com



Product Data Sheet

Crossgrip XTRA
October 2022, Version 06.01
020945012150002002

CrossgripXTRA-en-US-(10-2022)-6-1.pdf

