

PRODUCT DATA SHEET

Sarnastacks

SARNASTACK UNIVERSAL IS A PREFABRICATED STACK/PIPE BOOT

PRODUCT DESCRIPTION

Sarnastack Universal is a 60 mil (1.5 mm) thick prefabricated stack/pipe to provide a simplified flashing solution for pipes, vent stacks and round penetrations.

USES

For flashing stack/pipe penetrations from 3/4 - 8" (10 - 203 mm) in diameter in Sarnafil® and Sikaplan® roofing and waterproofing details.

Areas of Application

- Pipes
- Vent stacks
- Round penetrations

CHARACTERISTICS / ADVANTAGES

- Time-saving and effective method to flash pipes, vent stacks and round penetrations
- Factory fabricated

PRODUCT INFORMATION

Chemical Base	Sarnastacks is injection molded with the same formulation used in Sarnafil® membranes
Packaging	8 Sarnastack Universal and 8 stainless steel clamping rings per carton, 30 lb (13.6 kg) per carton
Appearance / Color	White, Tan, or Reflective Gray
Shelf Life	N/A
Storage Conditions	N/A
Dimensions	Height: 9.3" (236 mm) Width: 9" (228 mm) Base Diameter: 13" (330 mm)

APPLICATION INSTRUCTIONS

APPLICATION

Sarnastack Universal's base flange is heat welded in place with a hand-held hot-air welder and roller. Apply a bead of Sikaflex®-1a sealant at the top of the Sarnastack Universal between the penetration and the boot. Install the stainless steel clamping ring at the top of the Sarnastack Universal creating a seal by compressing the Sikaflex®-1a between the penetration and the boot.

MAINTENANCE

Standard maintenance of Sarnafil® or Sikaplan® systems should include regular inspection of flashings, drains, and termination sealants at least twice a year and after each storm.

AVAILABILITY/WARRANTY

Availability

From Sika Corporation – Roofing Authorized Applicators for use within Sarnafil or Sikaplan systems.

Warranty

Upon successful completion of the installed roof by the Sika Authorized Applicator, Sika Corporation will provide a warranty to the Building Owner via the Sika Authorized Applicator

BASIS OF PRODUCT DATA

Results may differ based upon statistical variations depending upon mixing methods and equipment, temperature, application methods, test methods, actual site conditions and curing conditions.

OTHER RESTRICTIONS

See Legal Disclaimer.

ENVIRONMENTAL, HEALTH AND SAFETY

For further information and advice regarding transportation, handling, storage and disposal of chemical products, user should refer to the actual Safety Data Sheets containing physical, environmental, toxicological and other safety related data. User must read the current actual Safety Data Sheets before using any products. In case of an emergency, call CHEMTREC at 1-800-424-9300, International 703-527-3887.

LEGAL DISCLAIMER

- KEEP CONTAINER TIGHTLY CLOSED
- KEEP OUT OF REACH OF CHILDREN
- NOT FOR INTERNAL CONSUMPTION
- FOR INDUSTRIAL USE ONLY
- FOR PROFESSIONAL USE ONLY

Prior to each use of any product of Sika Corporation, its subsidiaries or affiliates ("SIKA"), the user must always read and follow the warnings and instructions on the product's most current product label, Product Data Sheet and Safety Data Sheet which are available at usa.sika.com or by calling SIKA's Technical Service Department at 1-800-933-7452. Nothing contained in any SIKA literature or materials relieves the user of the obligation to read and follow the warnings and instructions for each SIKA product as set forth in the current product label, Product Data Sheet and Safety Data Sheet prior to use of the SIKA product.

SIKA warrants this product for one year from date of installation to be free from manufacturing defects and to meet the technical properties on the current Product Data Sheet if used as directed within the product's shelf life. User determines suitability of product for intended use and assumes all risks. User's and/or buyer's sole remedy shall be limited to the purchase price or replacement of this product exclusive of any labor costs. **NO OTHER WARRANTIES EXPRESS OR IMPLIED SHALL APPLY INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SIKA SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.**

Sale of SIKA products are subject to the Terms and Conditions of Sale which are available at <https://usa.sika.com/en/group/SikaCorp/termsandconditions.html> or by calling 1-800-933-7452.

Sika Corporation
201 Polito Avenue
Lyndhurst, NJ 07071
Phone: +1-800-933-7452
Fax: +1-201-933-6225
usa.sika.com

Sika Sarnafil
100 Dan Road
Canton, MA 02021
Phone: +1 800-451-2504
Fax: +1 781-828-5365
usa.sarnafil.sika.com
webmaster.sarnafil@us.sika.com

Sika Mexicana S.A. de C.V.
Carretera Libre Celaya Km. 8.5
Fracc. Industrial Balvanera
Corregidora, Queretaro
C.P. 76920
Phone: 52 442 2385800
Fax: 52 442 2250537



Product Data Sheet
Sarnastacks
September 2019, Version 02.01
020945012100001014

Sarnastacks-en-US-(09-2019)-2-1.pdf

