VC-5 - Vapor Emission and Alkalinity Control by SINAK

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 27342

CLASSIFICATION: 03 39 00 Concrete Curing

PRODUCT DESCRIPTION: VC-5 is a ready to use, zero VOC Vapor Emission and Alkalinity Control System that eliminates flooring failures due to moisture, moisture vapor, and alkalinity emanating from or through the concrete. VC-5 is designed for use on all structural and lightweight concrete to receive finished flooring, roofing, or coatings. VC-5 warrants all subsequent materials with a non-prorated labor, material, and adhesive bond warranty. VC-5 allows mechanical surface profiling up to 1/4" amplitude. VC-5 ensures compatibility and bond of all flooring adhesives, floor coverings, roofing systems, and surface treatments.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

⊙ 100 ppm

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

Considered

C Partially Considered

C Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic)

and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

VC-5 - VAPOR EMISSION AND ALKALINITY CONTROL [WATER BM-4 SILICIC ACID, SODIUM SALT LT-P1 | END SILICIC ACID, LITHIUM SALT LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial No.

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listinas.

VOC emissions: Greenguard Gold **VOC content: VOC Content**

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

Yes C No

PREPARER: Self-Prepared

VERIFIER: WAP Sustainability Consulting VERIFICATION #: zPr-13133

SCREENING DATE: 2022-01-26 PUBLISHED DATE: 2022-01-26 EXPIRY DATE: 2025-01-26

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

VC-5 - VAPOR EMISSION AND ALKALINITY CONTROL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurity data were collected from the material suppliers and all that fall above the stated threshold are included on the HPD.

OTHER PRODUCT NOTES: Substance ranges are provided to protect the proprietary nature of SINAK's and their supplier's formulations.

WATER ID: 7732-18-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-26 13:59:39 %: 85.0000 - 95.0000 GS: BM-4 RC: None SUBSTANCE ROLE: Carrier NANO: No HAZARD TYPE WARNINGS AGENCY AND LIST TITLES None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The GreenScreen benchmark score was obtained from the Pharos database found at pharosproject.net.

SILICIC ACID, SODIUM SALT ID: 1344-09-8 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-26 13:59:39 %: 5.0000 - 10.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Tensile strength additive **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS **END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor** SUBSTANCE NOTES:

SILICIC ACID. LITHIUM SALT ID: 12627-14-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-26 13:59:40

%: 0.0000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Tensile strength additive

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

31

30

VOC EMISSIONS

Greenguard Gold

ISSUE DATE: 2008-07- EXPIRY DATE: 2022-

ISSUE DATE: 2008-07- EXPIRY DATE:

07-28

CERTIFIER OR LAB: UL

CERTIFIER OR LAB: Self

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1e81d55b0e82d946a0971?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Office and classroom emissions scenarios.

VOC CONTENT

VOC Content

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: AII

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Zero calculated VOC content

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: SINAK ADDRESS: 4901 Morena Blvd

#601

San Diego CA 92117, USA WEBSITE: www.sinak.com **CONTACT NAME: Ian Higgins TITLE: Director of Operations** PHONE: 1-619-452-1217 EMAIL: ian@sinak.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.