

PARASOLO™ POLYMAT

Separation / Cushioning Layers

Commercial Product Data Sheet



PARASOLO
ACCESSORY

Parasolo Polymat Separation and Cushioning Layers are non-woven polyester mats that are used between the substrate and smooth-surfaced Parasolo single ply membranes.

Contact Siplast for specific approval on product uses.

PRODUCT INFORMATION

Parasolo Polymat Separation Layer	
Color:	Green/Gray
Weight:	3 oz/yd (85 g/m ²)
Thickness:	0.028" (0.71 mm)
Roll Size:	10' x 492' (3.05 m x 150 m)

Parasolo Polymat Cushioning Layer	
Color:	Green/Gray
Weight:	6 oz/yd (170 g/m ²)
Thickness:	0.032" (0.81 mm)
Roll Size:	10' x 328' (3.05 m x 100 m)

Application

Refer to the applicable Siplast Technical Guide and Siplast PVC Detail Manual for detailed information on application Parasolo Polymat Separation and Cushioning Layers. Parasolo Polymat Separation and Cushioning Layers are typically loose laid over the substrate and lapped 6" (152.4 mm) side and end.

Storage and Handling

All Siplast roofing products should be stored on a clean, flat surface out of direct exposure to the elements. Material should be handled so that it remains dry prior to and during installation.

Packaging

Parasolo Polymat Separation Layer
Roll Size: 10' x 492' (3.05 m x 150 m)
Roll Weight: 116 lbs (52.6 kg)

Parasolo Polymat Cushioning Layer
Roll Size: 10' x 328' (3.05 m x 100 m)
Roll Weight: 125 lbs (56.7 kg)

All mass and dimensions are nominal.