

Product	Description	Purpose	Application Method	Unit	Size	Coverage	Minimum Coverage Weight Per Square
Paradiene 20	Asphalt elastomer sheet, random glass mat reinforced.	First ply of Paradiene 20/30 composite, lapped 3 inches side and end.	PA-100 Asphalt or PA-311 Adhesive	Roll	3.28 ft (1 m) x 50 ft (15.24 m)	1.5 sq	62 lb
Paradiene 20 HT	Asphalt elastomer sheet, glass mat/glass scrim reinforced.	First ply of Paradiene 20/30 composite, lapped 3 inches side and end. For high tensile requirements.	PA-100 Asphalt or PA-311 Adhesive	Roll	3.28 ft (1 m) x 50 ft (15.24 m)	1.5 sq	62 lb
Paradiene 20 HV	Asphalt elastomer sheet, random glass mat reinforced.	Designed to be used in conjunction with Paradiene systems requiring extended warranties.	PA-100 Asphalt or PA-311 Adhesive	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	90 lb
Paradiene 20 EG	Heavy duty asphalt elastomer sheet, glass mat/glass scrim reinforced.	Designed to be used in conjunction with Paradiene systems requiring extended warranties.	PA-100 Asphalt or PA-311 Adhesive	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	84 lb
Paradiene 20 PR	Asphalt elastomer sheet, reinforced with polyester mat/fiberglass scrim.	Designed to be used as the top ply in gravel surfaced Paradiene specifications.	PA-100 Asphalt or PA-311 Adhesive	Roll	3.28 ft (1 m) x 50 ft (15.24 m)	1.5 sq	54 lb
Paradiene 20 TG	Asphalt elastomer sheet, random glass mat-reinforced, thin layer of grooved torching grade asphalt on bottom side, sanded top surface.	First ply of Paradiene 20/30 TG Series composite, lapped 3 inches side and end.	Torch	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	76 lb
Paradiene 20 TG F	Asphalt elastomer sheet, random glass mat-reinforced, thin layer of grooved torching grade asphalt on bottom side, perforated polypropylene film on top surface.	First ply of Paradiene 20/30 TG Series composite, lapped 3 inches side and end.	Torch	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	76 lb
Paradiene 20 HT TG	Asphalt elastomer sheet, glass mat/glass scrim reinforced, thin layer of grooved torching grade asphalt on bottom side.	First ply of Paradiene TG Series composite, lapped 3 inches side and end. For high tensile requirements.	Torch	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	76 lb
Paradiene 20 HV TG	Asphalt elastomer sheet, random glass mat reinforced.	First ply of Paradiene 20/30 HV TG Series composite, lapped 3 inches side and end.	Torch	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	96 lb
Paradiene 20 EG TG	Heavy-duty asphalt elastomer sheet, glass mat/glass scrim reinforced.	Designed to be used in conjunction with Paradiene TG Series systems requiring extended warranties.	Torch	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	96 lb
Paradiene 20 PR TG	Asphalt elastomer sheet, reinforced with polyester mat/fiberglass scrim, thin layer of grooved torching grade asphalt on bottom side.	Designed to be used as the top ply in gravel surfaced Paradiene specifications.	Torch	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	96 lb

Paradiene 20 TS	Asphalt elastomer sheet, random glass mat reinforced stripes of grooved torching grade asphalt on 50% of bottom side.	Semi-adhered venting first ply to be used in conjunction with Paradiene 20TS/30 TG and Paradiene 20 TS/Veral roof systems.	Torch	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	74 lb
Paradiene 30	Asphalt elastomer sheet with mineral surfacing, random glass mat-reinforced. Standard colors: bone white, teak brown.	Top ply of Paradiene 20/30 composite, lapped 3 inches side and end.	PA-100 Asphalt or PA-311 Adhesive	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	90 lb
Paradiene 30 HT	Asphalt elastomer sheet with mineral surfacing, glass mat/glass scrim reinforced.	Top ply of Paradiene 20/30 composite, lapped 3 inches side and end. For high tensile requirements.	PA-100 Asphalt or PA-311 Adhesive	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	91 lb
Paradiene 30 FR	Fire rated asphalt elastomer sheet with mineral surfacing, random glass mat-reinforced.	Top ply of Paradiene 20/30 FR composite, lapped 3 inches side and end.	PA-100 Asphalt or PA-311 Adhesive	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	90 lb
Paradiene 30 HT FR	Fire rated asphalt elastomer sheet with mineral surfacing, glass mat/glass scrim-reinforced.	Top ply of Paradiene 20/30 FR composite, lapped 3 inches side and end. For high tensile requirements.	PA-100 Asphalt or PA-311 Adhesive	Roll	3.28 ft (1 m) x 33.5 ft (10.21 m)	1 sq	91 lb
Paradiene 30 TG	Asphalt elastomer sheet with mineral surfacing, random glass mat-reinforced, thin layer of grooved torching grade asphalt on bottom side.	Top ply of Paradiene 20/30 TG Series composite, lapped 3 inches side and end.	Torch	Roll	3.28 ft (1 m) x 25.25 ft (7.7 m)	.75 sq	112 lb
Paradiene 30 HT TG	Asphalt elastomer sheet with mineral surfacing, glass mat/glass scrim reinforced, thin layer of grooved torching grade asphalt on bottom side.	Top ply of Paradiene TG Series composite, lapped 3 inches side and end. For high tensile requirements.	Torch	Roll	3.28 ft (1 m) x 25.25 ft (7.7 m)	.75 sq	112 lb
Paradiene 30 FR TG	Fire rated asphalt elastomer sheet with mineral surfacing, random glass mat-reinforced, thin layer of grooved torching grade asphalt on bottom side.	Top ply of Paradiene 20/30 FR TG Series, lapped 3 inches side and end.	Torch	Roll	3.28 ft (1 m) x 25.25 ft (7.7 m)	.75 sq	112 lb
Paradiene 30 HT FR TG	Fire rated asphalt elastomer sheet with mineral surfacing, glass mat/glass scrim reinforced, thin layer of grooved torching grade asphalt on bottom side.	Top ply of Paradiene TG Series composite, lapped 3 inches side and end. For high tensile requirements.	Torch	Roll	3.28 ft (1 m) x 25.25 ft (7.7 m)	.75 sq	112 lb

Paradiene 40 FR	Fire rated asphalt elastomer sheet with mineral surfacing, glass mat/glass scrim reinforced.	Top ply of Paradiene 40 FR composite, side lapped 4 inches and end lapped 6 inches.	PA-100 Asphalt	Roll	3.28 ft (1 m) x 26 ft (7.92 m)	.75 sq	1145 lb
Paradiene 40 RP	Asphalt elastomer sheet with mineral surfacing, glass mat/glass scrim reinforced.	Flashing sheet for use in Siplast Paradiene 20/30 systems.	PA-311 Adhesive	Roll	3.28 ft (1 m) x 26 ft (7.92 m)	.75 sq	106 lb