Soil Stabilization & Dust Control

ILWORK

800.545.5420 USA 001.480.545.5454 Intl info@soilworks.com www.soilworks.com



POWDERED SOILTAC[®] SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION

PRODUCT NAME	Powdered Soiltac [®] Soil Stabilizer & Dust Control Agent
CHEMICAL FAMILY	Synthetic Copolymer
MANUFACTURER	Soilworks [®] , LLC – Soil Stabilization & Dust Control 7150 E. Camelback Rd., #444 Scottsdale, Arizona 85251 USA (800) 545-5420 USA +1 (480) 545-5454 International info@soilworks.com www.soilworks.com
EMERGENCY PHONE NUMBERS	(800) 545-5420 USA +1 (480) 545-5454 International
U.S. DATA UNIVERSAL NUMBERING SYST	EM (DUNS NUMBER)

Soilworks, LLC

131946159

U.S. DEPARTMENT OF DEFENSE COMMERCIAL AND GOVERNMENT ENTITY CODE (CAGE CODE) Soilworks, LLC 3FTH5

U.S. DEPARTMENT OF DEFENSE NATIONAL STOCK NUMBERS (NSN)

Part Description	NSN #
55 lb, (25 kg) Bag	6850-01-5605408

U.S. GENERAL SERVICES ADMINISTRATION (GSA) CONTRACT

Soilworks, LLC

GS-07F-5364P

October 31, 2018

SYNONYMS/OTHER MEANS OF IDENTIFICATION

Soiltac is a formulated, high molecular weight, engineered, prime synthetic copolymer.

INTENDED USES

For industrial use only. Major industries include construction, mining, military, municipal, oil & gas, energy & renewable energy and transportation.

Abate dust, air quality control, control dust, controlling dust, desertification prevention, dune stabilization, dust abatement, dust control, dust control agent, dust control material, dust control product, dust elimination, dust inhibitor, dust mitigation, dust palliative, dust pollution control, dust pollution prevention, dust prevention, dust reduction, dust retardant, dust stabilization, dust stabilizer, dust suppressant, dust suppression, eliminate dust, erosion control, erosion control material, erosion control product, erosion prevention, fines preservation, fugitive dust control, hydromulch tackifier, hydroseed tackifier, inhibit dust, mitigate dust, pm10 control, pm2.5 control, prevent dust, reduce dust, retard dust, road stabilization, road stabilization, soil stabilizer, stabilizer, stabilizer soil, stockpile capping, stop dust, suppress dust, surface wear course, wind erosion control.





SECTION 2 – HAZARDS IDENTIFICATION

GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS)

Not a hazardous substance or mixture. Risk of dust explosion. Signal Word: Warning

	Classification(GHS)	
Class	Category	Route of Exposure
Combustible Dust	None	

Labeling (GHS)	
H-Code	Hazard Statement
None	May form dust concentrations in the air

U.S. HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS) RATING

Health	1	Slight Hazard	
Flammability	1	Slight Hazard	
Physical Hazard	0	Stable, non-reactive and non-explosive	
Personal Protection	-	No special hazard under normal use	

SECTION 3 – COMPOSITION/ INFORMATION ON INGREDIENTS

This material does NOT contain hazardous ingredients and is NOT considered hazardous according to OSHA criteria.

# COMPONENT	%	CAS Number
1. Synthetic Vinyl Copolymer	98%	Non-Hazardous
2. Anticaking Minerals	2%	Non-Hazardous
BYPRODUCT / RECYCLED CONTENT		

None

SECTION 4 – FIRST-AID MEASURES

Provide medical care provider with this Safety Data Sheet.

EYE CONTACT

If irritation or redness develops from exposure, flush eyes with clean water. If irritation persists, seek medical attention.

SKIN CONTACT

No treatment necessary under normal conditions of use. Wash affected area with mild soap and water. If irritation or redness develops and persists, seek medical attention.

INHALATION

No treatment necessary under normal conditions of use. If breathing difficulties develop move victim away from source of exposure and into fresh air in a position comfortable for breathing. If symptoms persist, seek medical attention.

INGESTION

If swallowed do not induce vomiting. If conscious, give several glasses of water. If symptoms persist, seek medical attention.





SECTION 5 – FIRE-FIGHTING MEASURES

FLAMMABILITY

Dust may form explosive mixture with air. Electrostatic charging is possible.

Property	Value
Lower Explosion Limit (LEL)	30 g/m ³

FLASH POINT

Not Applicable

EXTINGUISHING MEDIA

Use water spray, water mist, foam, dry chemical or carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES & PROTECTIVE EQUIPMENT

Do not use sharp water jet extinguishing media. Proper protective equipment including breathing apparatus must be worn when approaching a fire in a confined space.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet. See Chapter 13 for information on disposal. Observe the relevant local and international regulations.

PROTECTIVE MEASURES

Avoid dust formation. Do not breathe dust. Avoid contact with skin and eyes. Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches, sewers, rivers or open bodies of water by using sand, earth or other appropriate barriers. HAZPOWER PPE Level: D

CLEAN-UP METHODS

Cover any spilled material in accordance with regulations to prevent dispersal by wind. Avoid accidents, clean up immediately. Take up mechanically and dispose of according to local/state/federal regulations. Eliminate all sources of ignition. Observe notes under section 7.

ADDITIONAL ADVICE

Local authorities should be advised if significant spillages cannot be contained.

SECTION 7 - HANDLING AND STORAGE

GENERAL PRECAUTIONS

Avoid formation of dust - dust may form explosive mixture with air. Avoid dust deposit, remove dust regularly. Take precautionary measures against electrostatic charging. Keep away from open flames, heat and sparks. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.

STORAGE

Observe precautionary measures against dust explosion. Keep container closed in a cool, well-ventilated place. Use properly labelled and closeable containers. Do not double stack pallets of bags or bulk super sacks.

HANDLING

Avoid dust formation. Increased risk of slipping if substance comes into contact with water.





SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

	Maximum Airborne Concentrations at th	e Workplace		
CAS No.	Material	Туре	mg/m ³	Dust Fraction
	Particulates not otherwise classified (insoluble or poorly soluble)	OSHA PEL	15.0	Inhalable dust/mist
	Particulates not otherwise classified (insoluble or poorly soluble)	OSHA PEL	5.0	Respirable dust/mist
1332-58-7	Kaolin	OSHA PEL	15.0	Inhalable dust/mist
1332-58-7	Kaolin	OSHA PEL	5.0	Respirable dust/mist
1317-65-3	Calcium carbonate	OSHA PEL	15.0	Inhalable dust/mist
1317-65-3	Calcium carbonate	OSHA PEL	5.0	Respirable dust/mist
	Particulates not otherwise classified (insoluble or poorly soluble)	ACGIH TWA	10.0	Inhalable dust/mist
	Particulates not otherwise classified (insoluble or poorly soluble)	ACGIH TWA	3.0	Respirable dust/mist
1332-58-7	Kaolin	ACGIH TWA	2.0	Respirable dust/mist

Particulates not otherwise classified: The value is for particulate matter containing no asbestos and < 1% crystalline silica (ACGIH). Kaolin: The value is for particulate matter containing no asbestos and < 1% crystalline silica (ACGIH).

EXPOSURE CONTROLS

Use with adequate ventilation to maintain concentration below TLV. The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations. Avoid contact with skin. Avoid breathing dust/vapor/mist/gas/aerosol. Do not eat, drink or smoke when handling. Follow standard industrial hygiene practices when using this material. Wash thoroughly after handling.

PERSONAL PROTECTIVE EQUIPMENT

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

RESPIRATORY PROTECTION

Respiratory protection is NOT required under normal conditions of use in a well-ventilated workplace. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select a NIOSH approved air purifying respirator equipped with universal multi-contaminant, multi-gas/vapor cartridges and at least P-99 solid/aerosol particulate filters if overexposure to dusts, mists, or vapors could occur.

HAND PROTECTION

Where hand contact with the material may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed with soap and water and dried thoroughly.

EYE PROTECTION

Eye protection is NOT required under normal conditions of use. If material is handled such that it could be blown into eyes, wear splash-proof safety goggles.





PROTECTIVE CLOTHING

Skin protection is NOT required under normal conditions of use or for single, short duration exposures. For prolonged or repeated exposures, use impervious chemical resistant boots, gloves and/or aprons over parts of the body subject to exposure.

MONITORING METHODS

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Property	Value
Auto-Ignition Temperature	235 °C (455 °F) sample volume: 400 cm ³
Boiling Point	Not Applicable
Boiling point / boiling range	Not Applicable
Bulk Density	450 - 600 kg/m ³
Burning Behavior	5 at 20 °C (68 °F)
Color	White to Light Beige
Dust Explosion Class	1
Flash Point	Not Applicable
Glow Temperature	> 400 °C (> 752 °F)
Ignition Temperature	470 °C (878 °F)
Kst Value	89 m*bar/sec
Maximum Explosion Pressure	7.3 bar
Median Particle Size	42 μm (screened according to German VDI)
Median Particle Size	80 μm (original)
Melting point / melting range	Not Applicable
Minimum Ignition Energy	>1,000 mJ without inductance (sieved < 63 µm)
Odor	Odorless
pH-Value	Approx. 7 at 20 °C (68 °F) (500 g/l H2O)
Physical state / form	Solid - Powder
Thermal Decomposition	> 250 °C (> 482 °F)
Vapor Pressure	Not Applicable
Viscosity (Dynamic)	Not Applicable
Water Solubility / Miscibility	Moderately Soluble at 20 °C (68 °F)

Product forms dispersions with water. The tests on the raised dust were determined in accordance with German VDI 2263, Sheet 1, on the screened product.

SECTION 10- STABILITY AND REACTIVITY

CHEMICAL STABILITY

If stored and handled in accordance with standard industrial practices no hazardous reactions are known

CONDITIONS TO AVOID

None known.

HAZARDOUS REACTIONS

Hazardous polymerization cannot occur.

HAZARDOUS DECOMPOSITION

Hazardous decomposition products are NOT expected to form during normal storage.

CORROSIVITY





Non-corrosive.

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicological data obtained from liquid concentrate at approximately 55% solids dispersion.

CARCINOGENICITY

- Components \geq 0.1% are NOT known to be associated with carcinogenic effects.
- ACGIH American Conference of Governmental Industrial Hygienists
- IARC World Health Organization International Agency for Research on Cancer
- NTP U.S. National Toxicology Program
- OSHA U.S. Occupational Safety and Health Administration
- Prop 65 California Office of Environmental Health Hazard Assessment Proposition 65

Not listed as carcinogenic Not listed as carcinogenic Not listed as carcinogenic Not listed as carcinogenic Not listed as carcinogenic

REPRODUCTIVE AND DEVELOPMENTAL TOXICITY

NOT expected to be a hazard.

DIOXINS & FURANS (PCDD'S / PCDF'S) METALS POLYCHLORINATED BIPHENYL (PCBS) AROCLORS POLYCYCLIC AROMATIC HYDROCARBONS (PAH'S) SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) VOLATILE ORGANIC COMPOUNDS None Detected – QC066-97, GC-MS None Detected – EPA 6020 & 3050 None Detected – EPA 8082 None Detected – EPA 3510, GC-MS None Detected – EPA 8270, GC-MS None Detected – EPA 8260, GC-MS

SECTION 12 - ECOLOGICAL INFORMATION

Based on EPA guidelines, this material is classified as practically non-toxic to all species. When used and applied properly, this material is not known to pose any ecological problems. Ecological data obtained from liquid concentrate at approximately 55% solids dispersion.

AQUATIC TOXICITY

Aliivibrio fischeri	15 min	ute IC ₅₀	>6,200 mg/L
Pimephales promela	s 7 day	IC ₅₀	>95,000 mg/L
Pimephales promela	s 7 day	LC ₅₀	>240,000 mg/L
Pimephales promela	s 96 hou	ir LC ₅₀	>1,200 mg/L
Pseudokirchneriella	subcapitata 96 hou	IC ₅₀	>250,000 mg/L
Pseudokirchneriella	subcapitata 96 hou	Ir LC ₅₀	>1,000 mg/L
Oncorhynchus mykis	s 96 hou	Ir LC ₅₀	>1,000 mg/L
Daphnia magna	48 hou	ır LC ₅₀	>175,000 mg/L
TY			
Eisenia andrei	14 day	LC ₅₀	>1,000,000 mg/L
Root elongation	120 ho	our EC ₅₀	>1,000,000 mg/L
Seed germination	120 ho	our LC ₅₀	>1,000,000 mg/L
	Pimephales promela Pimephales promela Pimephales promela Pseudokirchneriella Pseudokirchneriella Oncorhynchus mykis Daphnia magna TY Eisenia andrei Root elongation	Pimephales promelas 7 day Pimephales promelas 7 day Pimephales promelas 96 hou Pseudokirchneriella subcapitata 96 hou Pseudokirchneriella subcapitata 96 hou Oncorhynchus mykiss 96 hou Daphnia magna 48 hou TY Eisenia andrei 14 day Root elongation 120 ho	Pimephales promelas7 dayIC50Pimephales promelas7 dayLC50Pimephales promelas96 hourLC50Pseudokirchneriella subcapitata96 hourIC50Pseudokirchneriella subcapitata96 hourLC50Oncorhynchus mykiss96 hourLC50Daphnia magna48 hourLC50TYEisenia andrei14 dayLC50Root elongation120 hourEC50

OTHER ADVERSE EFFECTS

The material contains non-volatile components, which are NOT expected to be released to air in any significant quantities. The material is NOT expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential.

SECTION 13 - DISPOSAL CONSIDERATIONS

MATERIAL DISPOSAL

SPS1708018 | Powdered Soiltac Safety Data Sheet

Sheet 6 of 9 We don't just take the high road, we build them®





Recover or recycle if possible. Do NOT dispose into the environment, in drains or in water courses. To the best of our knowledge, this material does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.

CONTAINER DISPOSAL

Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand.

LOCAL LEGISLATION

Dispose in accordance with applicable regional, national and local laws and regulations.

SECTION 14 - TRANSPORT INFORMATION

NOT dangerous goods.

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

NOT regulated. This material is NOT subject to DOT regulations under 49 CFR Parts 171-180.

This material is NOT classified as dangerous under IMDG regulations.

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

NOT regulated.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA)

NOT regulated.

. This material is either NOT classified as dangerous under IATA regulations or needs to follow country specific requirements.

SECTION 15 - REGULATORY INFORMATION

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

U.S. FEDERAL REGULATIONS

EPA COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT (CERCLA)

This material does NOT contain any chemicals with U.S. EPA CERCLA reportable quantities.

EPA SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA)

This material does NOT contain any chemicals with SARA reportable quantities.

EPA TOXIC SUBSTANCES CONTROL ACT (TSCA)

All components listed or in compliance with the inventory.

EPA CERCLA/SARA SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES AND TPQS

This material does NOT contain any chemicals subject to the reporting requirements of SARA 302 and 40 CFR 372.

EPA CERCLA/SARA SECTION 311/312 (TITLE III HAZARD CATEGORIES)

Acute Health:	No
Chronic Health:	No
Fire Hazard:	No
Pressure Hazard:	No
Reactive Hazard:	No





EPA CERCLA/SARA SECTION 313 AND 40 CFR 372

This material does NOT contain any chemicals subject to the reporting requirements of SARA 313 and 40 CFR 372.

CLEAN AIR ACT (CAA)

This material does NOT contain any hazardous air pollutants (HAP, as defined by the CAA Section 12 (40 CFR 61).

CANADIAN REGULATIONS

This material has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the regulations.

CANADIAN DOMESTIC SUBSTANCES LIST (DSL)

All components listed or in compliance with the inventory.

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS)

None. This material is NOT a controlled material under the Canadian WHIMIS.

BUREAU DE NORMALIZATION DU QUÉBEC (BNQ)

Soiltac conformed as a dust control agent for non-asphalted roads and other similar surfaces.Certificate of Conformity:2014-08-06 - 2015-06-30Certificate #:1743Standard #:BNQ 2410-300/2009-10-01Certification Protocol #:BNQ 2410-900/2010-01-12

INVENTORY REGULATIONS

Australia	AICS	All components listed or in compliance with the inventory.
Canada	DSL/NDSL	All components listed or in compliance with the inventory.
European Economic Area (EEA)	REACH	All components listed or in compliance with the inventory.
Japan	ENCS	All components listed or in compliance with the inventory.
Korea	ECL	All components listed or in compliance with the inventory.
Philippines	PICCS	All components listed or in compliance with the inventory.
Taiwan	TCSI	All components listed or in compliance with the inventory.
United States	TSCA	All components listed or in compliance with the inventory.

General note: Taiwan REACH requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of this obligation. The registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by the latter.

INVENTORIES LEGEND

AICS	Australian Inventory of Chemical Substances
DSL	Canadian Domestic Substances List
ENCS	Japanese Existing and New Chemical Substances
ECL	Korea Existing Chemicals List
NDSL	Canadian Non-Domestic Substances List
PICCS	Philippine Inventory of Chemicals and Chemical Substances
TSCA	Toxic Substances Control Act
TCSI	Taiwan Chemical Substance Inventory
REACH	Regulation (EC) No 1907/2006
NE/CIT	Regulation (EC) No 1507/2000





SECTION 16 – OTHER INFORMATION

SDS VERSION NUMBER 1.2

SDS EFFECTIVE DATE 08/07/2017

SDS REGULATIONS

The content and format of this SDS is in accordance with the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SDS DISTRIBUTION

The information in this document should be made available to all who may handle the material.

DISCLAIMER

The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE MATERIAL, THE SAFETY OF THIS MATERIAL, OR THE HAZARDS RELATED TO ITS USE. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above, and the material, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the material for their particular purpose and on the condition that they assume the risk of their use. In addition, no authorization is given nor implied to practice any patented invention without a license.