

SC Cure 500®

Version 1

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): Synonyms:	SC Cure 500 [®] N/A Mintana
CAS No: 1.2 Product Use:	Mixture Concrete Curing Compound
1.3 Company Name:	SpecChem
Company Address:	1511 Baltimore Ave; Suite 600
Company Address Cont:	Kansas City, MO 64108
Business Phone:	(816) 968-5600
Website:	www.specchemllc.com
1.4 Emergency Telephone Number:	VelocityEHS 1-(800)255-3924 (North America) +1-813-248-0585 (International) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) 400-120-0751 (China) 000-800-100-4086 (India) 800-099-0731 (Mexico)
Date of Last Revision:	January 10, 2015
Date of Current Revision:	July 1, 2018

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a clear to hazy liquid. <u>Health Hazards:</u> May cause eye irritation. <u>Flammability Hazards:</u> This product is not a flammable liquid with a flash point of >200°F (93°C). <u>Reactivity Hazards:</u> None. <u>Environmental Hazards:</u> The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols:

Not Regulated



Signal Word:

Warning

2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

212-22-7 is not listed in Annex I Substances not listed either individually or in group entries must be self classified.

Components Contributing to Classification:
2.2 Label Elements:
GHS Hazard Classifications:

Lithium Silicate

Eye Irritation Category 2A



SC Cure 500[®]

Version 1						
Hazard Statements: Precautionary Statements: Response Statements:			H319 Causes serious eye irritation P264 Wash thoroughly after handling P280 Wear eye protection/face protection P305+P351+P338 IF IN EYES: Rinse cautiously with			
Storage Statements: Disposal Statements:		P337+P advice/ a None ap P501 Di with loca	water for several minutes. P337+P313 If eye irritation persists: Get medical advice/ attention. None applicable P501 Dispose of contents/container in accordance with local/regional/national/international regulations.			
2.3 Health Hazards of						
Symptoms of Overe						
				t are by contact with skin or eyes. The		
symptoms of overe	xposure a	re described in	the following p	aragraphs.		
Acute:	un offacto	antioinated un	dor pormal aca	ditions		
Inhalation: No seric Skin Contact: May						
Eye Contact: Conta						
Ingestion: May cau				vomiting.		
Chronic: Repeated e						
Target Organs:	•			Ŭ		
Acute: Eyes, Skin						
Chronic: Skin						
SECTION 3 – COMPOSITIO	N / INFOF	RMATION ON	INGREDIENTS			
Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification		
Lithium Silicate	< 20%	12627-14-4	235-730-0	Eye Irrit. 2		
Balance of other ingredients are respiratory sensitizers).	e non-hazaı	rdous or less tha	n 1% in concentr	ation (or 0.1% for carcinogens, reproductive toxins, or		
				ons based on the ANSI Z400.1-2010 format.		
				a of the CPR and the MSDS contains all the		
information required by the C	PR, EU DI	rectives and th	e Japanese Inc	dustrial Standard JIS Z 7250:2000		
SECTION 4 – FIRST AID M	EASURES	;				
4.1 Description of F	irst Aid M	easures:				
Eye Contact:				with plenty of water or eye wash		
	solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.					
Skin Contact:				with soap and water after handling. Seek medical		
Skill Collact.						
In heletien.	attention if irritation develops and persists. Inhalation: If breathing becomes difficult, remove victim to fresh air. If necessary,					
Inhalation: If breathing becomes difficult, remove victim to fresh air. If necessary,						




SC Cure 500[®]

	•	to support vital functions. Seek medical
Ingestion:	attention.	, call physician or poison center if you feel
		advice is not available, do not induce vomiting.
	Never induce vomiting	or give dilutents (milk or water) to someone who
		convulsions, or who cannot swallow. Seek
	the health professional	copy of the label and/or SDS with the victim to
Medical Conditions		
Generally Aggravated By Exposure:	Pro-ovicting skin, rosni	ratory system or eye problems may be
by Exposure.	aggravated by prolonge	ed contact.
	ts Both Acute and Delay	red: Exposure to the eyes may cause irritation.
4.3 Recommendations t	o Physicians: Treat symp	otoms and eliminate overexposure.
ON 5 – FIRE FIGHTING M	IEASURES	
5.1 Fire Extinguishing N	aterials:	
Use the following fire ex	tinguishing materials:	Water Spray: Yes
·		Foam: Yes
		Halon: Yes
		Carbon Dioxide: Yes Dry Chemical: Yes
		Other: Any "C" Class
5.2 Unusual Fire and Fx	plosion Hazards:	
	a may ba praduced at bi	ab tomporatures. Use of water may result if
Irritating and toxic fume		gh temperatures. Use of water may result if allow run-off from fire fighting to enter
Irritating and toxic fume the formation of a toxic	aqueous solution. Do no	gh temperatures. Use of water may result if allow run-off from fire fighting to enter
Irritating and toxic fume the formation of a toxic drains or water courses	aqueous solution. Do no	ot allow run-off from fire fighting to enter
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M	aqueous solution. Do no echanical Impact:	
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M Explosive Sensitivity to St	aqueous solution. Do no echanical Impact: atic Discharge:	ot allow run-off from fire fighting to enter
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M Explosive Sensitivity to St 5.3 Special Fire-Fighting	aqueous solution. Do no echanical Impact: atic Discharge: I Procedures:	ot allow run-off from fire fighting to enter No No
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M Explosive Sensitivity to Si 5.3 Special Fire-Fighting Incipient fire resp	aqueous solution. Do no echanical Impact: atic Discharge:	ot allow run-off from fire fighting to enter No No
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M Explosive Sensitivity to St 5.3 Special Fire-Fighting Incipient fire resp Structural firefight Apparatus (SCBA	aqueous solution. Do no echanical Impact: atic Discharge: I Procedures: onders should wear eye p ers must wear Self-Conta .) and full protective equip	No No No rotection. ined Breathing ment.
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M Explosive Sensitivity to St 5.3 Special Fire-Fighting Incipient fire resp Structural firefight Apparatus (SCBA Isolate materials	aqueous solution. Do no echanical Impact: atic Discharge: I Procedures: onders should wear eye p ers must wear Self-Conta and full protective equip not yet involved in the fire	No No No rotection. ined Breathing ment. and protect personnel.
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M Explosive Sensitivity to St 5.3 Special Fire-Fighting Incipient fire resp Structural firefight Apparatus (SCBA Isolate materials Move containers	aqueous solution. Do no echanical Impact: atic Discharge: I Procedures: onders should wear eye p ers must wear Self-Conta and full protective equip not yet involved in the fire from fire area if this can be	No No No rotection. ined Breathing ment.
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M Explosive Sensitivity to St 5.3 Special Fire-Fighting Incipient fire resp Structural firefight Apparatus (SCBA Isolate materials Move containers applied water spr	aqueous solution. Do no echanical Impact: atic Discharge: I Procedures: onders should wear eye p ers must wear Self-Conta a) and full protective equip not yet involved in the fire from fire area if this can be ay.	No No No rotection. ined Breathing ment. and protect personnel. e done without risk; otherwise, cool with carefully
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M Explosive Sensitivity to St 5.3 Special Fire-Fighting Incipient fire resp Structural firefight Apparatus (SCBA Isolate materials Move containers applied water spr	aqueous solution. Do no echanical Impact: atic Discharge: I Procedures: onders should wear eye p ers must wear Self-Conta a) and full protective equip not yet involved in the fire from fire area if this can be ay. nt run-off water from enter	No No No rotection. ined Breathing ment. and protect personnel.
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M Explosive Sensitivity to Si 5.3 Special Fire-Fighting Incipient fire resp Structural firefight Apparatus (SCBA Isolate materials Move containers applied water spr If possible, prevent	aqueous solution. Do no echanical Impact: atic Discharge: I Procedures: onders should wear eye p ers must wear Self-Conta a) and full protective equip not yet involved in the fire from fire area if this can be ay. nt run-off water from enter	No No No rotection. ined Breathing ment. and protect personnel. e done without risk; otherwise, cool with carefully
Irritating and toxic fume the formation of a toxic drains or water courses Explosive Sensitivity to M Explosive Sensitivity to Si 5.3 Special Fire-Fighting Incipient fire resp Structural firefight Apparatus (SCBA Isolate materials Move containers applied water spr If possible, prevent	aqueous solution. Do no echanical Impact: atic Discharge: I Procedures: onders should wear eye p ers must wear Self-Conta a) and full protective equip not yet involved in the fire from fire area if this can be ay. nt run-off water from enter	No No No rotection. ined Breathing ment. and protect personnel. e done without risk; otherwise, cool with carefully



SC Cure 500[®]

Version 1



SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material. Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling.



SC Cure 500[®]

Version 1

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Concrete Curing Compound.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Lithium Silicate	12627-14-4	Not listed	Not listed

8.2 Exposure Controls: Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:	Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
Eye Protection:	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.
Hand Protection:	Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.
Body Protection:	Use body protect appropriate to task being performed.



SC Cure 500[®]

Version 1

If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties: Appearance (Physical State and Color): Clear to hazy liquid **Odor:** Negligible Odor Threshold: No data available **pH:** 11 Melting/Freezing Point: No data available Boiling Point: 212°F (100°C) Flash Point: No data available Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable Upper/Lower Flammability or Explosion Limits: Not data available Vapor Pressure (mm Hg @ 20°C (68° F): 17mm Vapor Density: < 1 Relative Density: No data available Specific Gravity: 1.1 Solubility in Water: 100% Weight per Gallon: No data available Partition Coefficient (n-octanol/water): No data available Auto-Ignition Temperature: No data available **Decomposition Temperature:** No data available Viscosity: No data available 9.2 Other Information: No data available

SECTION 10 – STABILITY AND REACTIVITY

10.1 Reactivity:This product is not reactive.10.2 Stability:Stable under conditions of normal storage and use.10.3 Possibility of Hazardous Reactions:Will not occur.10.4 Conditions to Avoid:Avoid excessive temperatures.10.5 Incompatible Substances:Strong oxidizing agents.10.6 Hazardous Decomposition Products:Carbon monoxide and dioxide smoke.

SECTION 11 – TOXICOLOGY INFORMATION



SC Cure 500[®]

11.1 Information on Toxicological Effec	ts:
Toxicity Data:	No Data Available
Suspected Cancer Agent:	Ingredients within this product are found on one or more of the
	following lists: FEDERAL OSHA Z LIST, NTP, IARC, or
	CAL/OSHA and therefore are considered to be cancer-causing
	agents by these agencies.
Irritancy:	Skin irritant.
Sensitization to the Product:	This product is not expected to cause skin sensitization.
Germ Cell Mutagenicity:	This product contains ingredients that are suspected to be a
	germ cell mutagenic.
Reproductive Toxicity:	This product is not expected to be a human reproductive
	toxicant.
ION 12 – ECOLOGICAL INFORMATION	
12.1 Toxicity:	No Data Available
12.2 Persistence and Degradability:	No specific data available on this product.
12.3 Bioaccumulative Potential:	No specific data available on this product.
12.4 Mobility in Soil:	No specific data available on this product.
	nent: No specific data available on this product.
12.6 Other Adverse Effects:	No data available
12.6 Other Adverse Effects: 12.7 Water Endangerment Class:	No data available At present, there are no ecotoxicological assessments
	At present, there are no ecotoxicological assessments
12.7 Water Endangerment Class:	At present, there are no ecotoxicological assessments for this product.
12.7 Water Endangerment Class:	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with
12.7 Water Endangerment Class:	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local
12.7 Water Endangerment Class:	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member
12.7 Water Endangerment Class:	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local
12.7 Water Endangerment Class: ION 13 – DISPOSAL CONSIDERATIONS <u>13.1 Waste Treatment Methods:</u> <u>13.2 EU Waste Code:</u>	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined
12.7 Water Endangerment Class: ION 13 – DISPOSAL CONSIDERATIONS <u>13.1 Waste Treatment Methods:</u> <u>13.2 EU Waste Code:</u>	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined
12.7 Water Endangerment Class: ION 13 – DISPOSAL CONSIDERATIONS <u>13.1 Waste Treatment Methods:</u> <u>13.2 EU Waste Code:</u> ION 14 - TRANSPORTATION INFORMATION INFORMAT	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined ON (DOT) Shipping Regulations:
12.7 Water Endangerment Class: ION 13 – DISPOSAL CONSIDERATIONS <u>13.1 Waste Treatment Methods:</u> <u>13.2 EU Waste Code:</u> ION 14 - TRANSPORTATION INFORMATION <u>14.1 U.S. Department of Transportation</u> This product is classified (per 49 CFR 172	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined ON (DOT) Shipping Regulations: 2.101) by the U.S. Department of Transportation, as follows.
12.7 Water Endangerment Class: ION 13 – DISPOSAL CONSIDERATIONS <u>13.1 Waste Treatment Methods:</u> <u>13.2 EU Waste Code:</u> ION 14 - TRANSPORTATION INFORMATION <u>14.1 U.S. Department of Transportation</u> <i>This product is classified (per 49 CFR 172</i> UN Identification Number:	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined ON (DOT) Shipping Regulations: 2.101) by the U.S. Department of Transportation, as follows. Not applicable
12.7 Water Endangerment Class: ION 13 – DISPOSAL CONSIDERATIONS <u>13.1 Waste Treatment Methods:</u> <u>13.2 EU Waste Code:</u> ION 14 - TRANSPORTATION INFORMATION <u>14.1 U.S. Department of Transportation</u> <i>This product is classified (per 49 CFR 172)</i> UN Identification Number: Proper Shipping Name:	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined ON (DOT) Shipping Regulations: CON (DOT) Shipping Regulations: CON Not applicable Not regulated
12.7 Water Endangerment Class: ION 13 – DISPOSAL CONSIDERATIONS <u>13.1 Waste Treatment Methods:</u> <u>13.2 EU Waste Code:</u> ION 14 - TRANSPORTATION INFORMATION <u>14.1 U.S. Department of Transportation</u> <i>This product is classified (per 49 CFR 172</i> UN Identification Number: Proper Shipping Name: Hazard Class Number and Description:	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined ON (DOT) Shipping Regulations: 2.101) by the U.S. Department of Transportation, as follows. Not applicable Not regulated Not regulated Not applicable
12.7 Water Endangerment Class: ION 13 – DISPOSAL CONSIDERATIONS 13.1 Waste Treatment Methods: 13.2 EU Waste Code: ION 14 - TRANSPORTATION INFORMATION 14.1 U.S. Department of Transportation This product is classified (per 49 CFR 172 UN Identification Number: Proper Shipping Name: Hazard Class Number and Description: Packing Group:	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined ON (DOT) Shipping Regulations: .101) by the U.S. Department of Transportation, as follows. Not applicable Not regulated Not applicable Not applicable Not applicable
12.7 Water Endangerment Class: ION 13 – DISPOSAL CONSIDERATIONS <u>13.1 Waste Treatment Methods:</u> <u>13.2 EU Waste Code:</u> ION 14 - TRANSPORTATION INFORMATION <u>14.1 U.S. Department of Transportation</u> <i>This product is classified (per 49 CFR 172</i> UN Identification Number: Proper Shipping Name: Hazard Class Number and Description: Packing Group: DOT Label(s) Required:	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined ON (DOT) Shipping Regulations: 2.101) by the U.S. Department of Transportation, as follows. Not applicable Not regulated Not regulated Not applicable
12.7 Water Endangerment Class: ION 13 – DISPOSAL CONSIDERATIONS 13.1 Waste Treatment Methods: 13.2 EU Waste Code: ION 14 - TRANSPORTATION INFORMATION 14.1 U.S. Department of Transportation This product is classified (per 49 CFR 172 UN Identification Number: Proper Shipping Name: Hazard Class Number and Description: Packing Group:	At present, there are no ecotoxicological assessments for this product. Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined ON (DOT) Shipping Regulations: .101) by the U.S. Department of Transportation, as follows. Not applicable Not regulated Not applicable Not applicable Not applicable



SC Cure 500®

Version 1

Marine Pollutant:

14.3 Special Precaution for User:
14.4 International Air Transport Association
Shipping Information (IATA):
14.5 International Maritime Organization
Shipping Information (IMO):
UN Identification Number:
Proper Shipping Name:
Hazard Class Number and Description:
Packing Group:
EMS-No:

The components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B). None

Not regulated.

Not applicable Not regulated Not applicable Not applicable Not applicable

SECTION 15 – REGULATORY INFORMATION

<u>15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:</u> United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity; No

U.S. CERCLA Reportable Quantity:

None

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

This product does not contain ingredients on the Proposition 65 Lists.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product is D2B, Materials causing other toxic effects, per WHMIS Controlled Product Regulations.





SC Cure 500®

Version 1

15.3 European Economic Community Information: This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details. **Chemical Safety Assessment:** No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier. **15.4 Australian Information for Product:** Components of this product are listed on the International Chemical Inventory list. 15.5 Japanese Information for Product: Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI. **15.6 International Chemical Inventories:** Listing of the components on individual country Chemical Inventories is as follows: Australian Inventory of Chemical Substances (AICS): Listed Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed U.S. TSCA: Listed

SECTION 16 – OTHER INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance) Date of Printing: July 1, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET