

SpecCity White

Version 1

pg. 1

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): Synonyms: CAS No:	SpecCity White N/A Mixture
1.2 Product Use:	Concrete curing compound
1.3 Company Name:	SpecChem
Company Address:	1511 Baltimore Ave; Suite 600
Company Address Cont:	Kansas City, MO 64108
Business Phone:	(816) 968-5600
Website:	www.specchemllc.com
1.4 Emergency Telephone Number:	VelocityEHS1-(800)255-3924 (North America) +1-813-248-0585 (International) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) 400-120-0751 (China) 000-800-100-4086 (India) 800-099-0731 (Mexico)
Date of Last Revision: Date of Current Revision:	April 10, 2015 July 1, 2018

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a white liquid with a characteristic hydrocarbon odor. Health Hazards: May cause skin irritation.

Flammability Hazards: This product is not a flammable liquid.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols Not regulated



EU and GHS Symbols

Signal Word Danger

2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

204-007-1 is not listed in Annex I

Substances not listed either individually or in group entries must be self classified.Components Contributing to Classification:Slack Wax, Oleic Acid, Titanium Dioxide2.2 Label Elements:Skin Irritation Category 2
Carcinogenicity Category 1B



SpecCity White

Hazard Statements:	H315 Causes skin irritation
	H350 May cause cancer
Precautionary Statements:	P280 Wear protective gloves.
reductionary oracements.	P264 Wash thoroughly after handling
	P201 Obtain special instructions before use.
	P202 Do not handle until all safety precautions
	have been read and understood.
Response Statements:	P302+P352 IF ON SKIN: Wash with plenty of
	water.
	P321 Specific treatment (see supplemental first
	aid instructions on this label).
	P332+P313 If skin irritation occurs: Get medical
	advice/attention.
	P362+P364 Take off contaminated clothing and
	wash clothing before reuse.
	P308+P313 IF exposed or concerned: Get
	medical advice/attention.
Storage Statements:	P405 Store locked up.
Disposal Statements:	P501 Dispose of contents/container in
	accordance with
	local/regional/national/international regulations.

symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: No serious effects anticipated under normal conditions.

Skin Contact: May cause moderate irritation to skin. Repeated exposure may cause skin dryness or cracking.

Eye Contact: Direct contact to the eyes may be irritating.

Ingestion: May cause gastrointestinal irritation, nausea, and vomiting.

Chronic: Repeated exposure may cause skin dryness or cracking.

Target Organs:

Acute: Skin.

Chronic: Skin.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification	
Oleic Acid	0-2%	112-80-1	204-007-1	Skin Irrit. 2	
Slack Wax	20-25%	64742-61-6	265-165-5	Carc 1B	
Titanium Dioxide	2-5%	13463-67-7	236-675-5	Carc 2	
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					



SpecCity White

Version 1

pg. 3

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact:	If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.			
Skin Contact:	Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.			
Inhalation:	If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.			
Ingestion:	If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.			
Medical Conditions Generally Aggravated				
By Exposure:	Pre-existing skin, respiratory system or eye problems may be aggravated by prolonged contact.			
4.2 Symptoms and Effects	s Both Acute and Delayed: Exposure to skin may cause irritation.			
4.3 Recommendations to Physicians: Treat symptoms and eliminate overexposure.				

SECTION 5 – FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials:

Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.

Explosive Sensitivity to Mechanical Impact:	No
Explosive Sensitivity to Static Discharge:	No




SpecCity White

Version 1

pg. 4

5.3 Special Fire-Fighting Procedures:

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full
 protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully
 applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.



SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

• Place in leak-proof containers. Seal tightly for proper disposal.



SpecCity White

Version 1

pg. 5

• Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Concrete curing compound.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Oleic Acid	112-80-1	Not Listed	Not Listed
Slack Wax	64742-61-6	Not Listed	Not Listed
Titanium Dioxide	13463-67-7	15 mg/mg³	Not Listed

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:

Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the



SpecCity White

on 1	pg. 6
	European Standard EN149, or EU member
_	states.
ye Protection:	Safety glasses or goggles are required.
	If necessary, refer to U.S. OSHA 29 CFR
	1910.133, Canadian Standards, and the European Standard EN166, Australian
	Standards, or relevant Japanese Standards.
and Protection:	Chemical resistant gloves are required to
nanu Flotection.	prevent skin contact.
	If necessary, refer to U.S. OSHA 29 CFR
	1910.138, the European Standard DIN EN 374,
	the appropriate Standards of Canada, Australian
	Standards, or relevant Japanese Standards.
ody Protection:	Use body protect appropriate to task being
	performed.
	If necessary, refer to appropriate Standards of
	Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese
	Standards. If a hazard of injury to the feet exists
	due to falling objects, rolling objects, where
	objects may pierce the soles of the feet or where
	employee's feet may be exposed to electrical
	hazards, use foot protection, as described in
	U.S. OSHA 29 CFR 1910.136.
N 9 – PHYSICAL AND CHEMICAL PI	U.S. OSHA 29 CFR 1910.136.
	U.S. OSHA 29 CFR 1910.136.
.1 Information on Basic Physical an	U.S. OSHA 29 CFR 1910.136. ROPERTIES Ind Chemical Properties:
.1 Information on Basic Physical an ppearance (Physical State and Color	U.S. OSHA 29 CFR 1910.136. ROPERTIES Ind Chemical Properties:
.1 Information on Basic Physical an ppearance (Physical State and Colo dor: Slight	U.S. OSHA 29 CFR 1910.136. ROPERTIES Ind Chemical Properties:
<u>1 Information on Basic Physical an</u> ppearance (Physical State and Colo dor: Slight dor Threshold: No data available	U.S. OSHA 29 CFR 1910.136. ROPERTIES Ind Chemical Properties:
<u>1 Information on Basic Physical an</u> ppearance (Physical State and Colo dor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 lelting/Freezing Point: No data availa	U.S. OSHA 29 CFR 1910.136. ROPERTIES nd Chemical Properties: or): White colored liquid
<u>.1 Information on Basic Physical an</u> ppearance (Physical State and Colo dor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 lelting/Freezing Point: No data availa coiling Point: 212°F (100°C)	U.S. OSHA 29 CFR 1910.136. ROPERTIES nd Chemical Properties: or): White colored liquid
.1 Information on Basic Physical an ppearance (Physical State and Colo dor: Slight Odor Threshold: No data available H: 9.75 +/- 0.75 Helting/Freezing Point: No data availa coiling Point: 212°F (100°C) lash Point: Not applicable	U.S. OSHA 29 CFR 1910.136. ROPERTIES nd Chemical Properties: or): White colored liquid
.1 Information on Basic Physical an ppearance (Physical State and Colo dor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 lelting/Freezing Point: No data availa coiling Point: 212°F (100°C) lash Point: Not applicable tvaporation Rate: No data available	U.S. OSHA 29 CFR 1910.136. ROPERTIES nd Chemical Properties: or): White colored liquid able
<u>.1 Information on Basic Physical an</u> ppearance (Physical State and Colo dor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 lelting/Freezing Point: No data availa coiling Point: 212°F (100°C) lash Point: Not applicable vaporation Rate: No data available lammability (Solid; Gas): Not applica	U.S. OSHA 29 CFR 1910.136. ROPERTIES ad Chemical Properties: or): White colored liquid able
<u>.1 Information on Basic Physical an</u> ppearance (Physical State and Colo dor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 lelting/Freezing Point: No data availa coiling Point: 212°F (100°C) lash Point: Not applicable vaporation Rate: No data available lammability (Solid; Gas): Not applica	U.S. OSHA 29 CFR 1910.136. ROPERTIES ad Chemical Properties: or): White colored liquid able able sion Limits: Not data available
<u>.1 Information on Basic Physical an</u> ppearance (Physical State and Colo dor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 lelting/Freezing Point: No data availa coiling Point: 212°F (100°C) lash Point: Not applicable vaporation Rate: No data available lammability (Solid; Gas): Not applica pper/Lower Flammability or Explos apor Pressure (mm Hg @ 20°C (68°	U.S. OSHA 29 CFR 1910.136. ROPERTIES ad Chemical Properties: or): White colored liquid able able sion Limits: Not data available
<u>.1 Information on Basic Physical an</u> ppearance (Physical State and Color odor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 lelting/Freezing Point: No data availa ioiling Point: 212°F (100°C) lash Point: Not applicable vaporation Rate: No data available lammability (Solid; Gas): Not applica ipper/Lower Flammability or Explos apor Pressure (mm Hg @ 20°C (68° apor Density: Heavier than air	U.S. OSHA 29 CFR 1910.136. ROPERTIES ad Chemical Properties: or): White colored liquid able able sion Limits: Not data available
<u>1 Information on Basic Physical an</u> ppearance (Physical State and Color odor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 lelting/Freezing Point: No data availa oiling Point: 212°F (100°C) lash Point: Not applicable vaporation Rate: No data available lammability (Solid; Gas): Not applica pper/Lower Flammability or Explos apor Pressure (mm Hg @ 20°C (68° apor Density: Heavier than air elative Density: No data available	U.S. OSHA 29 CFR 1910.136. ROPERTIES ad Chemical Properties: or): White colored liquid able able sion Limits: Not data available
<u>1 Information on Basic Physical an</u> ppearance (Physical State and Colo dor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 letting/Freezing Point: No data availa oiling Point: 212°F (100°C) lash Point: Not applicable vaporation Rate: No data available lammability (Solid; Gas): Not applica pper/Lower Flammability or Explos apor Pressure (mm Hg @ 20°C (68° apor Density: Heavier than air elative Density: No data available pecific Gravity: 1.0 +/01	U.S. OSHA 29 CFR 1910.136. ROPERTIES ad Chemical Properties: or): White colored liquid able able sion Limits: Not data available
<u>1 Information on Basic Physical an</u> ppearance (Physical State and Colo dor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 leiting/Freezing Point: No data availa oiling Point: 212°F (100°C) lash Point: Not applicable vaporation Rate: No data available lammability (Solid; Gas): Not applica pper/Lower Flammability or Explos apor Pressure (mm Hg @ 20°C (68° apor Density: Heavier than air elative Density: No data available pecific Gravity: 1.0 +/01 olubility in Water: Soluble	U.S. OSHA 29 CFR 1910.136. ROPERTIES ad Chemical Properties: or): White colored liquid able able sion Limits: Not data available
<u>1 Information on Basic Physical an</u> ppearance (Physical State and Colo dor: Slight dor Threshold: No data available H: 9.75 +/- 0.75 letting/Freezing Point: No data availa oiling Point: 212°F (100°C) lash Point: Not applicable vaporation Rate: No data available lammability (Solid; Gas): Not applica pper/Lower Flammability or Explos apor Pressure (mm Hg @ 20°C (68° apor Density: Heavier than air elative Density: No data available pecific Gravity: 1.0 +/01	U.S. OSHA 29 CFR 1910.136. ROPERTIES add Chemical Properties: or): White colored liquid able able able for Limits: Not data available of F): No data available
1 Information on Basic Physical an opearance (Physical State and Colo dor: Slight dor Threshold: No data available 1: 9.75 +/- 0.75 elting/Freezing Point: No data availa biling Point: 212°F (100°C) ash Point: Not applicable vaporation Rate: No data available ammability (Solid; Gas): Not applicable poper/Lower Flammability or Explos oper Pressure (mm Hg @ 20°C (68° opor Density: Heavier than air elative Density: No data available becific Gravity: 1.0 +/01 blubility in Water: Soluble eight per Gallon: 8.3 +/- 0.1	U.S. OSHA 29 CFR 1910.136. ROPERTIES add Chemical Properties: or): White colored liquid able able sion Limits: Not data available 'F): No data available r): No data available available



SpecCity White

on 1					pg. 7
Viscosity: 50 +/- 15 cp 9.2 Other Information:					
ON 10 – STABILITY AN	D REACTIVITY				
10.1 Reactivity: 10.2 Stability: 10.3 Possibility of Haz 10.4 Conditions to Ave 10.5 Incompatible Sub 10.6 Hazardous Decor	oid: ostances:	Stat Will Avo of ig Stro	not occur. id excessive temperatu nition. ng oxidizing agents.	normal storage and use. res, exposure to sunlight	
DN 11 - TOXICOLOGY					
11.1 Information on To Toxicity Data:	oxicological Effects	<u>s:</u>			
Oleic Acid	112-80-1		LD50 Oral – Rat	74,000 mg/kg	
Titanium Dioxide	13463-67-7		LD50 Oral – Rat	>10,000 mg/kg	
			LD50 Dermal – Rabbi	, 0 0	_
Slack Wax	64742-61-6		LD50 Oral – Rat LD50 Dermal – Rabb	>5,000 mg/kg t >5,000 mg/kg	_
Suspected Cancer Agent: Irritancy: Sensitization to the Product: Germ Cell Mutagenicity: Reproductive Toxicity:		follo CAL age Skir This This to b This	wing lists: FEDERAL C /OSHA and therefore a nts by these agencies. n irritant. product is not expecte product does not cont e a germ cell mutageni	uct are found on one or i OSHA Z LIST, NTP, IARC are considered to be can d to cause skin sensitiza ain ingredients that are s c. d to be a human reprodu	C, or cer-causin tion. uspected
ON 12 – ECOLOGICAL	INFORMATION				
12.1 Toxicity:				005 // 001	_
	112-80-1		LC50 – Fathead Minn LC50 – Fish	o o	-
Oleic Acid				>1,000 mg/l – 96h	_
	13463-67-7		EC50 – Water Flea	>1,000 mg/l—48h	



SpecCity White

opeoony mine	
Version 1	pg. 8
12.5 Results of PBT and vPvB Assessm 12.6 Other Adverse Effects: 12.7 Water Endangerment Class:	ent: No specific data available on this product. No data available At present, there are no ecotoxicological assessments
	for this product.
SECTION 13 – DISPOSAL CONSIDERATIONS	
13.1 Waste Treatment Methods:	Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member
13.2 EU Waste Code:	States and Japan. Not determined
SECTION 14 - TRANSPORTATION INFORMATIO	ON
14.1 U.S. Department of Transportation	(DOT) Shipping Regulations:
	.101) by the U.S. Department of Transportation, as follows.
UN Identification Number:	Not applicable
Proper Shipping Name:	Not regulated
Hazard Class Number and Description:	Not applicable
Packing Group:	Not applicable
DOT Label(s) Required:	Not applicable
North American Emergency	
Response Guidebook Number:	Not applicable
14.2 Environmental Hazards:	
Marine Pollutant:	The components of this product are not designated by
	the Department of Transportation to be Marine
	Pollutants (49 CFR 172.101, Appendix B).
14.3 Special Precaution for User:	None
14.4 International Air Transport Associa	
Shipping Information (IATA):	This product is not considered as dangerous goods.
14.5 International Maritime Organization	<u>1</u>
Shipping Information (IMO):	
UN Identification Number:	Not applicable
Proper Shipping Name:	Not regulated
Hazard Class Number and Description:	Not applicable
Packing Group:	Not applicable
EMS-No:	Not applicable
SECTION 15 – REGULATORY INFORMATION	

SECTION 15 – REGULATORY INFORMATION

<u>15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:</u> <u>United States Regulations:</u> U.S. SARA Reporting Requirements:



SpecCity White

Version 1	pg. 9
The components of this product are subject to the reporting requirements of Section Title III of the Superfund Amendments and Reauthorization Act. U.S. SARA 311/312:	ons 302, 304, and 313 of
Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity; No U.S. CERCLA Reportable Quantity:	
Not applicable U.S. TSCA Inventory Status:	
The components of this product are listed on the TSCA Inventory or are exempted Other U.S. Federal Regulations:	I from listing.
None known California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): This product contains ingredients on the Proposition 65 Lists: Titanium Dioxide CA	AS# 13463-67-7
15.2 Canadian Regulations: Canadian DSL/NDSL Inventory Status:	
Components are DSL Listed, NDSL Listed and/or are exempt from listing Other Canadian Regulations:	
Not applicable Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:	
This product has been classified in accordance with the hazard criteria of the Cont Regulations and the MSDS contains all of the information required by those regula	
Canadian WHMIS Classification and Symbols: This product is Class D2B, Materials causing other toxic effects, per WHMIS Contr Regulations.	rolled Product
T	
15.3 European Economic Community Information:	
This product meets the definition of a hazardous substance or preparation as defir Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequer 2 for Details.	
Chemical Safety Assessment:	
No Chemical Safety Assessment has been carried out for this substance/mixture b 15.4 Australian Information for Product:	by the supplier.
Components of this product are listed on the International Chemical Inventory list. 15.5 Japanese Information for Product:	
Japanese Minister of International Trade and Industry (MITI) Status: The compone listed as Class I specified Chemical Substances, Class II Specified Chemical Substanc	
Chemical Substances by the Japanese MITI. <u>15.6 International Chemical Inventories:</u>	
Listing of the components on individual country Chemical Inventories is as follows: Australian Inventory of Chemical Substances (AICS): Listed	<u>.</u>
Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed	
U.S. TSCA: Listed	



SpecCity White

Version 1

pg. 10

SECTION 16 – OTHER INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance) Date of Printing: July 1, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET