## **SPECFILM CONCENTRATE**



# Evaporation Retardant/ Finishing Aid Concentrate

SPECFILM CONCENTRATE is an economical concentrate that, can be diluted with potable water up to a 9 to 1 ratio, providing a very effective evaporation retardant and finishing aid for concrete flatwork. Once diluted and sprayed over fresh concrete, SPECFILM forms a thin, continuous film which prevents rapid moisture loss from the concrete surface.





- Significantly reduces plastic shrinkage and cracking caused by evaporation in low humidity, high temperatures and high winds
- Allows use of lower slump and lower water to cement ratio concrete
- Provides smooth and durable concrete flatwork
- Reduces wind crusting, stickiness, and sponginess, which often cause poor and uneven surface texture.
- VOC compliant
- Aids in finishing concrete that produces little or no bleed water, like microsilica concrete mixes



# **SPECFILM CONCENTRATE**





### <sup>1</sup> Usage

- Can be used in direct sun, wind, high temperatrues, or low relative humidity
- Freshly placed concrete

## ്റ്റ് Standards

 As recommended by ACI 302: "Evaporation Retardant/ Monomolecular Film"

#### 🗑 Packaging

- 55 gallon drums (208.2 L)
- 5 gallon pails (18.9 L)
- 1 gallon jug (3.79 L) (4 jugs/case)

