

SpecShield SB

Version 1

pg. 1

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

| 1.1 Trade Name (as labeled): | SpecShield SB |
|---------------------------------|-------------------------------|
| Synonyms: | N/A |
| CAS No: | Mixture |
| 1.2 Product Use: | Waterproofing |
| 1.3 Company Name: | SpecChem |
| Company Address: | 1511 Baltimore Ave; Suite 600 |
| Company Address Cont: | Kansas City, MO 64108 |
| Business Phone: | (816) 968-5600 |
| Website: | www.specchemllc.com |
| 1.4 Emergency Telephone Number: | Chemtrec: (800) 424-9300 |
| Date of Last Revision: | April 27, 2015 |
| Date of Current Revision: | July 1, 2018 |

/ IION Z - MAZARDƏ IDEN IIFICA IION

EMERGENCY OVERVIEW: This product is a colorless liquid with a petroleum solvent smell. Health Hazards: May cause skin, eye, and respiratory system irritation. May be an aspiration hazard. Flammability Hazards: This product is a combustible liquid with a flash point of ~103°F (39°C). Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.







EU and GHS Symbols

Signal Word

Danger

2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

232-489-3 is listed in Annex I 649-345-00-4

Substances not listed either individually or in group entries must be self classified. Components Contributing to Classification: Stoddard Solvent



SpecShield SB

| Version 1 | pg. 2 |
|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2.2 Label Elements: GHS Hazard Classifications: | Flammable Liquids Category 4 Germ Cell Mutagenicity Category 1B Carcinogenicity Category 1B STOT – RE Category 1 (Central Nervous System) Aspiration Hazard Category 1 |
| Hazard Statements: | H227 Combustible liquid H340 May cause genetic defects H350 May cause cancer H372 Causes damage to organs through prolonged or repeated exposure. H304 May be fatal if swallowed and enters airways |
| Precautionary Statements: | P280 Wear protective gloves/eye protection/face protection. P210 Keep away from flames and hot surfaces. No smoking. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. |
| Response Statements: | P370+P378 In case of fire: Use dry sand, dry chemical or alcohol resistant foam for extinction. P308+P313 IF exposed or concerned: Get medical advice/attention. P301+P310 IF SWALLOWED: Immediately call a POISON Center/doctor. P331 Do NOT induce vomiting. P314 Get medical advice/attention if you feel unwell. |
| Storage Statements: | P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. |
| Disposal Statements: | P501 Dispose of contents/container in accordance with local/regional/national/international regulations |

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: May cause respiratory tract irritation. May cause headaches, drowsiness, or dizziness.



SpecShield SB

Version 1

pg. 3

Skin Contact: May cause moderate irritation to skin. Repeated exposure may cause skin dryness or cracking.

Eye Contact: Vapours and direct contact to the eyes may be irritating.

Ingestion: May cause lung damage if aspirated.

Chronic: Repeated exposure may cause skin dryness or cracking.

Target Organs:

Acute: Respiratory System Chronic: Not known

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Ingredients | WT% | CAS No. | EINECS No. | Hazard Classification |
|----------------------------------|--------------|-----------------|------------------|---------------------------------------------------------|
| Stoddard Solvent | 90 - 99% | 8052-41-3 | 232-489-3 | Carc. 1B, Muta. 1B, STOT RE 1, ASP. Tox. 1 |
| Balance of other ingredients are | e non-hazard | ous or less tha | n 1% in concentr | ation (or 0.1% for carcinogens, reproductive toxins, or |
| respiratory sensitizers). | | | | |

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures:

| Eye Contact: | If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists. |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin Contact: | Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists. |
| Inhalation: | If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention. |
| Ingestion: | If product is swallowed, call physician or poison center if you feel unwell. If professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional. |
| Medical Conditions | |
| Generally Aggravated | |
| By Exposure: | Pre-existing skin, respiratory system or eye problems may be aggravated by prolonged contact. |
| 4.2 Symptoms and Effects | s Both Acute and Delayed: Exposure to skin and respiratory may cause |
| | irritation. Contact with the eyes may cause burns. Contact with skin may cause an allergic reaction. Repeated exposure may cause damage to the lungs. |



SpecShield SB

Version 1

pg. 4

<u>4.3 Recommendations to Physicians:</u> Treat symptoms and eliminate overexposure.

SECTION 5 – FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials:

Water Spray: No Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class


5.2 Unusual Fire and Explosion Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.

| Explosive Sensitivity to Mechanical Impact: | No |
|---------------------------------------------|----|
| Explosive Sensitivity to Static Discharge: | No |

5.3 Special Fire-Fighting Procedures:

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully
 applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.





SpecShield SB

Version 1

pg. 5

SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Liquid release for decorative texturing mats.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Exposure Parameters:

| Ingredients | CAS No. | OSHA PEL | NIOSH PEL |
|------------------|-----------|----------|-----------|
| Stoddard Solvent | 8052-41-3 | 500 ppm | 350 mg/m3 |

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.



SpecShield SB

Version 1

pg. 6

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

| Respiratory Protection: | Maintain airborne contaminant concentrations below guidelines listed above. Use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states. |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye Protection: | Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards. |
| Hand Protection: | Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards. |
| Body Protection: | Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136. |

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): Colorless liquid Odor: Petroleum Solvent Odor Threshold: No data available pH: No data available Melting/Freezing Point: No data available Boiling Point: No data available Flash Point: 103°F (39°C)



SpecShield SB

| Flammability (Solid; Ga | ili ty or Explosion g @ 20°C (68° F): available data available data available -octanol/water): N ture: No data availa rature: No data availa | o data available able | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ON 10 – STABILITY AND | REACTIVITY | | |
| <u>10.1 Reactivity:</u> <u>10.2 Stability:</u> <u>10.3 Possibility of Haza</u> 10.4 Conditions to Avo | <u>irdous Reactions</u> : id: | This product is not reactive. Stable under conditions of norm Will not occur. Avoid excessive temperatures, | - |
| 10.5 Incompatible Subs | stances: | of ignition. Strong oxidizing agents. | |
| 10.5 Incompatible Subs 10.6 Hazardous Decom ON 11 – TOXICOLOGY I 11.1 Information on Tox | stances: position Products NFORMATION | of ignition. Strong oxidizing agents. <u>s:</u> Carbon monoxide and dioxide s | |
| <u>10.5 Incompatible Subs</u> <u>10.6 Hazardous Decom</u> ON 11 – TOXICOLOGY I | stances: position Products NFORMATION | of ignition. Strong oxidizing agents. <u>s:</u> Carbon monoxide and dioxide s | |
| 10.5 Incompatible Subs 10.6 Hazardous Decom ON 11 – TOXICOLOGY I 11.1 Information on Tox Toxicity Data: | stances: position Products NFORMATION xicological Effects 8052-41-3 | of ignition. Strong oxidizing agents. <u>s:</u> Carbon monoxide and dioxide s <u>s:</u> <u>LD50 Oral – Rat</u> <u>LC50 Inhalation – Rat</u> Ingredients within this product a following lists: FEDERAL OSHA CAL/OSHA and therefore are co | smoke. >5 mg/kg >5,500 mg/mg3/4h re found on one or more of the X Z LIST, NTP, IARC, or |
| 10.5 Incompatible Subs 10.6 Hazardous Decom ON 11 – TOXICOLOGY I 11.1 Information on Tox Toxicity Data: Stoddard Solvent | stances: position Products NFORMATION xicological Effects 8052-41-3 nt: | of ignition. Strong oxidizing agents. Strong oxidizing agents. Strong oxidizing agents. LD50 Oral – Rat LC50 Inhalation – Rat Ingredients within this product a following lists: FEDERAL OSHA CAL/OSHA and therefore are co agents by these agencies. Skin, eye, and respiratory irritan This product is expected to caus This product does not contain ir | smoke. >5 mg/kg >5,500 mg/mg3/4h re found on one or more of the X Z LIST, NTP, IARC, or onsidered to be cancer-causing it. se skin sensitization. |
| 10.5 Incompatible Subs 10.6 Hazardous Decom ON 11 – TOXICOLOGY II 11.1 Information on Tox Toxicity Data: Stoddard Solvent Suspected Cancer Age Irritancy: Sensitization to the Pro- | stances: position Products NFORMATION xicological Effects 8052-41-3 nt: nt: | of ignition. Strong oxidizing agents. s: Carbon monoxide and dioxide s s: LD50 Oral – Rat LC50 Inhalation – Rat Ingredients within this product a following lists: FEDERAL OSHA CAL/OSHA and therefore are co agents by these agencies. Skin, eye, and respiratory irritan This product is expected to cause | smoke. >5 mg/kg >5,500 mg/mg3/4h re found on one or more of the X Z LIST, NTP, IARC, or onsidered to be cancer-causing it. se skin sensitization. ngredients that are suspected |
| 10.5 Incompatible Subs 10.6 Hazardous Decom ON 11 – TOXICOLOGY II 11.1 Information on Tox Toxicity Data: Stoddard Solvent Suspected Cancer Age Irritancy: Sensitization to the Program Cell Mutagenicity | stances: position Products NFORMATION xicological Effects 8052-41-3 nt: | of ignition. Strong oxidizing agents. <u>s:</u> Carbon monoxide and dioxide s <u>s:</u> <u>LD50 Oral – Rat</u> <u>LC50 Inhalation – Rat</u> Ingredients within this product a following lists: FEDERAL OSHA CAL/OSHA and therefore are co agents by these agencies. Skin, eye, and respiratory irritan This product is expected to caus This product does not contain ir to be a germ cell mutagenic. This product is not expected to | smoke. >5 mg/kg >5,500 mg/mg3/4h re found on one or more of the X Z LIST, NTP, IARC, or onsidered to be cancer-causing it. se skin sensitization. ngredients that are suspected |



SpecShield SB

| sion 1 | pg. 8 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 12.4 Mobility in Soil:No12.5 Results of PBT and vPvB Assessment:12.6 Other Adverse Effects:No12.7 Water Endangerment Class:At | o specific data available on this product. o specific data available on this product. No specific data available on this product. o data available present, there are no ecotoxicological assessments r this product. |
| TION 13 – DISPOSAL CONSIDERATIONS | |
| 13.1 Waste Treatment Methods: | Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. |
| 13.2 EU Waste Code: | Not determined |
| | |
| ION 14 - TRANSPORTATION INFORMATION | |
| UN Identification Number: Proper Shipping Name: Hazard Class Number and Description: Packing Group: DOT Label(s) Required: North American Emergency Response Guidebook Number: <u>14.2 Environmental Hazards:</u> Marine Pollutant: <u>14.3 Special Precaution for User:</u> <u>14.4 International Air Transport Association</u> | |
| Shipping Information (IATA): <u>14.5 International Maritime Organization</u> <u>Shipping Information (IMO):</u> UN Identification Number: Proper Shipping Name: Hazard Class Number and Description: Packing Group: EMS-No: | This product is considered as dangerous goods. UN1268 Petroleum distillate, n.o.s (Contains Stoddard Solvent) Class 3 – Flammable Liquid III F-E-S-E |
| Special Notes: | The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as |



SpecShield SB

Version 1

pg. 9

the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

SECTION 15 – REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture: United States Regulations: U.S. SARA Reporting Reguirements:

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: Yes; Fire: Yes; Reactivity; No

U.S. CERCLA Reportable Quantity:

None

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

This product does not contain ingredients on the Proposition 65 Lists.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product is Class B2, Flammable Liquid, and D2B, Materials causing other toxic effects, per WHMIS Controlled Product Regulations.



15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier. **15.4 Australian Information for Product:**

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:



SpecShield SB

Version 1

pg. 10

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI. **15.6 International Chemical Inventories:**

Listing of the components on individual country Chemical Inventories is as follows: Australian Inventory of Chemical Substances (AICS): Listed Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed U.S. TSCA: Listed

SECTION 16 – OTHER INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance) Date of Printing: July 1, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET