

www.millsteelframing.com │ 2905 Lucerne Dr. SE Grand Rapids, MI 49546 │ (812) 670-4195

#### Structural Stud 400S250-54

16 GA GALV 4" WEB X 2.50" **Product Description** 

FLANGE C-STUD .054 MIN

**GAUGE** 

Coating G60

**Physical Properties** 

Design Thickness (in) 0.0566 Minimum Thickness (in) 0.0538 Web Width (in) 4.0000 Flange Width (in) 2.5000 Stiffening Lip (in) 0.6250 Yield Strength (ksi) 50.0000




Gross Section Properties	
Cross Sectional Area (A)	0.556
Weight of Member (lb/ft)	1.89
Section Modulus (Sx)	0.756
Moment of Inertia (lx)	1.512
Radius of Gyration (Rx)	1.649
Gross Moment of Inertia (ly)	0.490
Gross Radium of Gyration (Ry)	0.938

Effective Section Properties	
Moment of Inertia for deflection (lxe)	1.496
Section Modulus (Sxe)	0.576
Allowable Bending moment (Ma)	17.24
Allowable shear force in web (U)(Vag)	3372
Allowable shear at punch (Vanet)	1223

Torsional Properties	
St. Venant torsion constant (J x 1000)	0.594
Warping constant (Cw)	1.821
Distance from shear center to neutral axis (Xo)	-2.124
Radii of gyration (Ro)	2.848
Torsional flexural constant (Beta)	0.444

### **Punch Out**



# **ASTM & Code Standards**

- AISI S100-12 & ICC ES ESR-4062
- Framing meets ASTM A1003, A653 & C955

#### **Notes**

- 1. Calculated properties are based on AISI S100-16, North American Specification for Design of Cold-Formed Steel Structural Members.
- 2. The centerline bend radius is based on inside corner radii shown in thickness chart.
- 3. Effective properties incorporate the strength increase from the cold work of forming as applicable per AISI A3.3.2.
- Tabulated gross properties are based on fullunreduced cross section of the studs, away from punch outs.
- 5. For deflection calculations, use the effective moment of inertia.
- 6. Allowable moment includes cold-work of forming.

# Mill Steel Framing LEED Green Credits

MR Credit 2 MR Credit 4

- ConstructionWaste Management Mill Steel Framing steel framing is 100% recyclable
- Recycled Content Mill Steel Framing products contain no less than 25.5% post-consumer and 6.8% pre-consumer recycled content

MR Credit 5

· Regional Materials - Mill Steel Framing has manufacturing facilities in Indiana, Alabama & Texas

V4 MR Credits • Building Product Disclosure and Optimization EPD (1 point)

· Materials Ingredients (1 point) - Construction and Demolition Waste Management (1 point)

