

www.millsteelframing.com │ 2905 Lucerne Dr. SE Grand Rapids, MI 49546 │ (812) 670-4195

#### Structural Stud 362S300-43

18 GA GALV 3.62" WEB X 3.00" **Product Description** 

FLANGE C-STUD .043 MIN

**GAUGE** 

Coating G60

**Physical Properties** 

Design Thickness (in) 0.0451 Minimum Thickness (in) 0.0428 Web Width (in) 3.6250 Flange Width (in) 3.0000 Stiffening Lip (in) 0.6250 Yield Strength (ksi) 33.0000




Gross Section Properties	
Cross Sectional Area (A)	0.475
Weight of Member (lb/ft)	1.62
Section Modulus (Sx)	0.621
Moment of Inertia (lx)	1.125
Radius of Gyration (Rx)	1.539
Gross Moment of Inertia (ly)	0.596
Gross Radium of Gyration (Ry)	1.120

Effective Section Properties	
Moment of Inertia for deflection (lxe)	
Section Modulus (Sxe)	
Allowable Bending moment (Ma)	
Allowable shear force in web (U)(Vag)	
Allowable shear at punch (Vanet)	

Torsional Properties	
St. Venant torsion constant (J x 1000)	0.322
Warping constant (Cw)	1.888
Distance from shear center to neutral axis (Xo)	-2.674
Radii of gyration (Ro)	3.282
Torsional flexural constant (Beta)	0.336

### **Punch Out**



# **ASTM & Code Standards**

- AISI S100-12 & ICC ES ESR-4062
- Framing meets ASTM A1003, A653 & C955

#### **Notes**

- 1. Calculated properties are based on AISI S100-16, North American Specification for Design of Cold-Formed Steel Structural Members.
- 2. The centerline bend radius is based on inside corner radii shown in thickness chart.
- 3. Effective properties incorporate the strength increase from the cold work of forming as applicable per AISI A3.3.2.
- Tabulated gross properties are based on fullunreduced cross section of the studs, away from punch outs.
- 5. For deflection calculations, use the effective moment of inertia.
- 6. Allowable moment includes cold-work of forming.

# Mill Steel Framing LEED Green Credits

MR Credit 2 MR Credit 4

- ConstructionWaste Management Mill Steel Framing steel framing is 100% recyclable
- Recycled Content Mill Steel Framing products contain no less than 25.5% post-consumer and 6.8% pre-consumer recycled content

MR Credit 5

· Regional Materials - Mill Steel Framing has manufacturing facilities in Indiana, Alabama & Texas

• Building Product Disclosure and Optimization EPD (1 point) V4 MR Credits

· Materials Ingredients (1 point) - Construction and Demolition Waste Management (1 point)

