



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Hardener

Product Name: Drago® Sealant Part B

Intended Use of the Product

Mixed with Drago® Sealant Part A; sealant around pipe penetrations.

Company Name, Address, and Telephone of the Responsible Party

Stego Industries, LLC

216 Avenida Fabricante #101

San Clemente, CA 92672 USA

Main Contact Number: (877) 464-7834

Emergency Telephone Number

Emergency Number: 1 (800) 424-9300 (24 Hrs.) CHEMTREC

SECTION 2: HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION

Health Hazards

Acute toxicity (Inhalation - dust and mist): Category 4

Skin Corrosion/Irritation: Category 1A

Serious Eye Damage/Eye Irritation: Category 1

Carcinogenicity: Category 1A

Toxic to Reproduction: Category 2

Unknown Toxicity - Health

Acute Toxicity, oral: 31.12 %

Acute Toxicity, dermal: 69.89 %

Acute Toxicity, inhalation, vapor: 100 %

Acute Toxicity, inhalation, dust or mist: 99.52 %

Environmental Hazards

Acute Hazards to the Aquatic Environment: Category 1

Unknown Toxicity - Environment

Acute Hazards to the Aquatic Environment: 63.48 %

Chronic Hazards to the Aquatic Environment: 100 %

LABEL ELEMENTS

Signal Word: Danger

Hazard Symbols:



Continued...

Note - legal notice on page 12



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 2: HAZARDS IDENTIFICATION *Continued...*

Hazard Statements:

Harmful if inhaled.
Causes severe skin burns and eye damage.
May cause cancer.
Suspected of damaging fertility or the unborn child.
Very toxic to aquatic life.

Precaution Statements (Prevention):

Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment.

Precaution Statements (Response):

IF INHALED: Remove person to fresh air and keep comfortable for breathing. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **IF ON SKIN** (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. **IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. Collect spillage.

Precaution Statements (Storage): Store locked up.

Precaution Statements (Disposal):

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) Not Otherwise Classified (HNOC): None.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

MIXTURES

Chemical Identity	CAS#	Content In Percent (%)*
4-Nonylphenol	84852-15-3	25 - <50%
Talc	14807-96-6	20 - <50%
Poly(oxypropylene) diamine	9046-10-0	20 - <50%
Tris(dimethylaminomethyl)phenol	90-72-2	1 - <3%
2-Methyl-1,5-pentanediamine	15520-10-2	1 - <5%
4-tert-Butylphenol	98-54-4	0.1 - <1%
m-Xylenediamine	1477-55-0	0 - <1%
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	0.1 - <1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Continued...

Note - legal notice on page 12



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 4: FIRST AID MEASURES

Ingestion: Rinse mouth. Call a physician or poison control center immediately. Never give liquid to an unconscious person. Do not induce vomiting without advice from poison control center.

Inhalation: Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. Move to fresh air. If breathing is difficult, give oxygen.

Skin Contact: Call a physician or poison control center immediately. Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Destroy or thoroughly clean contaminated shoes.

Eye Contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

Symptoms: No data available.

Hazards: No data available.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treatment: No data available.

SECTION 5: FIRE-FIGHTING MEASURES

General Fire Hazards: No unusual fire or explosion hazards noted.

SUITABLE (AND UNSUITABLE) EXTINGUISHING MEDIA

Suitable Extinguishing Media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable Extinguishing Media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific Hazards Arising From the Chemical: During fire, gases hazardous to health may be formed.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Fire Fighting Procedures: No data available.

Special Protective Equipment for Fire-Fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and Material for Containment and Cleaning Up: Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

Notification Procedures: In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling: Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Do not taste or swallow. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes, on skin, on clothing.

Conditions for Safe Storage, Including Any Incompatibilities: Store locked up.

Installation Temperature Range: 50-140°F (surface), easiest application below 90°F

In-Service Temperature Range: 0-140°F (surface and surrounding)

Exposure to Ultraviolet Radiation/Weather Events: The amount of time between when Drago Sealant is installed and when concrete is placed or other complete protection from sunlight and weather events is provided should be minimized while not exceeding 7 days. Please review the remainder of the SDS and relevant technical data sheets for storage and additional information. If any of the conditions cited above pose a problem for the typical installation of the Drago Sealant, please contact Stego Industries for additional information and solutions.

Continued...

Note - legal notice on page 12



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Talc - Respirable fraction	TWA	2 mg/m ³	US. ACGIH Threshold Limit Values (2011)
Talc	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Talc - Respirable	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.1 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
m-Xylenediamine	Ceiling	0.1 mg/m ³	US. ACGIH Threshold Limit Values (2011)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction	TWA	0.025 mg/m ³	US. ACGIH Threshold Limit Values (2011)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust	TWA	0.05 mg/m ³	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)
	OSHA_AC T	0.025 mg/m ³	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust	PEL	0.05 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.1 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Talc - Respirable	TWA	2 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Talc	TWA	2 fibers/mL	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Talc - Respirable fraction	TWA	2 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Talc - Respirable dust	TWA	3 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction	TWA	0.025 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction	TWA	0.10 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust	TWA	0.1 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Talc - Respirable	TWA	2 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)

Continued...

Note - legal notice on page 12



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION *Continued...*

CONTROL PARAMETERS

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Talc	TWA	2 fibers/mL	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Talc - Respirable fraction	TWA	2 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Talc - Respirable dust	TWA	3 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
m-Xylenediamine	CEILING	0.1 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
m-Xylenediamine	CEV	0.1 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
m-Xylenediamine	CEILING	0.1 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction	TWA	0.025 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction	TWA	0.10 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust	TWA	0.1 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)

Appropriate Engineering Controls: Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

General Information: Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Eye/face Protection: Wear a full-face respirator, if needed. Wear safety glasses with side shields (or goggles) and a face shield.

Skin/Hand Protection: Use suitable protective gloves if risk of skin contact.

Other: Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene Measures: Observe good industrial hygiene practices. Do not eat, drink or smoke when using the product. Wash hands after handling. Wash hands before breaks and immediately after handling the product. Do not get in eyes. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not get this material in contact with skin.

Continued...

Note - legal notice on page 12



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State: Liquid

Form: Liquid

Color: Off-white

Odor: Mild pungent

Odor Threshold: No data available.

pH: No data available.

Melting Point/Freezing Point: No data available.

Initial Boiling Point and Boiling Range: No data available.

Flash Point: > 93°C > 200°F (Setaflash Closed Cup)

Evaporation Rate: Slower than Ether

Flammability (solid, gas): No

UPPER/LOWER LIMIT ON FLAMMABILITY OR EXPLOSIVE LIMITS

Flammability Limit - Upper (%): No data available.

Flammability Limit - Lower (%): No data available.

Explosive Limit - Upper (%): No data available.

Explosive Limit - Lower (%): No data available.

Vapor Pressure: No data available.

Vapor Density: Vapors are heavier than air and may travel along the floor and in the bottom of containers.

Relative Density: 1.21

SOLUBILITY(IES)

Solubility in Water: Practically Insoluble

Solubility (other): No data available.

Partition Coefficient (n-octanol/water): No data available.

Auto-Ignition Temperature: No data available.

Decomposition Temperature: No data available.

Viscosity: No data available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of Hazardous Reactions: No data available.

Conditions to Avoid: Avoid heat or contamination.

Incompatible Materials: Avoid contact with acids.

Hazardous Decomposition Products: Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE

Inhalation: In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.

Skin Contact: May be harmful in contact with skin. Causes severe skin burns.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed.

Continued...

Note - legal notice on page 12



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 11: TOXICOLOGICAL INFORMATION *Continued...*

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS

Inhalation: No data available.

Skin Contact: No data available.

Eye Contact: No data available.

Ingestion: No data available.

INFORMATION ON TOXICOLOGICAL EFFECTS

Acute Toxicity (list all possible routes of exposure)

Oral

Product:	ATEmix: 2,309.7 mg/kg
-----------------	-----------------------

Dermal

Product:	ATEmix: 37,937.8 mg/kg
-----------------	------------------------

Inhalation

Product:	ATEmix: 1.16 mg/l
-----------------	-------------------

Repeated Dose Toxicity

Product:	No data available.
-----------------	--------------------

Skin Corrosion/Irritation

Product:	No data available.
-----------------	--------------------

Serious Eye Damage/Eye Irritation

Product:	No data available.
-----------------	--------------------

Respiratory or Skin Sensitization

Product:	No data available.
-----------------	--------------------

Carcinogenicity

Product:	No data available.
-----------------	--------------------

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Talc	Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall evaluation: Possibly carcinogenic to humans.
Crystalline Silica(Quartz)/ Silica Sand	Overall evaluation: Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

Crystalline Silica (Quartz)/ Silica Sand	Known To Be Human Carcinogen.
--	-------------------------------

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

Crystalline Silica (Quartz)/ Silica Sand	Cancer
--	--------

GERM CELL MUTAGENICITY

In Vitro

Product:	No data available.
-----------------	--------------------

In Vivo

Product:	No data available.
-----------------	--------------------

Continued...

Note - legal notice on page 12



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 11: TOXICOLOGICAL INFORMATION *Continued...*

Reproductive Toxicity

Product:	Suspected of damaging fertility or the unborn child.
-----------------	--

Specific Target Organ Toxicity - Single Exposure

Product:	No data available.
-----------------	--------------------

Specific Target Organ Toxicity - Repeated Exposure

Product:	No data available.
-----------------	--------------------

Aspiration Hazard

Product:	No data available.
-----------------	--------------------

Other Effects:	No data available.
-----------------------	--------------------

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY

Acute Hazards to the Aquatic Environment:

Fish

Product:	No data available.
-----------------	--------------------

Aquatic Invertebrates

Product:	No data available.
-----------------	--------------------

Chronic Hazards to the Aquatic Environment:

Fish

Product:	No data available.
-----------------	--------------------

Aquatic Invertebrates

Product:	No data available.
-----------------	--------------------

Toxicity to Aquatic Plants

Product:	No data available.
-----------------	--------------------

Persistence and Degradability:

Biodegradation

Product:	No data available.
-----------------	--------------------

BOD/COD Ratio

Product:	No data available.
-----------------	--------------------

Bioaccumulative Potential:

Bioconcentration Factor (BCF)

Product:	No data available.
-----------------	--------------------

Continued...

Note - legal notice on page 12



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 12: ECOLOGICAL INFORMATION *Continued...*

Partition Coefficient n-octanol / Water (log Kow)

Product:	No data available.
-----------------	--------------------

Mobility in Soil: No data available.

Other Adverse Effects: Very toxic to aquatic organisms.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods: Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging: No data available.

SECTION 14: TRANSPORT INFORMATION

Not regulated.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Chemical Identity	Reportable Quantity
4-Nonylphenol	De minimis concentration: TSCA 5(a)(2)% One-Time Export Notification only.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Chemical Identity	OSHA Hazard(s)
Crystalline Silica (Quartz)/ Silica Sand	kidney effects, lung effects, immune system effects, cancer

CERCLA Hazardous Substance List (40 CFR 302.4)

None present or none present in regulated quantities.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA)

Hazard Categories:

- Immediate (Acute) Health Hazards
- Delayed (Chronic) Health Hazard
- Acute toxicity (any route or exposure)
- Skin Corrosion or Irritation
- Serious eye damage or eye irritation
- Carcinogenicity
- Reproductive toxicity

Continued...

Note - legal notice on page 12



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 15: REGULATORY INFORMATION

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
4-Nonylphenol	10000 lbs
Talc	10000 lbs
Poly(oxypropylene) diamine	10000 lbs
Tris(dimethylaminomethyl)phenol	10000 lbs
2-Methyl-1,5-pentanediamine	10000 lbs
4-tert-Butylphenol	10000 lbs
m-Xylenediamine	10000 lbs
Crystalline Silica (Quartz)/ Silica Sand	10000 lbs

SARA 311/312 Hazardous Chemical

Chemical Identity
4-Nonylphenol

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US STATE REGULATIONS

US. California Proposition 65

WARNING

Cancer and Reproductive Harm - www.P65Warnings.ca.gov



US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Talc
Crystalline Silica (Quartz)/ Silica Sand

US. Massachusetts RTK - Substance List

Chemical Identity

4-Nonylphenol
Talc
Crystalline Silica (Quartz)/ Silica Sand

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

4-Nonylphenol
Talc

Continued...

Note - legal notice on page 12



Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 15: REGULATORY INFORMATION *Continued...*

US. Rhode Island RTK

Chemical Identity

Talc

INTERNATIONAL REGULATIONS

Montreal Protocol

Not applicable

Stockholm Convention

Not applicable

Rotterdam Convention

Not applicable

Kyoto Protocol

Not applicable

VOC: When appropriately mixed with the other part, product has a VOC less water and exempt solvent of: 0 g/l

Regulatory VOC (less water and exempt solvent):	420 g/l
VOC Method 310:	35.56 %

Inventory Status

Australia AICS:	One or more components in this product are not listed on or exempt from the Inventory
Canada DSL Inventory List:	One or more components in this product are not listed on or exempt from the Inventory
EINECS, ELINCS or NLP:	One or more components in this product are not listed on or exempt from the Inventory
Japan (ENCS) List:	One or more components in this product are not listed on or exempt from the Inventory
China Inv. Existing Chemical Substances:	All components in this product are listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	One or more components in this product are not listed on or exempt from the Inventory
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory
Philippines PICCS:	All components in this product are listed on or exempt from the Inventory.
US TSCA Inventory:	One or more components in this product are not listed on or exempt from the Inventory
New Zealand Inventory of Chemicals:	All components in this product are listed on or exempt from the Inventory.
Japan ISHL Listing:	One or more components in this product are not listed on or exempt from the Inventory
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory
Mexico INSQ:	One or more components in this product are not listed on or exempt from the Inventory
Ontario Inventory:	One or more components in this product are not listed on or exempt from the Inventory
Taiwan Chemical Substances Inventory:	One or more components in this product are not listed on or exempt from the Inventory

Continued...

Note - legal notice on page 12



DRAGO® SEALANT PART B SAFETY DATA SHEET

SDS

P12 of 12

Revision Date: December 8, 2022 | Date of Issue: June 3, 2017 | Version Number: 6.0

SECTION 16: OTHER INFORMATION

Disclaimer: The information contained herein only applies to the noted product. To the best of our knowledge, having been obtained through our suppliers or third parties, this information is accurate. We make no warranties, express or implied, concerning this information or the safe use of the noted product, and we disclaim liability from loss, damage, or other from the product's use, handling, or storage. Users are responsible for verifying the fitness/suitable of the product for any purposes/applications and for confirming compliance with any/all relevant codes or regulations.

Please read the Product Statements for all Drago® products by navigating here: stegoindustries.com/legal