



Revision Date: May 18, 2021 | Date of Issue: March 20, 2017 | Version Number: 4.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Name: StegoCrawl Tape

Intended Use of the Product

Industrial Bonding/Seaming/Masking

Company Name, Address, and Telephone of the Responsible Party

Stego Industries, LLC

216 Avenida Fabricante #101

San Clemente, CA 92672 USA

Main Contact Number: (877) 464-7834

Emergency Telephone Number

Emergency Number: 1 (800) 424-9300 (24 Hrs.) CHEMTREC

SECTION 2: HAZARDS IDENTIFICATION

This product is exempt from hazard classification according to OSHA Hazard Communication Standard, 29 CFR 1910.1200. StegoCrawl Tape does not contain any product listed in Article 59 (1,10) of Regulation (EC) No. 1907/2006.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient:	CAS Number	% by WT.
Modified Acrylic Adhesive	Proprietary*	23-25%*
Release-Coated Polyolefin Film	None	75-77%*

The selections marked with an '*' are proprietary and considered to be Trade Secrets. This is the reason that they are listed as such, or provided as a range.

SECTION 4: FIRST AID MEASURES

4.1 First Aid Procedures

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: No need for first aid is anticipated.

Skin Contact: No need for first aid is anticipated.

Inhalation: No need for first aid is anticipated.

If Swallowed: No need for first aid is anticipated.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Flammable Properties

Autoignition Temperature No Data Available

Continued...

Note - legal notice on page 5



Revision Date: May 18, 2021 | Date of Issue: March 20, 2017 | Version Number: 4.0

SECTION 5: FIRE-FIGHTING MEASURES *Continued...*

Flash Point	Not Applicable
Flammable Limits(LEL)	Not Applicable
Flammable Limits(UEL)	Not Applicable

5.2 Extinguishing Media

Use fire extinguishers with class A extinguishing agents (e.g., dry chemical, carbon dioxide).

5.3 Protection of Fire Fighters

Special Fire Fighting Procedures: Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

Unusual Fire and Explosion Hazards: Not applicable. No unusual fire or explosion hazards are anticipated.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Not applicable.

6.2 Environmental precautions

Not applicable.

Clean-up methods

Not applicable.

SECTION 7: HANDLING AND STORAGE

7.1 Handling

This product, under normal use conditions, is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical.

7.2 Storage Conditions

Cool, dry storage recommended. Indoor storage recommended.

Installation Temperature Range: 5-100°F (surface).

In-Service Temperature Range: -20-160°F (surface and surrounding).

Exposure to Ultraviolet Radiation/Weather Events: The amount of time between when StegoCrawl Tape is installed and when concrete is placed or other complete protection from sunlight and weather events is provided should be minimized while not exceeding 7 days.

Please review the remainder of the SDS and relevant technical data sheets for storage and additional information. If any of the conditions cited above pose a problem for the typical installation of the StegoCrawl Tape, please contact Stego Industries for additional information and solutions.

Continued...

Note - legal notice on page 5



Revision Date: May 18, 2021 | Date of Issue: March 20, 2017 | Version Number: 4.0

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

No engineering controls or personal protective equipment (PPE) are necessary. This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

8.1 Engineering Controls

Not applicable.

8.2 Personal Protective Equipment (PPE)

8.2.1 Eye/Face Equipment

Under normal use conditions, not required.

8.2.2 Skin Protection

Under normal use conditions, not required.

8.2.3 Respiratory Protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

8.2.4 Prevention of Swallowing

Under normal use conditions, not required.

8.3 Exposure Guidelines

None established.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Odor, Color, Grade: Slight acrylate odor. Polyolefin film coated with an acrylic adhesive and wound upon itself.

General Physical Form: Solid roll of tape.

Auto-Ignition Temperature	No Data Available
Flash Point	Not Applicable
Flammable Limits(LEL)	Not Applicable
Flammable Limits(UEL)	Not Applicable
Boiling Point	Not Applicable
Vapor Density	Not Applicable
Vapor Pressure	Not Applicable
Specific Gravity	.8 to 1.2
pH	Not Applicable
Melting Point	No Data Available
Solubility in Water	None
Evaporation Rate	Not Applicable
Volatile Organic Compounds	No Data Available
Percent Volatile	Not Applicable
VOC Less H2O and Exempt Solvents	No Data Available
Viscosity	Not Applicable

Continued...

Note - legal notice on page 5



Revision Date: May 18, 2021 | Date of Issue: March 20, 2017 | Version Number: 4.0

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable

Materials and Conditions to Avoid:

10.1 Conditions to avoid

None known.

10.2 Materials to avoid

None known.

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition: Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation, heating, or reaction with another material.

Hazardous Decomposition or By-Products:

<u>Substance</u>	<u>Condition</u>
Hydrocarbons	Combustion by-product
Carbon Monoxide	Combustion by-product
Carbon Dioxide	Combustion by-product

SECTION 11: TOXICOLOGICAL INFORMATION

This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

Eye Contact: No health effects are anticipated.

Ingestion: No health effects are anticipated.

Inhalation: This product may have a characteristic odor. No adverse health effects are anticipated.

Skin Contact: No health effects are anticipated.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological Information: Not determined.

Chemical Fate Information: Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Reclaim if feasible. If product can't be reclaimed, dispose of waste product in a sanitary landfill. Alternatively, incinerate the waste product in an industrial, commercial, or municipal incinerator.

Since regulations vary, consult applicable regulations or authorities before disposal.

SECTION 14: TRANSPORT INFORMATION

Not regulated per U.S. DOT, IATA or IMO.

For Transport Information, please contact Stego Industries, LLC.

Continued...

Note - legal notice on page 5



Revision Date: May 18, 2021 | Date of Issue: March 20, 2017 | Version Number: 4.0

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Contact Stego Industries for more information.

311/312 Hazard Categories:

Fire Hazard: No **Pressure Hazard:** No **Reactivity Hazard:** No **Immediate Hazard:** No **Delayed Hazard:** No

State Regulations

Contact Stego Industries for more information.

Chemical Inventories

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements. Contact Stego Industries for more information.

International Regulations

Contact Stego Industries for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communications Standard, 29 CFR 1910.1200.

SECTION 16: OTHER INFORMATION

NFPA HAZARD RATING

Health: 0 | Flammability: 1 | Reactivity: 0 | Special Hazards: None

Scale: 4 = Extreme | 3 = High | 2 = Moderate | 1 = Slight | 0 = Insignificant

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material, but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities. *Rating are based on internal supplier's guidelines, and they are intended for internal use only.*

ABBREVIATIONS

ACGIH = American Conference of Governmental Industrial Hygienists

OSHA = Occupational Safety and Health Administration

TLV = Threshold Limit Value

PEL = Permissible Exposure Limit

TWA = Time Weighted Average

STEL = Short-Term Exposure Limit

Disclaimer: The information contained herein only applies to the noted product. To the best of our knowledge, having been obtained through our suppliers or third parties, this information is accurate. We make no warranties, express or implied, concerning this information or the safe use of the noted product, and we disclaim liability from loss, damage, or other from the product's use, handling, or storage. Users are responsible for verifying the fitness/suitable of the product for any purposes/applications and for confirming compliance with any/all relevant codes or regulations.

Please read the Product Statements for all StegoCrawl® products by navigating here: stegoindustries.com/legal