

Detail No.: 60w.02

Date: September 2011

StoEnergy Guard™Frame Construction: Acrylic Finish over Cement Board

ATTENTION

Notes: 1. StoGuard® joint treatment options: a. StoGuard® RapidSeal® with Wood Frame StoGuard® Mesh (joints $\leq 1/4$ inch [6 mm]) Exterior Grade Plywood b. Sto Gold Fill® with StoGuard® (Exposure I OSB or other code Mesh (joints $\leq 1/8$ inch [3 mm]) compliant shealthing) c. StoGuard® Fabric with StoGuard® StoGuard® Waterproof waterproof air barrier membrane Air Barrier Membrane (joints $\leq 1/8$ inch [3 mm]) Sto DrainScreen™ 2. StoGuard® waterproof air barrier membrane options: Cement Board a. Sto Gold Coat® (vapor permeable) Joint Treatment b. Sto EmeraldCoat® (high perm) StoGuard Joint Treatment 3. Refer to product bulletins for complete information on Sto products. Refer to StoGuard® Waterproof Air Reinforcing Mesh Barrier detail series 20.XX for (embedded in base coat) information on detailing with StoGuard®. 4. Cladding termination minimum 4" (101 mm) above finish grade, Textured Acrylic Finish minimum 2" (51mm) above paved surfaces. 5. Refer to manufacturer's instructions Corrosion-Resistant Weep and ICC ES Report for code compliant Screed or Flashing materials and installation of cement (See Note 4) board finish system. StoGuard® RapidSeal™ with StoGuard® Mesh Sto Smooth Coating (Or other compatible UV resistant IMPORTANT: Components not identified as Sto are furnished by other manufacturers and are not necessarily installed by trades NOTE: Use of Sto DrainScreen™limited to Type V (combustible) who install the Sto products. Refer to project construction, unless approved for other types by local code official Property of Sto Corp. All Rights Reserved. specific contract documents.

www.stocorp.com

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, of for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components.

STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECTTO CHANGE FROM TIME TO TIME. For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.