


PRODUCT BULLETIN

StoVentec® Render Accessories







Product Number: 07035



PRODUCT DESCRIPTION

StoVentec Render accessories are components of the StoVentec Render drained, back-ventilated rainscreen wall assembly. They are specifically designed to facilitate application and to enhance performance and aesthetics.

PRODUCT SELECTION









No.	Accessory Name and Typical Detail	Accessory Depiction	Product Packaging	Product Use
01845-001	Sto Joint Sealing Tape 2D		18m long x 15mm (59ft x 5/8in) rolls	Inside corner terminations with render on either side or at juncture with dissimilar material; for joint widths (2-6mm) (~1/16-1/4in) wide.
07962-005 07962-006 07962-007	Sto Starter Profile PH-K		2m long piece x width: 50mm (part 005) 100mm (part 006) 160mm (part 007)	Protect and hold insulation board in place at base of wall up to 160mm (~6-5/16in) width.
07035-007	Sto Edge Protection Profile G		2.5m long (~8ft 2-3/8in) piece	Protect exposed edges of carrier board
07035-016	Sto Edge Protection Profile GT		2.5m long (~8ft 2-3/8in) piece	Protect exposed edge of carrier board at base of wall and at expansion joints (companion to Profile GF at expansion joints)
07035-011	Sto Edge Protection Profile GF		2.5m long (~8ft 2-3/8in) piece	Protect exposed edge of carrier board at expansion joints (companion to Profile GT)
07963-004	Sto Drip Edge Profile		Box of 20 x 2.5m long (~8ft 2-3/8in) pieces	Create a drip edge with render return at soffits

PRODUCT BULLETIN

StoVentec Render Accessories

Product Number: 00961-07963

PRODUCT SELECTION (continued)

No.	Accessory Name	Accessory Depiction	Product Packaging	Typical Product Use
07034-015	Sto Rain Guard Profile G		2.5m long (~8ft 2-3/8in) piece	Protect exposed edge of carrier board at top of wall
07034-017	Sto Roof Vent Profile G		2.5m long (~8ft 2-3/8in) piece	Protect exposed edge of carrier board; ventilate at top of wall; ventilate cavity at soffit
00961-740	Sto-Mesh Corner Bead Standard		Box of 50 x 2.5m long (~8ft 2-3/8in) pieces	Protect and reinforce outside corners of carrier board
07086-007	Sto Ventilation Profile ALU 30/40		2.5m long (~8ft 2-3/8in) piece	Ventilation at base of wall (up to 40mm cavity)
07086-008	Sto Ventilation Profile ALU 40/100		2.5m long (~8ft 2-3/8in) piece	Ventilation at base of wall (40-100mm cavity)
07056-007	StoVentro Render Façade Screw		Box of 500 screws: 5.5mm diameter x 24mm long (~3/16 x 1in)	Attach Sto Carrier Board to T-Profile
07056-006	StoVentro Render Façade Screw	New 	6.0mm diameter x 28mm long (~1/4 x 1-1/8in)	Attach Sto Carrier Board to steel studs
07046-001	StoVentro Render Façade Screw		5.0mm diameter x 42mm long (~3/16 x 1-5/8in)	Attach Sto Carrier Board to wood studs

PRODUCT BULLETIN

StoVentec Render Accessories

Product Number: 00961-07963

PRODUCT STORAGE

Store pieces/boxes flat (not on edge) off the ground in a dry area.

PRODUCT APPLICATION

Refer to StoVentec Render Application Guide and StoVentec Render Design Guide and Detail booklet at www.stocorp.com

<p>Sto Corp. 3800 Camp Creek Parkway Building 1400, Suite 120 Atlanta, GA 30331 Tel: 404-346-3666 Toll Free: 1-800-221-2397 Fax: 404 346-3119 www.stocorp.com</p>	<p>Revision Number: A1.2 Date: 02/2021</p>	<p>ATTENTION This product is intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. It should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of this product or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to this product, and to the structure of the building or its components. STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME. For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com</p>
--	---	--