



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)



[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

License efficiently. Regulate fairly.

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL1956-R12								
Application Type	Editorial Change								
Code Version	2014								
Application Status	Approved								
	*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.								
Comments									
Archived	<input type="checkbox"/>								
Product Manufacturer	TAMKO Building Products, Inc.								
Address/Phone/Email	PO Box 1404 Joplin, MO 64802 (417) 624-6644 Ext 2305 kerri_eden@tamko.com								
Authorized Signature	Kerri Eden kerri_eden@tamko.com								
Technical Representative	Kerri Eden								
Address/Phone/Email	PO Box 1404 Joplin, MO 64802 (417) 624-6644 Ext 2305 kerri_eden@tamko.com								
Quality Assurance Representative									
Address/Phone/Email									
Category	Roofing								
Subcategory	Asphalt Shingles								
Compliance Method	Certification Mark or Listing								
Certification Agency	UL LLC								
Validated By	Robert J. M. Nieminen, PE								
	<input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received								
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><u>Standard</u></th> <th><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>ASTM D3161</td> <td>2009</td> </tr> <tr> <td>ASTM D3462</td> <td>2009</td> </tr> <tr> <td>ASTM D7158</td> <td>2008</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	ASTM D3161	2009	ASTM D3462	2009	ASTM D7158	2008
<u>Standard</u>	<u>Year</u>								
ASTM D3161	2009								
ASTM D3462	2009								
ASTM D7158	2008								
Equivalence of Product Standards Certified By									

Product Approval Method Method 1 Option A

Date Submitted 09/17/2015

Date Validated 10/06/2015

Date Pending FBC Approval

Date Approved 10/09/2015

Summary of Products		
FL #	Model, Number or Name	Description
1956.1	Elite Glass-Seal	A three tab asphalt shingle.
	Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.	Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL certification 10-11-12.pdf Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II Glass Seal Elite Glass Seal app inst.pdf Verified By: Robert Nieminen 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:
1956.2	Glass-Seal	A three tab asphalt shingle.
	Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.	Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL certification 10-11-12.pdf Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II Glass Seal Elite Glass Seal app inst.pdf Verified By: Robert Nieminen PE 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:
1956.3	Heritage	A dimensional asphalt shingle.
	Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.	Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL certification 10-11-12.pdf Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II Heritage D F J P app inst.pdf FL1956 R12 II Heritage F app inst.pdf FL1956 R12 II Heritage T app inst.pdf Verified By: Robert J. M. Nieminen FL 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:
1956.4	Heritage 30	A dimensional asphalt shingle.
	Limits of Use Approved for use in HVHZ: No	Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL certification 10-11-12.pdf

<p>Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>	<p>Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II heritage 30 app inst april 10.pdf FL1956 R12 II heritage 30 app inst f april 10.pdf Verified By: Robert Nieminen PE 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:</p>
<p>1956.5 Heritage 50</p>	<p>A dimensional asphalt shingle.</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>	<p>Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL certification 10-11-12.pdf Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II heritage 50 app inst april 10.pdf FL1956 R12 II heritage 50 app inst f april 10.pdf Verified By: Robert Nieminen PE 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:</p>
<p>1956.6 Heritage Premium</p>	<p>A dimensional asphalt shingle.</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>	<p>Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL certification 10-11-12.pdf Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II Heritage Premium D P app inst.pdf FL1956 R12 II Heritage Premium F app inst.pdf FL1956 R12 II Heritage Premium T app inst.pdf Verified By: Robert Nieminen 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:</p>
<p>1956.7 Heritage Vintage</p>	<p>A heavy weight dimensional asphalt shingle.</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>	<p>Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL shingle matrix.pdf Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II Heritage Vintage app inst.pdf Verified By: Robert J. M. Nieminen PE 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:</p>
<p>1956.8 Heritage Vintage 12 X 12 Hip and Ridge</p>	<p>Hip and ridge shingles</p>

<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>	<p>Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL shingle matrix.pdf Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II TAMKO@ Heritage@ 12 x 12 Hip and Ridge Application Instructions.pdf Verified By: Robert J. M. Nieminen PE 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:</p>
<p>1956.9 Heritage Woodgate</p>	<p>A dimensional asphalt shingle.</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>	<p>Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL certification 10-11-12.pdf Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II Heritage Woodgate D app inst.pdf FL1956 R12 II Heritage Woodgate F app inst.pdf Verified By: Robert Nieminen 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:</p>
<p>1956.10 Heritage XL</p>	<p>A dimensional asphalt shingle.</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>	<p>Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL certification 10-11-12.pdf Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II heritage xl app inst d april 10.pdf FL1956 R12 II heritage xl app inst f april 10.pdf Verified By: Robert Nieminen PE 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:</p>
<p>1956.11 Hip and Ridge Shingles</p>	<p>Hip and ridge shingles</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Hip and Ridge shingles shall be used only on roof slopes of 2:12 or greater. Nails must be used as the method of attachment.</p>	<p>Certification Agency Certificate FL1956 R12 C CAC FL1956 R11 C CAC Tamko Serv Conf FL 1956 2015.pdf FL1956 R12 C CAC UL certification 10-11-12.pdf Quality Assurance Contract Expiration Date 09/17/2018 Installation Instructions FL1956 R12 II 12.25x12 Hip and Ridge.pdf FL1956 R12 II 12 x 12 Hip Ridge Application Instructions.pdf FL1956 R12 II 12-1-4x12 HipRidge Sealant Dab Illustrations.pdf FL1956 R12 II 12x12 HipRidge Sealant Dab Illustrations.pdf Verified By: Robert Nieminen 59166 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:</p>

[Contact Us](#) :: [1940 North Monroe Street, Tallahassee FL 32399](#) [Phone: 850-487-1824](#)

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395.

*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

