

# CLEANING GUIDELINES:

## Ceilings, Walls, Suspension Systems, and Trim

Due to the potential impact on the finish, please follow the specific guidance below for general cleaning:

- It is recommended that only clear mild detergent cleaners be used, as dyed liquids can permanently discolor the finish of some ceiling tiles.
- Cleaning is only recommended for the finished face of the ceiling and wall panels.
- Mineral fiber and fiberglass ceiling and wall panels should never be soaked in water or other liquids.
- Custom colors or printed Create!™ Mineral fiber or fiberglass products should always use Cleaning Option 1.

### Cleaning Option 1:

A commercial vacuum system with 100-inches/H2O vacuum capacity is recommended for removing dust particles. The vacuum system cleaning attachment should be a 3" diameter wand with natural hair bristle. A HEPA vacuum filter is recommended to minimize air borne dust during the cleaning process. Care must be taken while vacuuming to avoid excessive pressure. Use a blotting action to minimize potential damage of surface texture on ceiling and wall panels.

### Cleaning Option 2:

Using a clean damp cloth or soft, smooth sponge with a mild, clear detergent, wipe lightly on the surface to remove any dirt. Dry any excess moisture with a clean, white microfiber cloth. Note: If moisture is not removed, it may stain the surface over time.

Cleaning conditions and aesthetics may be impacted by additional site conditions. These instructions pertain only to the maintenance of the aesthetics and integrity of Armstrong Ceiling & Wall Solutions products. Please consult the manufacturer's instructions and guidance regarding any cleaning product.

PRODUCT	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
<b>ACOUSTIBuilt®</b>	•	•
<b>Armatuff®</b>	•	•
<b>Backstage Noir™</b>	•	
<b>Calla®</b> Calla® Health Zone™ Calla® High CAC Calla® High NRC Calla® PrivAssure™ Calla® Shapes for DESIGNFlex® Calla® Vector®	•	•
<b>Calla®</b> Calla® Health Zone™ AirAssure™	•	•
<b>Canyon®</b> Canyon® for Prelude® XL Max®	•	•
<b>Ceramaguard®</b> Ceramaguard® Fine Fissured™	•	•
<b>Cirrus®</b> Cirrus® High NRC Cirrus® Profiles Cirrus® Second Look® Cirrus® Themes™	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT

Cleaning Option 1

Cleaning Option 2

**Clean Room™**

Clean Room™ FL  
Clean Room™ FL for Prelude® XL Max®  
Clean Room™ VL

•

•

**Cortega®**

Cortega® Second Look®

•

•

**Designer™**

•

•

**DESIGNFlex® for Formations™**

•

•

**Dune™**

Dune™ Second Look®

•

•

**FeltWorks®**

FeltWorks® Acoustical Panels  
FeltWorks® Blades  
FeltWorks® Open Cell

•

**Fine Fissured™**

Fine Fissured™ for PRELUDE® XL Max®  
Fine Fissured™ High NRC  
Fine Fissured™ Second Look®

•

•

**Fissured**

•

•

**Formations™**

Formations™ Curves Cloud Kits  
Formations™ for Drywall Cloud Kits  
Formations™ Planks Cloud Kits  
Formations™ Squares & Rectangles Cloud Kits  
Formations™ Staggered Cloud Kits

•

•

**Georgian™ High Washability**

•

•

**Graphis®**

Graphis® Finetex™  
Graphis® Rustex™

•

•

**Infill Panels**

•

•

**Infusions®**

Infusions® Accent Canopies  
Infusions® Blades – Concepts  
Infusions® Lay-in  
Infusions® Shapes  
Infusions® Wings

•

**InvisAcoustics™**

•

•

**Kitchen Zone™**

•

•

**Ledges®**

•

•

**Lineage™ Wood Looks**

•

•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT

Cleaning Option 1

Cleaning Option 2

<b>Lyra®</b> Lyra® Concealed Lyra® Plant Based (PB) Lyra® PB Direct Apply Lyra® PB Shapes for DESIGNFlex® Lyra® PB High CAC Lyra® PB Vector®	•	•
<b>Mesa™</b> Mesa™ Second Look	•	•
<b>MetalWorks™</b> MetalWorks™ 3D MetalWorks™ Blades – Classics MetalWorks™ Canopies MetalWorks™ Capz™ MetalWorks™ Clip-On MetalWorks™ Concealed MetalWorks™ Tegular for DESIGNFlex® MetalWorks™ Open Cell MetalWorks™ Plank MetalWorks™ SecureLock MetalWorks™ Shapes for DESIGNFlex® MetalWorks™ Tegular MetalWorks™ Tin MetalWorks™ Torsion Spring MetalWorks™ Torsion Spring Shapes MetalWorks™ Vector® & Vector® Exterior MetalWorks™ Wings MetalWorks™ Linear MetalWorks™ Linear – Classics MetalWorks™ Linear – Diverge™ MetalWorks™ Linear – Synchro™ MetalWorks™ Mesh Expanded Metal Welded Wire Woven Wire	•	•
<b>Metaphors® Coffers</b>	•	•
<b>Optima® Create!™</b>	•	
<b>Optima®</b> Optima® Concealed Optima® for Prelude® XL Max® Optima® Health Zone™ Optima® Lay-In & Tegular Optima® PB Shapes for DESIGNFlex® Optima® Plant Based Optima® Vector® Optima® Capz™	•	•
<b>Painted Nubby™</b>	•	•
<b>Pebble™</b>	•	•
<b>Random Fissured™</b>	•	•
<b>School Zone® Fine Fissured™</b> School Zone® Fine Fissured™	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
<b>School Zone®</b> School Zone® Fine Fissured™ AirAssure™	•	•
<b>Serpentina®</b> Serpentina® Classic Serpentina® Components Serpentina® Vault Serpentina® Waves™	•	•
<b>Shasta®</b>	•	•
<b>SoundScapes®</b> SoundScapes® Acoustical Canopies SoundScapes® Basics SoundScapes® Blades SoundScapes® Shapes	•	•
<b>Soundsoak®</b> Soundsoak® Baffles	•	•
<b>Spectra® Capz™</b>	•	•
<b>Supercoat™ Touch-Up Paint (Ceiling)</b>	•	•
<b>TechZone® Panels</b> TechZone® with Calla® Field Panels TechZone® with Lyra® PB Field Panels TechZone® with Lyra® PB Technical Panels TechZone® with MetalWorks™ Field Panels TechZone® with MetalWorks™ Technical Panels TechZone® with Optima® Field Panels TechZone® with Optima® Technical Panels TechZone® with Ultima® Field Panels TechZone® with Ultima® Technical Panels TechZone® with WoodWorks® Field Panels TechZone® with WoodWorks® Technical Panels	•	•
<b>Tectum®</b> Tectum® Blades & Baffles Tectum® Clouds & Shapes Tectum® Create!™ Tectum® Direct-Attach Ceilings Tectum® DesignArt™ Tectum® DesignArt™ – Lines Tectum® DesignArt™ – Shapes Tectum® Finale™ Ceiling Panels Tectum® Finale™ PB Tectum® High NRC Tectum® Lay-In Tectum® Tegular	•	•
<b>Tincraft™</b>	•	•
<b>Tundra®</b>	•	•
<b>Ultima®</b> Ultima® Create!™	•	
<b>Ultima®</b> Ultima® Health Zone™ Create!™	•	
<b>Ultima®</b> Ultima® Health Zone™ AirAssure™	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

PRODUCT

Cleaning Option 1

Cleaning Option 2

**Ultima®**

- Ultima® for Prelude® XL Max®
- Ultima® Health Zone™
- Ultima® Health Zone™ High NRC
- Ultima® High NRC
- Ultima® Lay-In & Tegular
- Ultima® Shapes for DESIGNFlex®
- Ultima® Vector®
- Ultima® AirGuard™ Coating

•

•

**VL**

•

•

**WoodWorks®**

- WoodWorks® Canopies
- WoodWorks® Channeled Plank
- WoodWorks® Channeled Tegular
- WoodWorks® Channeled Vector®
- WoodWorks® Concealed
- WoodWorks® Grille
- WoodWorks® Grille Tegular
- WoodWorks® Linear Solid Wood Panels
- WoodWorks® Linear Veneered Panels
- WoodWorks® Linear Veneered Planks
- WoodWorks® Open Cell
- WoodWorks® Shapes for DESIGNFlex®
- WoodWorks® Tegular
- WoodWorks® Vector®

•

•

STANDARD CLEANING RECOMMENDATIONS – WALLS

PRODUCT

SoundScapes™ Blades Walls

MetalWorks™ Linear – Synchro™ Wall Panels

SoundSoak® 60

SoundSoak® 60

Anchorage

FR-701

Lido

Metallation

Rhythms®

Spinel

SoundSoak® 85

Anchorage

FR-701

Lido

Metallation

Rhythms®

Spinel

Tempos

Infusions™

Infusions® Resilient Partitions

Infusions® Sheets

Infusions® Walls

Optima™ Wall panels

Painted Nubby™ Wall panels

Tectum®

Tectum® Create!™

Tectum® Direct-Attach Walls

Tectum® DesignArt™

Tectum® DesignArt™ – Lines

Tectum® DesignArt™ – Shapes

Tectum® Finale™ PB

Tectum® Finale™ Wall Panels

Tectum® High NRC

WoodWorks®

WoodWorks® Channeled

WoodWorks® Ekos®

WoodWorks® Walls

Cleaning Option 1

Cleaning Option 2

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS

PRODUCT

Cleaning Option 1

Cleaning Option 2

**SUSPENSION SYSTEMS**

**Suprafine® XL®**

- Suprafine® XL® 9/16" Exposed Tee
- Suprafine® XL® Fire Guard™ 9/16" Exposed Tee
- Suprafine® XL® High Recycled Content

**Suprafine® XM**

- Suprafine® XM® 9/16" Exposed Tee System for Shapes

**1-1/2" Co-Extruded Clean Room™**

**15/16" Co-Extruded Clean Room™**

**360 Painted Grid**

**Axiom®**

- Axiom® Building Perimeter Pockets for Lutron Shades
- Axiom® Building Perimeter Shade Pockets
- Axiom® Classic
- Axiom® Direct Light Covers
- Axiom® Drywall Trim
- Axiom® Glazing Channel
- Axiom® Indirect Field Light Covers
- Axiom® Indirect Light Covers
- Axiom® Indirect Light Ledge
- Axiom® Knife Edge®
- Axiom® Moldings & Column Rings
- Axiom® Paired
- Axiom® Transitions
- Axiom® Vector®
- Axiom® Interlude®

**Accessories & Moldings**

**Accessories & Moldings – Seismic**

**Acoustical & Drywall Transition Molding**

**Continuous Load Path (CLP)  
for Prelude® XL®**

**DynaMax™**

**Drywall Grid Accessories**

**Drywall Grid System**

**Interlude® XL® HRC Dimensional Tee**

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS

PRODUCT

Cleaning Option 1

Cleaning Option 2

**Prelude®**

Prelude® Concealed  
 Prelude® ML  
     Prelude® ML 15/16" Exposed Tee  
 Prelude® XL®  
     Prelude® XL® 15/16" Exposed Tee  
     Prelude® XL® 15/16" for Exterior Applications  
     Prelude® XL® Fire Guard™ 15/16" Exposed Tee  
     Prelude® XL® High Recycled Content  
 Prelude® Plus XL®  
     Prelude® Plus XL® Aluminum 15/16" Exposed Tee  
     Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee  
     Prelude® Plus XL® Stainless Steel 15/16" Exposed Tee  
     Prelude® Plus XL® 15/16" Exposed Tee  
     Prelude® Plus XL® 15/16" for Exterior Applications  
     Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee  
     Prelude® Plus XL® High Recycled Content  
 Prelude® XL Max®  
 Prelude® XM  
     Prelude® XM 15/16" Exposed Tee System for Shapes

•

•

**Quikstix™**

Quikstix™ Drywall Grid System Locking Pocket Mains  
 Quikstix™ Drywall Grid System for Soffits

•

•

**Shortspan® Drywall Framing System**

•

•

**Silhouette® XL®**

Silhouette® XL® 9/16" Bolt Slot – 1/4" Reveal  
 Silhouette® XL® 9/16" Bolt Slot – 1/8" Reveal

•

•

**Singlespan™ Acoustical Corridor System**

•

•

**Suprafine® ML 9/16" Exposed Tee**

•

•

**LIGHTING SOLUTIONS**

**Linear Lighting**

Linear Lighting for Drywall  
 Linear Lighting for ACOUSTIBuilt®

•

•

All trademarks used herein are the property of AWI Licensing LLC and/or its affiliates  
 © 2021 AWI Licensing LLC • Printed in the United States of America  
[armstrongceilings.com/commercial](http://armstrongceilings.com/commercial)

