

Cleaning Guidelines:

Ceilings, Walls, Suspension Systems, and Trim



Due to the potential impact on the finish, please follow the specific guidance below for general cleaning:

- It is recommended that only clear mild detergent cleaners be used, as dyed liquids can permanently discolor the finish of some ceiling tiles.
- Cleaning is only recommended for the finished face of the ceiling and wall panels.
- Mineral fiber and fiberglass ceiling and wall panels should never be soaked in water or other liquids.
- Custom colors or printed Create!™ Mineral fiber or fiberglass products should always use Cleaning Option 1.

Cleaning Option 1:

A commercial vacuum system with 100-inches/H2O vacuum capacity is recommended for removing dust particles. The vacuum system cleaning attachment should be a 3" diameter wand with natural hair bristle. A HEPA vacuum filter is recommended to minimize airborne dust during the cleaning process. Care must be taken while vacuuming to avoid excessive pressure. Use a blotting action to minimize potential damage of surface texture on ceiling and wall panels.

Cleaning Option 2:

Using a clean damp cloth or soft, smooth sponge with a mild, clear detergent, wipe lightly on the surface to remove any dirt. Dry any excess moisture with a clean, white microfiber cloth. Note: If moisture is not removed, it may stain the surface over time.

Cleaning conditions and aesthetics may be impacted by additional site conditions. These instructions pertain only to the maintenance of the aesthetics and integrity of Armstrong Ceiling & Wall Solutions products. Please consult the manufacturer's instructions and guidance regarding any cleaning product.

Product	STANDARD CLEANING RECOMMENDATIONS – CEILINGS	
	Cleaning Option 1	Cleaning Option 2
AcoustiBuilt®	•	•
Armatuff®	•	•
Backstage Noir®	•	
Calla® Calla® Health Zone™ Calla® High CAC Calla® High NRC Calla® PrivAssure™ Calla® Shapes for DesignFlex® Calla® Vector®	•	•
Calla® Calla® Health Zone™ AirAssure®	•	•
Canyon® Canyon® for Prelude® XL Max®	•	•
Ceramaguard® Ceramaguard® Fine Fissured™	•	•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

Product

Cleaning Option 1

Cleaning Option 2

Cirrus®

- Cirrus® High NRC
- Cirrus® Profiles
- Cirrus® Second Look®
- Cirrus® Themes™

•

•

Clean Room™

- Clean Room™ FL
- Clean Room™ FL for Prelude® XL Max®
- Clean Room™ VL

•

•

Cortega®

- Cortega® Second Look®

•

•

Designer™

•

•

DesignFlex® for Formations™

•

•

Dune™

- Dune™ Second Look®

•

•

FeltWorks®

- FeltWorks® Acoustical Panels
- FeltWorks® Blades – HookOn
- FeltWorks® Blades – VarAffix™
- FeltWorks® Open Cell

•

Fine Fissured™

- Fine Fissured™ for Prelude® XL Max®
- Fine Fissured™ High NRC
- Fine Fissured™ Second Look®

•

•

Fissured

•

•

Formations™

- Formations™ Curves Cloud Kits
- Formations™ for Drywall Cloud Kits
- Formations™ Planks Cloud Kits
- Formations™ Squares & Rectangles Cloud Kits
- Formations™ Staggered Cloud Kits

•

•

Georgian™ High Washability

•

•

Graphis®

- Graphis® Finetex™
- Graphis® Rustex™

•

•

Infill Panels

•

•

Infusions®

- Infusions® Accent Canopies
- Infusions® Blades – Concepts
- Infusions® Lay-in
- Infusions® Shapes

•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

Product

Cleaning Option 1

Cleaning Option 2

InvisAcoustics™

•

•

Kitchen Zone™

•

•

Ledges®

•

•

Lyra®

Lyra® Concealed

Lyra® Capz™

Lyra® Plant Based (PB)

Lyra® PB Direct Apply

Lyra® PB Shapes for DesignFlex®

Lyra® PB High CAC

Lyra® Vector®

•

•

Mesa™

Mesa™ Second Look

•

•

MetalWorks™

MetalWorks™ 3D

MetalWorks™ Blades – Classics

MetalWorks™ Canopies

MetalWorks™ Capz™

MetalWorks™ Clip-On

MetalWorks™ Concealed

MetalWorks™ Immix™

Blades

Linear

MetalWorks™ Open Cell

MetalWorks™ Plank

MetalWorks™ SecureLock

MetalWorks™ Shapes for DesignFlex®

MetalWorks™ Tegular

MetalWorks™ Tegular for DesignFlex®

MetalWorks™ Tin

MetalWorks™ Torsion Spring

MetalWorks™ Torsion Spring Shapes

MetalWorks™ Vector® & Vector® Exterior

MetalWorks™ Linear

MetalWorks™ Linear – Classics

MetalWorks™ Linear – Diverge™

MetalWorks™ Linear – Synchro®

MetalWorks™ Mesh

Expanded Metal

Welded Wire

Woven Wire

•

•

Metaphors® Coffers

•

•

Optima® Create!™

•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

Product

Cleaning Option 1

Cleaning Option 2

Optima®

- Optima® Concealed
- Optima® Health Zone™
- Optima® Lay-in & Tegular
- Optima® PB Shapes for DesignFlex®
- Optima® Plant Based
- Optima® Vector®
- Optima® Capz™

•

•

Painted Nubby™

•

•

Pebble™

•

•

Pueblo™

•

•

Random Fissured™

•

•

School Zone® Fine Fissured™

- School Zone® Fine Fissured™

•

•

School Zone®

- School Zone® Fine Fissured™ AirAssure®

•

•

Serpentina®

- Serpentina® Classic
- Serpentina® Components
- Serpentina® Vault
- Serpentina® Waves™

•

•

Shasta®

•

•

SoundScapes®

- SoundScapes® Acoustical Canopies
- SoundScapes® Basics
- SoundScapes® Blades
- SoundScapes® Shapes

•

•

SuperCoat™ Touch-Up Paint (Ceiling)

•

•

TechZone® Panels

- TechZone® with Calla® Field Panels
- TechZone® with Lyra® PB Field Panels
- TechZone® with Lyra® PB Technical Panels
- TechZone® with MetalWorks™ Field Panels
- TechZone® with MetalWorks™ Technical Panels
- TechZone® with Optima® Field Panels
- TechZone® with Optima® Technical Panels
- TechZone® with Ultima® Field Panels
- TechZone® with Ultima® Technical Panels
- TechZone® with WoodWorks® Field Panels
- TechZone® with WoodWorks® Technical Panels

•

•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

Product

Cleaning Option 1

Cleaning Option 2

Tectum®

- Tectum® Blades & Baffles
- Tectum® Clouds & Shapes
- Tectum® Create!™
- Tectum® Direct-Attach Ceilings
- Tectum® DesignArt™
 - Tectum® DesignArt™ – Lines
 - Tectum® DesignArt™ – Shapes
 - Tectum® DesignArt™ – Lines High NRC
- Tectum® Finale™ Ceiling Panels
- Tectum® Finale™ PB
- Tectum® High NRC
- Tectum® Lay-in
- Tectum® Tegular

•

•

Tincraft™

•

•

Tundra®

•

•

Ultima®

- Ultima® Create!™

•

Ultima®

- Ultima® Health Zone™ Create!™

•

Ultima®

- Ultima® Health Zone™ AirAssure®

•

•

Ultima®

- Ultima® for Prelude® XL Max®
- Ultima® Health Zone™
- Ultima® Health Zone™ High NRC
- Ultima® High NRC
- Ultima® Lay-in & Tegular
- Ultima® Shapes for DesignFlex®
- Ultima® Vector®
- Ultima® AirGuard™ Coating
- Ultima® Templok®

•

•

STANDARD CLEANING RECOMMENDATIONS – CEILINGS

Product

Cleaning Option 1

Cleaning Option 2

VL

•

•

WoodWorks®

- WoodWorks® Channeled Plank
- WoodWorks® Channeled Tegular
- WoodWorks® Channeled Vector®
- WoodWorks® Concealed
- WoodWorks® Grille – Classics
- WoodWorks® Grille – Forté
- WoodWorks® Grille Tegular
- WoodWorks® Linear Solid Wood Panels
- WoodWorks® Linear Tegular
- WoodWorks® Linear Veneered Closed
- WoodWorks® Linear Veneered Panels
- WoodWorks® Linear Veneered Open
- WoodWorks® Open Cell
- WoodWorks® Shapes for DesignFlex®
- WoodWorks® Tegular
- WoodWorks® Torsion Spring
- WoodWorks® Vector®

•

•

STANDARD CLEANING RECOMMENDATIONS – WALLS

Product	STANDARD CLEANING RECOMMENDATIONS – WALLS	
	Cleaning Option 1	Cleaning Option 2
FeltWorks® FeltWorks® Acoustical Panels	•	
Infusions™ Infusions™ Resilient Partitions Infusions™ Sheets Infusions™ Walls	•	•
MetalWorks™ Linear – Synchro® Wall Panels	•	•
Optima™ Wall Panels	•	•
Painted Nubby™ Wall Panels	•	•
SoundScapes™ Blades Walls	•	•
Soundsoak® Soundsoak® 60 Mineral Fiber Soundsoak® 85 Fiberglass	•	•
Tectum® Tectum® Create!™ Tectum® Direct-Attach Walls Tectum® DesignArt™ Tectum® DesignArt™ – Lines Tectum® DesignArt™ – Shapes Tectum® DesignArt™ – Lines High NRC Tectum® Finale™ PB Tectum® Finale™ Wall Panels Tectum® High NRC	•	•
WoodWorks® WoodWorks® Channeled WoodWorks® Walls WoodWorks® Grille – Classics WoodWorks® Grille – Forté	•	•

STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS

Product	Cleaning Option 1	Cleaning Option 2
Suspension Systems		
Suprafine® XL® Suprafine® XL® 9/16" Exposed Tee Suprafine® XL® Fire Guard™ 9/16" Exposed Tee Suprafine® XL® High Recycled Content Suprafine® XM Suprafine® XM® 9/16" Exposed Tee System for Shapes	•	•
1-1/2" Co-Extruded Clean Room™ 15/16" Co-Extruded Clean Room™	•	•
360 Painted Grid	•	•
Axiom® Axiom® Building Perimeter Pockets for Lutron Shades Axiom® Building Perimeter Shade Pockets Axiom® Classic Axiom® Direct Light Coves Axiom® Drywall Trim Axiom® Glazing Channel Axiom® Indirect Field Light Coves Axiom® Indirect Light Coves Axiom® Indirect Light Ledge Axiom® Knife Edge® Axiom® Moldings & Column Rings Axiom® Paired Axiom® Transitions Axiom® Vector Axiom® Interlude®	•	•
Accessories & Moldings	•	•
Accessories & Moldings – Seismic	•	•
Acoustical & Drywall Transition Molding	•	•
Continuous Load Path (CLP) for Prelude® XL®	•	•
DynaMax®	•	•
DynaMax® Plus	•	•
Drywall Grid Accessories	•	•
FrameAll™ Drywall Grid	•	•
Interlude® XL® HRC Dimensional Tee	•	•

STANDARD CLEANING RECOMMENDATIONS – SUSPENSION SYSTEMS

Product

Cleaning Option 1

Cleaning Option 2

Prelude®

- Prelude® Concealed
- Prelude® ML
 - Prelude® ML 15/16" Exposed Tee
- Prelude® XL®
 - Prelude® XL® 15/16" Exposed Tee
 - Prelude® XL® 15/16" for Exterior Applications
 - Prelude® XL® Fire Guard™ 15/16" Exposed Tee
 - Prelude® XL® High Recycled Content
- Prelude® Plus XL®
 - Prelude® Plus XL® Aluminum 15/16" Exposed Tee
 - Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee
 - Prelude® Plus XL® Stainless Steel 15/16" Exposed Tee
 - Prelude® Plus XL® 15/16" Exposed Tee
 - Prelude® Plus XL® 15/16" for Exterior Applications
 - Prelude® Plus XL® Fire Guard™ 15/16" Exposed Tee
 - Prelude® Plus XL® High Recycled Content
- Prelude® XL Max®
- Prelude® XM
 - Prelude® XM 15/16" Exposed Tee System for Shapes

•

•

QuikStix™

- QuikStix™ Drywall Grid System Locking Pocket Mains
- QuikStix™ Drywall Grid System for Soffits

•

•

ShortSpan® Drywall Framing System

•

•

Silhouette® XL®

- Silhouette® XL® 9/16" Bolt Slot – 1/4" Reveal
- Silhouette® XL® 9/16" Bolt Slot – 1/8" Reveal

•

•

SimpleSoffit® Drywall Framing System

•

•

SingleSpan™ Acoustical Corridor System

•

Suprafine® ML 9/16" Exposed Tee

•

•

Lighting Solutions

Linear Lighting

- Linear Lighting for Drywall
- Linear Lighting for AcoustiBuilt®

•

•