created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 27496 CLASSIFICATION: 09 50 00 Ceilings

PRODUCT DESCRIPTION: Tectum® Finale™ PB ceiling and wall panels deliver a reduced environmental footprint and an NRC up to 0.85 with the

addition of plant-based acoustical infill. Sustainability and acoustics unite - making it a great product for commercial applications.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

⊙ 100 ppm

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities

Considered

C Partially Considered

C Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

○ Yes Ex/SC ⊙ Yes ○ No Characterized

% weight and role provided for all substances.

○ Yes Ex/SC ⊙ Yes ○ No Screened

All substances screened using Priority Hazard Lists with

results disclosed.

Identified ○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition

did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

TECTUM® FINALE PB [ASPEN NOGS MAGNESIUM OXIDE BM-3dg | CAN SILICIC SALT LT-P1 | END CARBONIC MAGNESIUM SALT BM-3dg SILICA LT-1 | CAN SURFACTANT NoGS ETHOXYSILANE LT-UNK | SKI SILOXANE NoGS ETHANOL BM-2 | CAN | END | DEV | REP | PHY TALC BM-1 | CAN WHITE TINT LT-1 | CAN | END DIATOMACEOUS EARTH LT-UNK **VEGETABLE FATS NoGS POLYMER BINDER LT-UNK QUARTZ BM-1 | CAN** LIMESTONE BM-3dg UREA LT-UNK VEGETABLE OIL NoGS IRON OXIDE LT-UNK | CAN CALCIUM OXIDE BM-2 AMORPHOUS SILICA BM-1 | CAN ALUMINUM OXIDE BM-2 | RES POLYVINYL ALCOHOL LT-UNK STARCH ACRYLIC BINDER NOGS CALCIUM CARBONATE BM-3 MAGNESIUM SALT LT-UNK FIBERGLASS LT-UNK GLASS OXIDE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**

SCREENING DATE: 2022-01-06 PUBLISHED DATE: 2022-02-07 EXPIRY DATE: 2025-01-06

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

TECTUM® FINALE PB

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

OTHER PRODUCT NOTES: This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongceilings.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Commercial Ceilings website for more information on this product.

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2022-01-06 7:39:10
%: 25.0000 - 35.0000 GS: NoGS RC: None NANO: Unknown SUBSTANCE ROLE: Structure component
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS
None found No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Structure Component

MAGNESIUM OXIDE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:23

%: 10.0000 - 20.0000

GS: BM-3dg

RC: None NANO: Unknown SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN MAK Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Binder

SILICIC SALT ID: 1344-09-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:24

%: 10.0000 - 20.0000 GS: LT-P1 RC: None NANO: Unknown SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: Filler

CARBONIC MAGNESIUM SALT ID: 546-93-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:27

%: 0.0000 - 1.0000 GS: BM-3dg RC: None NANO: Unknown SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Filler

SILICA ID: 14464-46-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	ry HAZARD SCREENING DATE: 2022-01-06 13:24:24		
%: 0.0000 - 0.1000	GS: LT-1	RC: None	NANO: Unknown SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	US CDC - Occupational Carcinoger	ıs	Occupational Carcinogen	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)	
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man	
CAN	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources	
CAN	GHS - New Zealand		6.7A - Known or presumed human carcinogens	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]	
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]	

SUBSTANCE NOTES: Silica is bound within the coating and not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2022-01-06 7:39:40

%: 0.0000 - 0.1000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Surface modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: Surface Modifier

None found

ETHOXYSILANE ID: 919-30-2

SUBSTANCE NOTES: Surface Modifier

SILOXANE ID: 63148-57-2

No warnings found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD	AZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-01-06 13:32:42		
%: 0.0000 - 0.1000	GS: NoGS	RC: None	NANO: Unknown	SUBSTANCE ROLE: Surface modifier	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No wa	arnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Surface					

ETHANOL			ID: 64-17-5	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Lib		HAZARD SC	REENING DATE: 2022-01-06 13:32:47	
%: 0.0000 - 0.1000	GS: BM-2	RC: None	NANO: Unknown SUBSTANCE ROLE: Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
END	TEDX - Potential Endocrine Disrupt	ors	Potential Endocrine Disruptor	
CAN	IARC		Group 1 - Agent is Carcinogenic to humans	
CAN	MAK		Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels	
DEV	CA EPA - Prop 65		Developmental - specific to chemical form or exposure route	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]	
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]	
PHY	EU - GHS (H-Statements) Annex 6 T	able 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]	

TALC ID: 14807-96-6

	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-01-06 13:32:51		
	%: 0.0000 - 0.1000	GS: BM-1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Filler
	HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	CAN MAK CAN IARC		Carcinogen Group 3B - Evidence of carcinomot sufficient for classification Group 2b - Possibly carcinogenic to human		· ·
					cinogenic to humans

SUBSTANCE NOTES: Silica is bound within the coating and not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

WHITE TINT				ID: 13463-67-7
HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREET	NING DATE: 2022-01-	06 13:32:55
%: 0.0000 - 1.0000	GS: LT-1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Filler

SUBSTANCE NOTES: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Titanium Dioxide is bound within the coating and is not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:33:02

%: 0.0000 - 1.0000 GS: LT-UNK RC: None NANO: Unknown SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Filler

 VEGETABLE FATS
 ID: 68918-91-2

 HAZARD SCREENING METHOD:
 Pharos Chemical and Materials Library
 HAZARD SCREENING DATE:
 2022-01-06 13:24:25

 %: 0.0000 - 1.0000
 GS: NoGS
 RC: None
 NANO: No
 SUBSTANCE ROLE: Surface modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Surface Modifier

POLYMER BINDER ID: 25067-01-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:25

%: 0.0000 - 1.0000 GS: LT-UNK RC: None NANO: Unknown SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:26

%; 0.0000 - 1.0000 GS: BM-1 RC: None NANO: Unknown SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: It is bound by the adhesives within the coating. It is not in a respirable form in the final product. Accordingly, it is excluded from regulatory hazards list.

LIMESTONE			ID: 1317-65-3	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE: 2022-01-	-06 13:24:26
%: 0.0000 - 1.0000	GS: BM-3dg	RC: None	NANO: Unknown	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	

SUBSTANCE NOTES: Calcium Carbonate used in this product in not regulated as a hazardous substance. Calcium Carbonate used in this product is not a registered pesticide under FIFRA. Calcium Carbonate is not registered as a persistent material.

UREA 1D: 57-13-					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-01-06 13:24:27			
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnir	ngs found on HPD Priority Hazard	Lists
SUBSTANCE NOTES: Filler					

VEGETABLE OIL ID: 68918-91					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-01-06 13:24:28			
%: 0.0000 - 5.0000	GS: NoGS	RC: None	NANO: Unknown	SUBSTANCE ROLE: Surface modifier	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No wa	arnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Surface r	modifier				

IRON OXIDE ID: 1345-25-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:28

None found

No warnings found on HPD Priority Hazard Lists

 %: 0.0000 - 5.0000
 GS: LT-UNK
 RC: None
 NANO: Unknown
 SUBSTANCE ROLE: Filler

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 CAN
 MAK
 Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

 SUBSTANCE NOTES: Filler

AMORPHOUS SILICA ID: 7631-86-9 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:32 %: 0.0000 - 5.0000 SUBSTANCE ROLE: Filler GS: BM-1 RC: None NANO: Unknown **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS H350 - May cause cancer [Carcinogenicity - Category 1A] CAN GHS - Japan CAN GHS - Australia H350i - May cause cancer by inhalation [Carcinogenicity -Category 1A or 1B]

SUBSTANCE NOTES: Silica is bound within the coating and not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

ALUMINUM OXIDE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:32

%: 0.0000 - 5.0000

GS: BM-2

RC: None NANO: Unknown SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

POLYVINYL ALCOHOL

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:33

%: 0.0000 - 5.0000

GS: LT-UNK

RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder

SUBSTANCE NOTES: Filler

STARCH ACRYLIC BINDER ID: 60323-79-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

6: 0.0000 - 5.0000

6S: NoGS

RC: None

NANO: Unknown

SUBSTANCE ROLE: Binder

WARNINGS

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder

CALCIUM CARBONATE ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:34

%: 0.0000 - 10.0000 GS: BM-3 RC: None NANO: Unknown SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: In this product it is not regulated as a hazardous substance. In this product, it is not a registered pesticide under FIFRA. It is not registered persistent material.

MAGNESIUM SALT ID: 7487-88-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:34

%: 0.0000 - 10.0000 GS: LT-UNK RC: None NANO: Unknown SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder

FIBERGLASS ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:35

%: 0.0000 - 25.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Structure Component

GLASS OXIDE ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-06 13:24:35

%: 0.0000 - 25.0000 GS: LT-UNK RC: None NANO: Unknown SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Structure component



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: N/A

ISSUE DATE: 2021-08-05

EXPIRY DATE:

CERTIFIER OR LAB: UL

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, AWI expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongceilings.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Commercial Ceilings website for more information on this product.

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong World Industries

ADDRESS: 2500 Columbia Ave Lancaster PA 17603, USA

WEBSITE: https://www.armstrongceilings.com/

CONTACT NAME: Kelsey Herring
TITLE: Sustainability Engineer
PHONE: 1-877-276-7876 option #2
EMAIL: techline@armstrongceilings.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) **NoGS** No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the
 product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.