

TRUESPEC® 21° PLASTIC COLLATED NAILS



The TrueSpec® nail identification system ensures the correct fastener is used in the intended application by color coding and numbering of the nail head for easy identification.

The nail head color identifies the length, and the shank diameter is identified by a number stamped on the head. The simple nail identification chart confirms TrueSpec® as the easiest and most complete head identification system available.

Nail identification:

- Color designates nail length
- Number indicates the shank diameter
- Threaded nails, such as ring/screw (deformed shank), are identified with a lower case “r”
- If the nail is used in hardware application such as fastening connectors, an “H” is placed after the number
- A combination of alpha and numeric characters indicate nail diameter and length for ZincGard® hot galvanized nails

Meets:

- ICC CERTIFIED ESR 1768
- LARR 25895
- ASTM F1667, A153 Class D (for hot galvanized), and C514 (stainless steel)



TRUESPEC 21° FULL ROUND HEAD PLASTIC COLLATED FRAMING/SHEATHING NAILS								
Item #	Head Identifier	Length x Shank	Shank Type	Finish	nails/ctn	lbs/ctn	ctn/plt	UPC
HXB23113	1	2 ³ / ₈ " x 0.113	Smooth	Bright	5M	34	48	691034104552
HZR231132	TD	2 ³ / ₈ " x 0.113	Ring	Hot Dip Galvanized	2M	16	64	691034106662
HZB23113	D1	2 ³ / ₈ " x 0.113	Smooth	Hot Dip Galvanized	2M	16	64	691034106525
HXR23113	1r	2 ³ / ₈ " x 0.113	Ring	Bright	5M	34	48	691034104804
HXB24131	3	2 ¹ / ₂ " x 0.131	Smooth	Bright	5M	49	48	691034104590
HZB24131	E3	2 ¹ / ₂ " x 0.131	Smooth	Hot Dip Galvanized	2M	20	64	691034106549
HXB30131	3	3" x 0.131	Smooth	Bright	4M	46	48	691034104620
HZB30131	F3	3" x 0.131	Smooth	Hot Dip Galvanized	2M	24	64	691034106559
HXB32131	3	3 ¹ / ₄ " x 0.131	Smooth	Bright	4M	50	48	691034104668

TRUESPEC® 21° PLASTIC COLLATED NAILS

TRUESPEC 21° FULL ROUND HEAD PLASTIC COLLATED FRAMING/SHEATHING NAILS								
Item #	Head Identifier	Length x Shank	Shank Type	Finish	nails/ctn	lbs/ctn	ctn/plt	UPC
HZB32131	J3	3¼" x 0.131	Smooth	Hot Dip Galvanized	2M	27	64	691034106570
HXB14148	4	1½" x 0.148	Smooth	Bright	5M	38	48	691034104491
HXB21148	4	2⅛" x 0.148	Smooth	Bright	4M	42	48	691034104514
HXR21148	4r	2⅛" x 0.148	Ring	Bright	4M	42	48	691034104781
HXD21148	4r	2⅛" x 0.148	Screw	Bright	4M	42	48	691034104743
HXB22148	4	2¼" x 0.148	Smooth	Bright	4M	45	48	691034104538
HZB22148	C4	2¼" x 0.148	Smooth	Hot Dip Galvanized	2M	23	64	691034106518
HXR22148	4r	2¼" x 0.148	Ring	Bright	4M	45	48	691034104798
HXD22148	4r	2¼" x 0.148	Screw	Bright	4M	45	48	691034104750
HXB24148	4	2½" x 0.148	Smooth	Bright	4M	47	48	691034106891
HXB23148	4	2⅝" x 0.148	Smooth	Bright	4M	47	48	691034104576
HZB23148	D4	2⅝" x 0.148	Smooth	Hot Dip Galvanized	2M	24	64	691034106532
HXR23148	4r	2⅝" x 0.148	Ring	Bright	4M	47	48	691034104811
HXD23148	4r	2⅝" x 0.148	Screw	Bright	4M	47	48	691034104774
HXB30148	4	3" x 0.148	Smooth	Bright	4M	59	48	691034104651
HZB30148	F4	3" x 0.148	Smooth	Hot Dip Galvanized	2M	30	64	691034106563
HXR30148	4r	3" x 0.148	Ring	Bright	4M	59	48	691034104828
HXB321483	4	3¼" x 0.148	Smooth	Bright	3M	48	48	691034104682
HZB32148	J4	3¼" x 0.148	Smooth	Hot Dip Galvanized	2M	40	64	691034106587
HXB34135	5	3½" x 0.135	Smooth	Bright	4M	57	48	691034104705
HZB34135	K5	3½" x 0.135	Smooth	Hot Dip Galvanized	2M	29	64	691034106655
HXB34162	6	3½" x 0.162	Smooth	Bright	3M	62	48	691034104729
HZB34162	K6	3½" x 0.162	Smooth	Hot Dip Galvanized	1750	37	64	691034106594

TRUESPEC® 21° PLASTIC COLLATED NAILS - 800 COUNT

TRUESPEC 21° FULL ROUND HEAD PLASTIC COLLATED FRAMING/SHEATHING NAILS (800 COUNT)								
Item #	Head Identifier	Length x Shank	Shank Type	Finish	nails/ctn	lbs/ctn	ctn/mstr	UPC
HXB23113P8	1	2 3/8" x 0.113	Smooth	Bright	800	8.64	2	691034107034
HZB23113P8	D1	2 3/8" x 0.113	Smooth	Hot Dip Galvanized	800	8.64	2	691034107089
HXR23113P8	1r	2 3/8" x 0.113	Ring	Bright	800	8.64	2	691034107072
HZR23113P8	TD	2 3/8" x 0.113	Ring	Hot Dip Galvanized	800	8.64	2	691034107027
HXB24131P8	3	2 1/2" x 0.131	Smooth	Bright	800	10.88	2	691034107041
HZB24131P8	E3	2 1/2" x 0.131	Smooth	Hot Dip Galvanized	800	10.88	2	691034107096
HXB30131P8	3	3" x 0.131	Smooth	Bright	800	12.48	2	691034107058
HZB30131P8	F3	3" x 0.131	Smooth	Hot Dip Galvanized	800	12.48	2	691034107102
HXB32131P8	3	3 1/4" x 0.131	Smooth	Bright	800	13.12	2	691034107065
HZB32131P8	J3	3 1/4" x 0.131	Smooth	Hot Dip Galvanized	800	13.12	2	691034107119
HXB22148P8	4	2 1/4" x 0.148	Smooth	Bright	800	12.16	2	691034107003
HZB22148P8	C4	2 1/4" x 0.148	Smooth	Hot Dip Galvanized	800	12.5	2	691034107010
HXB32148P8	4	3 1/4" x 0.148	Smooth	Bright	800	16	2	691034107140
HZB32148P8	J4	3 1/4" x 0.148	Smooth	Hot Dip Galvanized	800	16	2	691034106785



TRUESPEC® 21° PLASTIC COLLATED NAILS - 250 COUNT

TRUESPEC 21° FULL ROUND HEAD PLASTIC COLLATED FRAMING/SHEATHING NAILS (250 COUNT)								
Item #	Head Identifier	Length x Shank	Shank Type	Finish	nails/ctn	lbs/ctn	ctn/mstr	UPC
HXB23113P	1	2⅜" x 0.113	Smooth	Bright	250	2.7	4	691034105917
HZB23113P	D1	2⅜" x 0.113	Smooth	Hot Dip Galvanized	250	2.7	4	691034106723
HXR23113P	1r	2⅜" x 0.113	Ring	Bright	250	2.7	4	691034105894
HZR23113P	TD	2⅜" x 0.113	Ring	Hot Dip Galvanized	250	2.7	4	691034106860
HXB24131P	3	2½" x 0.131	Smooth	Bright	250	3.4	4	691034105931
HZB24131P	E3	2½" x 0.131	Smooth	Hot Dip Galvanized	250	3.4	4	691034106747
HXB30131P	3	3" x 0.131	Smooth	Bright	250	3.9	4	691034105948
HZB30131P	F3	3" x 0.131	Smooth	Hot Dip Galvanized	250	3.9	4	691034106754
HXB32131P	3	3¼" x 0.131	Smooth	Bright	250	4.1	4	691034105955
HZB32131P	J3	3¼" x 0.131	Smooth	Hot Dip Galvanized	250	4.1	4	691034106778
HXB22148P	4	2¼" x 0.148	Smooth	Bright	250	3.8	4	691034105900
HZB22148P	C4	2¼" x 0.148	Smooth	Hot Dip Galvanized	250	3.8	4	691034106716
HXB23148P	4	2⅜" x 0.148	Smooth	Bright	250	4.0	4	691034105924
HZB23148P	D4	2⅜" x 0.148	Smooth	Hot Dip Galvanized	250	4.0	4	691034106730
HXB32148P	4	3¼" x 0.148	Smooth	Bright	250	5.0	4	691034105979
HZB32148P	J4	3¼" x 0.148	Smooth	Hot Dip Galvanized	250	5.0	4	691034106785
HXB34162P	6	3½" x 0.162	Smooth	Bright	250	6.0	4	691034105962

