

TECHNICAL DATA SHEET

ACOUSTICAL CURTAINWALL SEALANT

One-Part, Non-Skinning, Sound Damping Sealant

DRODUCT DECORDATION

PRODUCT DESCRIPTION

Tremco® Acoustical/Curtainwall Sealant is a single-component, non-skinning, non-hardening synthetic rubber sealant intended for use in sound dampening systems.

BASIC USES

Tremco Acoustical/Curtainwall Sealant was developed for acoustical sealing of drywall partitions, curtainwalls, corridors, and party walls. This sealant can also be used as a lap joint and perimeter sealant for polyethylene vapor barriers over fiberglass batt or other insulations and may be used in contact with polystyrene.

FEATURES AND BENEFITS

The application of Tremco Acoustical/Curtainwall Sealant greatly increases the Sound Transmission Class (STC value) of a system and reduces the decibel level when one or more beads are applied to a joint.

Tremco Acoustical/Curtainwall Sealant does not cure or dry by design. It is a non-skinning, non-hardening formula that will remain viscous and tacky to further aid in decreasing sound transmission.

AVAILABILITY

Immediately available from your local Tremco Sales Representative, Tremco Distributor, or Tremco Warehouse in 10.1 oz (300 mL) cartridges, 1 qt (850 mL) cartridges, and 5 gal (19 L) pails.

COLORS

Available in Dark Gray.

LIMITATIONS

Do not apply to damp or contaminated surfaces. Use with adequate ventilaiton.

WARRANTY

A repair or replacement warranty is available on all Tremco products. Visit https://www.tremcosealants.com/warranties/ for details.

TYPICAL PHYSICAL PROF	PERTIES	
PROPERTY	TEST METHOD	TYPICAL RESULTS
Resistance to Sag	CGSB 7.1	Passes
Extrusion Rate	CGSB 3.1	Passes
Viscosity	CGSB Brookfield	1,000,000 cps
Loss of Mass	CGSB 5.1	Passes
Resistance to Staining & Bleeding	CGSB 9.2	Passes
Low Temperature Flexibility	CGSB 11.1	Passes, -10 °C
Cracking/Blistering	CGSB 19.2	Passes
Shear Modulus	Using GR component	45,000 N/m ²
Density		1,720 kb/m ³

Tremco Construction Products Group (CPG) brings together the Commercial Sealants & Waterproofing and Roofing & Building Maintenance divisions of Tremco CPG Inc.; Dryvit, Nudura and Willseal brands; Prebuck LLC; Tremco Barrier Solutions, Inc.; Weatherproofing Technologies, Inc.; Weatherproofing Technologies Canada, Inc.; and Pure Air Control Services, Inc.





Please refer to our website at www.tremcosealants.com for the most up-to-date Product Data Sheets.

NOTE: All Tremco Safety Data Sheets (SDS) are in alignment with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) requirements.

ACSTCL-DS/1122

Tremco Construction Products Group (CPG) brings together the Commercial Sealants & Waterproofing and Roofing & Building Maintenance divisions of Tremco CPG Inc.; Dryvit, Nudura and Willseal brands; Prebuck LLC; Tremco Barrier Solutions, Inc.; Weatherproofing Technologies, Inc.; Weatherproofing Technologies Canada, Inc.; and Pure Air Control Services, Inc.





Tremco Construction Products Group (CPG) brings together the Commercial Sealants & Waterproofing and Roofing & Building Maintenance divisions of Tremco CPG Inc.; Dryvit, Nudura and Willseal brands; Prebuck LLC; Tremco Barrier Solutions, Inc.; Weatherproofing Technologies, Inc.; Weatherproofing Technologies Canada, Inc.; and Pure Air Control Services, Inc.



