

# SAFETY DATA SHEET

## 1. Identification

**Material name:** DYMONIC FC HARTFORD GREEN - 30 CTG CS

**Material:** 960824 323

### Recommended use and restriction on use

**Recommended use:** Sealant

**Restrictions on use:** Not known.

### Manufacturer/Importer/Supplier/Distributor Information

Tremco U.S Sealants  
3735 Green Road  
Beachwood OH 44122  
US

**Contact person:**

EH&S Department

**Telephone:**

216-292-5000

**Emergency telephone number:**

1-800-424-9300 (US); 1-613-996-6666 (Canada)

## 2. Hazard(s) identification

### Hazard Classification

#### Health Hazards

Carcinogenicity Category 1A

Toxic to reproduction Category 1B

#### Unknown toxicity - Health

Acute toxicity, oral 9.83 %

Acute toxicity, dermal 12.68 %

Acute toxicity, inhalation, vapor 99.63 %

Acute toxicity, inhalation, dust or mist 99.99 %

### Environmental Hazards

Acute hazards to the aquatic environment Category 1

#### Unknown toxicity - Environment

Acute hazards to the aquatic environment 43.16 %

Chronic hazards to the aquatic environment 100 %

### Label Elements

**Hazard Symbol:**



**Signal Word:**

Danger

|                                                                 |                                                                                                                                                                                                    |
|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hazard Statement:</b>                                        | May cause cancer.<br>May damage fertility or the unborn child.<br>Very toxic to aquatic life.                                                                                                      |
| <b>Precautionary Statement:</b>                                 |                                                                                                                                                                                                    |
| <b>Prevention:</b>                                              | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment. |
| <b>Response:</b>                                                | If exposed or concerned: Get medical advice/attention. Collect spillage.                                                                                                                           |
| <b>Storage:</b>                                                 | Store locked up.                                                                                                                                                                                   |
| <b>Disposal:</b>                                                | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.               |
| <b>Other hazards which do not result in GHS classification:</b> | None.                                                                                                                                                                                              |

### 3. Composition/information on ingredients

#### Mixtures

| Chemical Identity                        | CAS number | Content in percent (%)* |
|------------------------------------------|------------|-------------------------|
| Calcium carbonate                        | 471-34-1   | 30 - 60%                |
| Butyl benzyl phthalate                   | 85-68-7    | 10 - 30%                |
| Calcium Carbonate (Limestone)            | 1317-65-3  | 7 - 13%                 |
| Calcium oxide                            | 1305-78-8  | 1 - 5%                  |
| Stearic acid                             | 57-11-4    | 0.5 - 1.5%              |
| Carbon Black                             | 1333-86-4  | 0.1 - 1%                |
| Copper phthalocyanine                    | 147-14-8   | 0.1 - 1%                |
| Hydrotreated heavy naphthenic distillate | 64742-52-5 | 0.1 - 1%                |
| Titanium dioxide                         | 13463-67-7 | 0.1 - 1%                |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

|                      |                                                                                                                                                                                 |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ingestion:</b>    | Call a POISON CENTER/doctor/.../if you feel unwell. Rinse mouth.                                                                                                                |
| <b>Inhalation:</b>   | Move to fresh air.                                                                                                                                                              |
| <b>Skin Contact:</b> | Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.                                                                              |
| <b>Eye contact:</b>  | Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention. |

**Most important symptoms/effects, acute and delayed**

**Symptoms:** May cause skin and eye irritation.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Symptoms may be delayed.

**5. Fire-fighting measures**

**General Fire Hazards:** No unusual fire or explosion hazards noted.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** No data available.

**Methods and material for containment and cleaning up:** Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Notification Procedures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

## 7. Handling and storage

**Precautions for safe handling:** Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.

**Conditions for safe storage, including any incompatibilities:** Store locked up.

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

| Chemical Identity                                              | type | Exposure Limit Values | Source                                                                      |
|----------------------------------------------------------------|------|-----------------------|-----------------------------------------------------------------------------|
| Calcium carbonate - Total dust.                                | PEL  | 15 mg/m3              | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Calcium carbonate - Respirable fraction.                       | PEL  | 5 mg/m3               | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Calcium Carbonate (Limestone) - Total dust.                    | PEL  | 15 mg/m3              | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Calcium Carbonate (Limestone) - Respirable fraction.           | PEL  | 5 mg/m3               | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Calcium oxide                                                  | TWA  | 2 mg/m3               | US. ACGIH Threshold Limit Values (2011)                                     |
|                                                                | PEL  | 5 mg/m3               | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Stearic acid                                                   | TWA  | 10 mg/m3              | US. ACGIH Threshold Limit Values (2011)                                     |
| Carbon Black - Inhalable fraction.                             | TWA  | 3 mg/m3               | US. ACGIH Threshold Limit Values (2011)                                     |
| Carbon Black                                                   | PEL  | 3.5 mg/m3             | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Copper phthalocyanine - Fume. - as Cu                          | TWA  | 0.2 mg/m3             | US. ACGIH Threshold Limit Values (03 2014)                                  |
| Copper phthalocyanine - Dust and mist. - as Cu                 | TWA  | 1 mg/m3               | US. ACGIH Threshold Limit Values (03 2014)                                  |
| Hydrotreated heavy naphthenic distillate - Inhalable fraction. | TWA  | 5 mg/m3               | US. ACGIH Threshold Limit Values (03 2014)                                  |
| Hydrotreated heavy naphthenic distillate                       | PEL  | 500 ppm 2,000 mg/m3   | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Hydrotreated heavy naphthenic distillate - Mist.               | PEL  | 5 mg/m3               | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |

|                                |     |          |                                                                             |
|--------------------------------|-----|----------|-----------------------------------------------------------------------------|
| Titanium dioxide               | TWA | 10 mg/m3 | US. ACGIH Threshold Limit Values (2011)                                     |
| Titanium dioxide - Total dust. | PEL | 15 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |

| Chemical name                               | type | Exposure Limit Values | Source                                                                                                                                                        |
|---------------------------------------------|------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Calcium carbonate - Total dust.             | STEL | 20 mg/m3              | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium carbonate - Respirable fraction.    | TWA  | 3 mg/m3               | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium carbonate - Total dust.             | TWA  | 10 mg/m3              | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium carbonate - Total dust.             | TWA  | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)                                                |
| Calcium Carbonate (Limestone) - Total dust. | STEL | 20 mg/m3              | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|                                             | TWA  | 10 mg/m3              | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |

|                                                      |       |                             |                                                                                                                                                               |
|------------------------------------------------------|-------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Calcium Carbonate (Limestone) - Respirable fraction. | TWA   | 3 mg/m <sup>3</sup>         | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium Carbonate (Limestone) - Total dust.          | TWA   | 10 mg/m <sup>3</sup>        | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)                                                |
| Diisodecyl phthalate                                 | TWAEV | 5 mg/m <sup>3</sup>         | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)                                                                        |
| Calcium oxide                                        | TWA   | 2 mg/m <sup>3</sup>         | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium oxide                                        | TWAEV | 2 mg/m <sup>3</sup>         | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)                                                                        |
| Calcium oxide                                        | TWA   | 2 mg/m <sup>3</sup>         | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)                                                |
| Vinyltrimethoxysilane                                | STEL  | 10 ppm 60 mg/m <sup>3</sup> | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)                                                                        |
| Carbon Black - Inhalable                             | TWA   | 3 mg/m <sup>3</sup>         | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011) |
| Carbon Black                                         | TWAEV | 3.5 mg/m <sup>3</sup>       | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)                                                                        |
| Carbon Black                                         | TWA   | 3.5 mg/m <sup>3</sup>       | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)                                                |
| Hydrotreated heavy naphthenic distillate - Mist.     | TWA   | 0.2 mg/m <sup>3</sup>       | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
|                                                      | TWA   | 1 mg/m <sup>3</sup>         | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
| Hydrotreated heavy naphthenic distillate - Mist.     | TWAEV | 5 mg/m <sup>3</sup>         | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)                                                                        |
|                                                      | STEL  | 10 mg/m <sup>3</sup>        | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)                                                                        |

|                                                  |       |          |                                                                                                                                                               |
|--------------------------------------------------|-------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hydrotreated heavy naphthenic distillate - Mist. | TWA   | 5 mg/m3  | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)                                                |
|                                                  | STEL  | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)                                                |
| Titanium dioxide - Total dust.                   | TWA   | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide - Respirable fraction.          | TWA   | 3 mg/m3  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide                                 | TWAEV | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)                                                                        |
| Titanium dioxide - Total dust.                   | TWA   | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)                                                |

#### Appropriate Engineering Controls

Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

#### Individual protection measures, such as personal protective equipment

##### General information:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.

##### Eyeface protection:

Wear safety glasses with side shields (or goggles).

##### Skin Protection

##### Hand Protection:

Use suitable protective gloves if risk of skin contact.

##### Other:

Wear suitable protective clothing.

##### Respiratory Protection:

In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

##### Hygiene measures:

Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

## 9. Physical and chemical properties

## Appearance

|                                                              |                                                                                             |
|--------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Physical state:                                              | solid                                                                                       |
| Form:                                                        | Paste                                                                                       |
| Color:                                                       | Green                                                                                       |
| Odor:                                                        | Mild                                                                                        |
| Odor threshold:                                              | No data available.                                                                          |
| pH:                                                          | No data available.                                                                          |
| Melting point/freezing point:                                | No data available.                                                                          |
| Initial boiling point and boiling range:                     | No data available.                                                                          |
| Flash Point:                                                 | No data available.                                                                          |
| Evaporation rate:                                            | Slower than n-Butyl Acetate                                                                 |
| Flammability (solid, gas):                                   | No                                                                                          |
| <b>Upper/lower limit on flammability or explosive limits</b> |                                                                                             |
| Flammability limit - upper (%):                              | No data available.                                                                          |
| Flammability limit - lower (%):                              | No data available.                                                                          |
| Explosive limit - upper (%):                                 | No data available.                                                                          |
| Explosive limit - lower (%):                                 | No data available.                                                                          |
| Vapor pressure:                                              | No data available.                                                                          |
| Vapor density:                                               | Vapors are heavier than air and may travel along the floor and in the bottom of containers. |
| Relative density:                                            | 1.4996                                                                                      |
| <b>Solubility(ies)</b>                                       |                                                                                             |
| Solubility in water:                                         | Insoluble in water                                                                          |
| Solubility (other):                                          | No data available.                                                                          |
| Partition coefficient (n-octanol/water):                     | No data available.                                                                          |
| Auto-ignition temperature:                                   | No data available.                                                                          |
| Decomposition temperature:                                   | No data available.                                                                          |
| Viscosity:                                                   | No data available.                                                                          |

## 10. Stability and reactivity

|                                     |                                                                                                 |
|-------------------------------------|-------------------------------------------------------------------------------------------------|
| Reactivity:                         | No data available.                                                                              |
| Chemical Stability:                 | Material is stable under normal conditions.                                                     |
| Possibility of hazardous reactions: | No data available.                                                                              |
| Conditions to avoid:                | Avoid heat or contamination.                                                                    |
| Incompatible Materials:             | Alcohols. Amines. Strong acids. Strong bases. Water, moisture.                                  |
| Hazardous Decomposition Products:   | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

## 11. Toxicological information

### Information on likely routes of exposure

|            |                                                                          |
|------------|--------------------------------------------------------------------------|
| Ingestion: | May be ingested by accident. Ingestion may cause irritation and malaise. |
|------------|--------------------------------------------------------------------------|

|                      |                                                                                               |
|----------------------|-----------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>   | In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. |
| <b>Skin Contact:</b> | May be harmful in contact with skin. Causes mild skin irritation.                             |
| <b>Eye contact:</b>  | Eye contact is possible and should be avoided.                                                |

#### Information on toxicological effects

##### Acute toxicity (list all possible routes of exposure)

|                 |                                             |
|-----------------|---------------------------------------------|
| <b>Oral</b>     |                                             |
| <b>Product:</b> | 20,400.00 mg/kg<br>ATEmix : 96,181.59 mg/kg |

|                 |                       |
|-----------------|-----------------------|
| <b>Dermal</b>   |                       |
| <b>Product:</b> | ATEmix: 4,383.4 mg/kg |

|                   |                    |
|-------------------|--------------------|
| <b>Inhalation</b> |                    |
| <b>Product:</b>   | No data available. |

|                               |                    |
|-------------------------------|--------------------|
| <b>Repeated dose toxicity</b> |                    |
| <b>Product:</b>               | No data available. |

|                                  |                    |
|----------------------------------|--------------------|
| <b>Skin Corrosion/Irritation</b> |                    |
| <b>Product:</b>                  | No data available. |

|                                          |                    |
|------------------------------------------|--------------------|
| <b>Serious Eye Damage/Eye Irritation</b> |                    |
| <b>Product:</b>                          | No data available. |

|                                          |                                               |
|------------------------------------------|-----------------------------------------------|
| <b>Specified substance(s):</b>           |                                               |
| Calcium carbonate                        | in vivo (Rabbit, 24 - 72 hrs): Not irritating |
| Butyl benzyl phthalate                   | in vivo (Rabbit, 24 - 72 hrs): Not irritating |
| Calcium oxide                            | in vivo (Rabbit, 1 hrs): Irritating           |
| Stearic acid                             | in vivo (Rabbit, 27 - 72 hrs): Not irritating |
| Carbon Black                             | in vivo (Rabbit, 24 - 72 hrs): Not irritating |
| Copper phthalocyanine                    | in vivo (Rabbit, 24 - 72 hrs): Not irritating |
| Hydrotreated heavy naphthenic distillate | in vivo (Rabbit, 24 hrs): Not irritating      |
| Titanium dioxide                         | in vivo (Rabbit, 24 - 72 hrs): Not irritating |

|                                          |                    |
|------------------------------------------|--------------------|
| <b>Respiratory or Skin Sensitization</b> |                    |
| <b>Product:</b>                          | No data available. |

#### Carcinogenicity

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

|                                          |                                                                                                                   |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Carbon Black                             | Overall evaluation: Possibly carcinogenic to humans.                                                              |
| Hydrotreated heavy naphthenic distillate | Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall evaluation: Carcinogenic to humans. |
| Titanium dioxide                         | Overall evaluation: Possibly carcinogenic to humans.                                                              |

**US. National Toxicology Program (NTP) Report on Carcinogens:**

|                                          |                               |
|------------------------------------------|-------------------------------|
| Hydrotreated heavy naphthenic distillate | Known To Be Human Carcinogen. |
|------------------------------------------|-------------------------------|

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

**Reproductive toxicity**

**Product:** May damage fertility or the unborn child.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.

**Other effects:** No data available.

|                                   |
|-----------------------------------|
| <b>12. Ecological information</b> |
|-----------------------------------|

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

|                        |                                                                                         |
|------------------------|-----------------------------------------------------------------------------------------|
| Calcium carbonate      | LC 50 (Western mosquitofish ( <i>Gambusia affinis</i> ), 96 h): > 56,000 mg/l Mortality |
| Butyl benzyl phthalate | LC 50 (Fathead minnow ( <i>Pimephales promelas</i> ), 96 h): 1.39 - 3.88 mg/l Mortality |
| Titanium dioxide       | LC 50 (Mummichog ( <i>Fundulus heteroclitus</i> ), 96 h): > 1,000 mg/l Mortality        |

#### Aquatic Invertebrates

**Product:** No data available.

#### Specified substance(s):

|                        |                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Butyl benzyl phthalate | EC 50 (Water flea ( <i>Daphnia magna</i> ), 48 h): > 10 mg/l Intoxication<br>EC 50 (Opossum shrimp ( <i>Americamysis bahia</i> ), 48 h): > 0.9 mg/l Mortality<br>EC 50 (Water flea ( <i>Daphnia magna</i> ), 24 h): > 10 mg/l Intoxication<br>EC 50 (Water flea ( <i>Daphnia magna</i> ), 21 d): > 0.76 mg/l Intoxication<br>EC 50 (Water flea ( <i>Daphnia magna</i> ), 14 d): > 0.76 mg/l Intoxication |
| Titanium dioxide       | EC 50 (Water flea ( <i>Daphnia magna</i> ), 48 h): > 1,000 mg/l Intoxication                                                                                                                                                                                                                                                                                                                             |

#### Chronic hazards to the aquatic environment:

##### Fish

**Product:** No data available.

#### Specified substance(s):

|                                          |                                                                                      |
|------------------------------------------|--------------------------------------------------------------------------------------|
| Butyl benzyl phthalate                   | NOAEL ( <i>Pimephales promelas</i> , 126 d): 64.6 - 67.5 µg/l experimental result    |
| Calcium oxide                            | NOAEL ( <i>Oncorhynchus mykiss</i> , 60 d): 307 mg/l interpreted                     |
| Carbon Black                             | NOAEL ( <i>Salmo</i> sp., 30 d): 17 mg/l QSAR                                        |
| Hydrotreated heavy naphthenic distillate | NOAEL ( <i>Oncorhynchus mykiss</i> , 14 d): >= 1,000 mg/l QSAR                       |
| Titanium dioxide                         | LC 0 ( <i>Coregonus autumnalis migratorius</i> G., 30 d): 3 mg/l experimental result |

#### Aquatic Invertebrates

**Product:** No data available.

#### Toxicity to Aquatic Plants

**Product:** No data available.

#### Persistence and Degradability

##### Biodegradation

**Product:** No data available.

##### BOD/COD Ratio

**Product:** No data available.

#### Bioaccumulative Potential

##### Bioconcentration Factor (BCF)

**Product:** No data available.

**Specified substance(s):**  
Butyl benzyl phthalate Bluegill (*Lepomis macrochirus*), Bioconcentration Factor (BCF): 772 (Flow through)

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Specified substance(s):**  
Butyl benzyl phthalate Log Kow: 4.91  
Stearic acid Log Kow: 8.23

**Mobility in Soil:** No data available.

**Other Adverse Effects:** Very toxic to aquatic organisms.

### 13. Disposal considerations

**Disposal instructions:** Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Contaminated Packaging:** No data available.

### 14. Transport information

**TDG:**

Not Regulated

**CFR / DOT:**

Not Regulated

**IMDG:**

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Butyl Benzyl Phthalate), 9, PG III, MARINE POLLUTANT

**Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

### 15. Regulatory information

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Butyl benzyl phthalate   | 100 lbs.                   |
| Dibutyl phthalate        | 10 lbs.                    |
| Methanol                 | 5000 lbs.                  |
| Acetic acid              | 5000 lbs.                  |

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Delayed (Chronic) Health Hazard

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

| <u>Chemical Identity</u>           | <u>Reportable quantity</u> |
|------------------------------------|----------------------------|
| Butyl benzyl phthalate             | 100 lbs.                   |
| Diisodecyl phthalate               |                            |
| Copper phthalocyanine              |                            |
| Dibutyl phthalate                  | 10 lbs.                    |
| Diisodecyl phthalate<br>(mixed Is) |                            |
| Methanol                           | 5000 lbs.                  |
| Acetic acid                        | 5000 lbs.                  |

**SARA 311/312 Hazardous Chemical**

| <u>Chemical Identity</u>                    | <u>Threshold Planning Quantity</u> |
|---------------------------------------------|------------------------------------|
| Calcium carbonate                           | 500 lbs                            |
| Butyl benzyl phthalate                      | 500 lbs                            |
| Calcium Carbonate<br>(Limestone)            | 500 lbs                            |
| Calcium oxide                               | 500 lbs                            |
| Stearic acid                                | 500 lbs                            |
| Carbon Black                                | 500 lbs                            |
| Copper phthalocyanine                       | 500 lbs                            |
| Hydrotreated heavy<br>naphthenic distillate | 500 lbs                            |
| Titanium dioxide                            | 500 lbs                            |

**SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

#### **US. New Jersey Worker and Community Right-to-Know Act**

##### **Chemical Identity**

Calcium carbonate  
Butyl benzyl phthalate  
Calcium Carbonate (Limestone)  
Calcium oxide  
Carbon Black  
Hydrotreated heavy naphthenic distillate

#### **US. Massachusetts RTK - Substance List**

##### **Chemical Identity**

Calcium carbonate  
Butyl benzyl phthalate  
Calcium Carbonate (Limestone)  
Calcium oxide  
Crystalline Silica (Quartz)/ Silica Sand

#### **US. Pennsylvania RTK - Hazardous Substances**

##### **Chemical Identity**

Calcium carbonate  
Butyl benzyl phthalate  
Calcium Carbonate (Limestone)  
Diisodecyl phthalate  
Calcium oxide

#### **US. Rhode Island RTK**

##### **Chemical Identity**

Butyl benzyl phthalate  
Diisodecyl phthalate

#### **Other Regulations:**

|                                                        |        |
|--------------------------------------------------------|--------|
| <b>Regulatory VOC (less water and exempt solvent):</b> | 6 g/l  |
| <b>VOC Method 310:</b>                                 | 0.37 % |

#### **Inventory Status:**

|                                          |                                                                                        |
|------------------------------------------|----------------------------------------------------------------------------------------|
| Australia AICS:                          | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada DSL Inventory List:               | All components in this product are listed on or exempt from the Inventory.             |
| EINECS, ELINCS or NLP:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan (ENCS) List:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| China Inv. Existing Chemical Substances: | One or more components in this product are not listed on or exempt from the Inventory. |

|                                       |                                                                                        |
|---------------------------------------|----------------------------------------------------------------------------------------|
| Korea Existing Chemicals Inv. (KECI): | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada NDSL Inventory:                | One or more components in this product are not listed on or exempt from the Inventory. |
| Philippines PICCS:                    | One or more components in this product are not listed on or exempt from the Inventory. |
| US TSCA Inventory:                    | All components in this product are listed on or exempt from the Inventory.             |
| New Zealand Inventory of Chemicals:   | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan ISHL Listing:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan Pharmacopoeia Listing:          | One or more components in this product are not listed on or exempt from the Inventory. |

|                                                                              |
|------------------------------------------------------------------------------|
| <b>16. Other information, including date of preparation or last revision</b> |
|------------------------------------------------------------------------------|

|                             |                                                                                                                                                                                                                                                                                                   |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Revision Date:</b>       | 11/23/2015                                                                                                                                                                                                                                                                                        |
| <b>Version #:</b>           | 1.0                                                                                                                                                                                                                                                                                               |
| <b>Further Information:</b> | No data available.                                                                                                                                                                                                                                                                                |
| <b>Disclaimer:</b>          | For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. |