

# SAFETY DATA SHEET

## 1. Identification

**Material name:** ExoAir<sup>®</sup> 230  
**Material:** 584802A805

### Recommended use and restriction on use

**Recommended use:** Sealant  
**Restrictions on use:** Not known.

### Manufacturer/Importer/Supplier/Distributor Information

Tremco CPG Inc. - U.S. Sealants  
3735 Green Road  
Beachwood OH 44122  
US

**Contact person:** EH&S Department  
**Telephone:** 216-292-5000  
**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

## 2. Hazard(s) identification

### Hazard Classification

#### Health Hazards

Carcinogenicity Category 2

#### Unknown toxicity - Health

|  |         |
|--|---------|
| Acute toxicity, oral                     | 0.09 %  |
| Acute toxicity, dermal                   | 1.5 %   |
| Acute toxicity, inhalation, vapor        | 52.82 % |
| Acute toxicity, inhalation, dust or mist | 46.4 %  |

### Label Elements

#### Hazard Symbol:



**Signal Word:** Warning

**Hazard Statement:** Suspected of causing cancer.

#### Precautionary

**Statements**

- Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
- Response:** IF exposed or concerned: Get medical advice/attention.
- Storage:** Store locked up.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

**3. Composition/information on ingredients****Mixtures**

| Chemical Identity  | CAS number | Content in percent (%)* |
|--------------------|------------|-------------------------|
| White mineral oil  | 8042-47-5  | 5 - <10%                |
| Amorphous silica   | 7631-86-9  | 1 - <5%                 |
| Propylene glycol   | 57-55-6    | 1 - <5%                 |
| Carbon Black       | 1333-86-4  | 0.1 - <1%               |
| Ammonium hydroxide | 1336-21-6  | 0.1 - <1%               |
| Zinc oxide         | 1314-13-2  | 0.1 - <1%               |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

- Ingestion:** Rinse mouth thoroughly.
- Inhalation:** Move to fresh air.
- Skin Contact:** Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
- Eye contact:** Rinse immediately with plenty of water.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** May cause skin and eye irritation.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Symptoms may be delayed.

**5. Fire-fighting measures**

**General Fire Hazards:** No unusual fire or explosion hazards noted.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** No data available.

**Methods and material for containment and cleaning up:** Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Notification Procedures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

**7. Handling and storage**

**Precautions for safe handling:** Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust.

**Conditions for safe storage, including any incompatibilities:** Store locked up.

**8. Exposure controls/personal protection**

**Control Parameters**  
**Occupational Exposure Limits**

| Chemical Identity                       | Type | Exposure Limit Values                          | Source  |
|---|------|--|---|
| White mineral oil - Inhalable fraction. | TWA  | 5 mg/m3  | US. ACGIH Threshold Limit Values (2011)                                     |
| White mineral oil - Mist.               | PEL  | 5 mg/m3  | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Amorphous silica                        | TWA  | 20 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)                                |
|   | TWA  | 0.8 mg/m3                                      | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)                                |
| Carbon Black - Inhalable fraction.      | TWA  | 3 mg/m3  | US. ACGIH Threshold Limit Values (2011)                                     |
| Carbon Black                            | PEL  | 3.5 mg/m3                                      | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Ammonium hydroxide                      | STEL | 35 ppm   | US. ACGIH Threshold Limit Values (2011)                                     |
|   | TWA  | 25 ppm   | US. ACGIH Threshold Limit Values (2011)                                     |
|   | PEL  | 50 ppm 35 mg/m3                                | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Zinc oxide - Respirable fraction.       | TWA  | 2 mg/m3  | US. ACGIH Threshold Limit Values (2011)                                     |
|   | STEL | 10 mg/m3                                       | US. ACGIH Threshold Limit Values (2011)                                     |
| Zinc oxide - Fume.                      | PEL  | 5 mg/m3  | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Zinc oxide - Total dust.                | PEL  | 15 mg/m3                                       | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Zinc oxide - Respirable fraction.       | PEL  | 5 mg/m3  | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |

| Chemical name                           | Type | Exposure Limit Values | Source  |
|---|------|-----------------------|---|
| White mineral oil - Mist.               | TWA  | 1 mg/m3               | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| White mineral oil - Inhalable fraction. | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
|   | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| White mineral oil - Mist.               | TWA  | 5 mg/m3               | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
|   | STEL | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |

|                                       |     |                  |   |
|---------------------------------------|-----|------------------|---|
| Amorphous silica - Total              | TWA | 4 mg/m3          | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Amorphous silica - Respirable.        | TWA | 1.5 mg/m3        | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Amorphous silica - Respirable dust.   | TWA | 6 mg/m3          | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Propylene glycol - Aerosol.           | TWA | 10 mg/m3         | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Propylene glycol - Vapor and aerosol. | TWA | 50 ppm 155 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Carbon Black - Inhalable              | TWA | 3 mg/m3          | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011) |
| Carbon Black - Inhalable fraction.    | TWA | 3 mg/m3          | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Carbon Black                          | TWA | 3.5 mg/m3        | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |

| Chemical name                           | Type | Exposure Limit Values | Source  |
|---|------|-----------------------|---|
| White mineral oil - Mist.               | TWA  | 1 mg/m3               | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| White mineral oil - Inhalable fraction. | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
|   | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| White mineral oil - Mist.               | TWA  | 5 mg/m3               | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
|   | STEL | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |

|                                       |      |                  |   |
|---------------------------------------|------|------------------|---|
| Amorphous silica - Total              | TWA  | 4 mg/m3          | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Amorphous silica - Respirable.        | TWA  | 1.5 mg/m3        | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Amorphous silica - Respirable dust.   | TWA  | 6 mg/m3          | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Propylene glycol - Aerosol.           | TWA  | 10 mg/m3         | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Propylene glycol - Vapor and aerosol. | TWA  | 50 ppm 155 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Carbon Black - Inhalable              | TWA  | 3 mg/m3          | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011) |
| Carbon Black - Inhalable fraction.    | TWA  | 3 mg/m3          | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Carbon Black                          | TWA  | 3.5 mg/m3        | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Ammonium hydroxide                    | STEL | 35 ppm           | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|                                       | TWA  | 25 ppm           | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Ammonium hydroxide                    | TWA  | 25 ppm           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
|                                       | STEL | 35 ppm           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Zinc oxide - Respirable.              | TWA  | 2 mg/m3          | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|                                       | STEL | 10 mg/m3         | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Zinc oxide - Respirable fraction.     | TWA  | 2 mg/m3          | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
|                                       | STEL | 10 mg/m3         | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Zinc oxide - Fume.                    | TWA  | 5 mg/m3          | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
|                                       | STEL | 10 mg/m3         | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |

|                             |         |                   |   |
|-----------------------------|---------|-------------------|---|
| Zinc oxide - Total dust.    | TWA     | 10 mg/m3          | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Clay - Respirable.          | TWA     | 2 mg/m3           | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Clay - Respirable dust.     | TWA     | 5 mg/m3           | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Clay - Respirable fraction. | TWA     | 2 mg/m3           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (08 2017)  |
| Methanol                    | STEL    | 250 ppm           | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|                             | TWA     | 200 ppm           | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Methanol                    | STEL    | 250 ppm           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
|                             | TWA     | 200 ppm           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Methanol                    | STEL    | 250 ppm 328 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
|                             | TWA     | 200 ppm 262 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Ethyl Acrylate              | TWA     | 5 ppm             | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|                             | STEL    | 15 ppm            | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Ethyl Acrylate              | TWA     | 5 ppm             | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
|                             | STEL    | 15 ppm            | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Ethyl Acrylate              | STEL    | 15 ppm 61 mg/m3   | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
|                             | TWA     | 5 ppm 20 mg/m3    | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Formaldehyde                | TWA     | 0.3 ppm           | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|                             | CEILING | 1 ppm             | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Formaldehyde                | STEL    | 1 ppm             | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
|                             | CEV     | 1.5 ppm           | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |

|  |         |        |             |   |
|--|---------|--------|-------------|---|
| Formaldehyde                           | CEILING | 2 ppm  | 3 mg/m3     | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Propionic acid                         | TWA     | 10 ppm |             | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Propionic acid                         | TWA     | 10 ppm |             | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Propionic acid                         | TWA     | 10 ppm | 30 mg/m3    | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Acetaldehyde                           | CEILING | 25 ppm |             | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Acetaldehyde                           | CEV     | 25 ppm |             | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Acetaldehyde                           | CEILING | 25 ppm | 45 mg/m3    | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Cadmium - as Cd                        | TWA     |        | 0.01 mg/m3  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Cadmium - Respirable. - as Cd          | TWA     |        | 0.002 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Cadmium - as Cd                        | TWA     |        | 0.01 mg/m3  | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Cadmium - Respirable fraction. - as Cd | TWA     |        | 0.002 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Cadmium - as Cd                        | TWA     |        | 0.025 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Lead and compounds (inorganic)         | TWA     |        | 0.05 mg/m3  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Lead and compounds (inorganic) - as Pb | TWA     |        | 0.05 mg/m3  | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)  |
| Lead and compounds (inorganic) - as Pb | TWA     |        | 0.05 mg/m3  | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |

**Appropriate Engineering Controls**

Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

**Individual protection measures, such as personal protective equipment**

**General information:** Use personal protective equipment as required.

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection**

**Hand Protection:** Use suitable protective gloves if risk of skin contact.

**Other:** No data available.

|                                |   |
|--------------------------------|---|
| <b>Respiratory Protection:</b> | In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.                   |
| <b>Hygiene measures:</b>       | Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. |

## 9. Physical and chemical properties

### Appearance

|  |   |
|--|---|
| <b>Physical state:</b>                                       | solid   |
| <b>Form:</b>   | Paste   |
| <b>Color:</b>  | Black   |
| <b>Odor:</b>   | Mild  |
| <b>Odor threshold:</b>                                       | No data available.  |
| <b>pH:</b>   | No data available.  |
| <b>Melting point/freezing point:</b>                         | No data available.  |
| <b>Initial boiling point and boiling range:</b>              | No data available.  |
| <b>Flash Point:</b>  | No data available.  |
| <b>Evaporation rate:</b>                                     | Slower than Ether   |
| <b>Flammability (solid, gas):</b>                            | No  |
| <b>Upper/lower limit on flammability or explosive limits</b> |   |
| <b>Flammability limit - upper (%):</b>                       | No data available.  |
| <b>Flammability limit - lower (%):</b>                       | No data available.  |
| <b>Explosive limit - upper (%):</b>                          | No data available.  |
| <b>Explosive limit - lower (%):</b>                          | No data available.  |
| <b>Vapor pressure:</b>                                       | No data available.  |
| <b>Vapor density:</b>  | Vapors are heavier than air and may travel along the floor and in the bottom of containers. |
| <b>Relative density:</b>                                     | 1.048   |
| <b>Solubility(ies)</b>                                       |   |
| <b>Solubility in water:</b>                                  | Miscible with water.  |
| <b>Solubility (other):</b>                                   | No data available.  |
| <b>Partition coefficient (n-octanol/water):</b>              | No data available.  |
| <b>Auto-ignition temperature:</b>                            | No data available.  |
| <b>Decomposition temperature:</b>                            | No data available.  |
| <b>Viscosity:</b>  | No data available.  |

## 10. Stability and reactivity

|  |   |
|--|---|
| <b>Reactivity:</b>                         | No data available.                          |
| <b>Chemical Stability:</b>                 | Material is stable under normal conditions. |
| <b>Possibility of hazardous reactions:</b> | No data available.                          |

---

|  |  |
|--|--|
| <b>Conditions to avoid:</b>              | Avoid heat or contamination.   |
| <b>Incompatible Materials:</b>           | Strong acids. Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates). Strong bases. |
| <b>Hazardous Decomposition Products:</b> | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.              |

|                                      |
|--------------------------------------|
| <b>11. Toxicological information</b> |
|--------------------------------------|

**Information on likely routes of exposure**

- Inhalation:** In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
- Skin Contact:** Moderately irritating to skin with prolonged exposure.
- Eye contact:** Eye contact is possible and should be avoided.
- Ingestion:** May be ingested by accident. Ingestion may cause irritation and malaise.

**Symptoms related to the physical, chemical and toxicological characteristics**

- Inhalation:** No data available.
- Skin Contact:** No data available.
- Eye contact:** No data available.
- Ingestion:** No data available.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

- Oral Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

|                    |                            |
|--------------------|----------------------------|
| White mineral oil  | LD 50 (Rat): > 5,000 mg/kg |
| Amorphous silica   | LD 50 (Rat): > 5,000 mg/kg |
| Propylene glycol   | LD 50 (Rat): 22,000 mg/kg  |
| Carbon Black       | LD 50 (Rat): > 8,000 mg/kg |
| Ammonium hydroxide | LD 50 (Rat): 350 mg/kg     |
| Zinc oxide         | LD 50 (Rat): > 5,000 mg/kg |

**Dermal**

**Product:**

Not classified for acute toxicity based on available data.

**Specified substance(s):**

|                   |                               |
|-------------------|-------------------------------|
| White mineral oil | LD 50 (Rabbit): > 2,000 mg/kg |
| Amorphous silica  | LD 50 (Rabbit): > 2,000 mg/kg |
| Propylene glycol  | LD 50 (Rabbit): > 2,000 mg/kg |
| Zinc oxide        | LD 50 (Rat): > 2,000 mg/kg    |

**Inhalation**

**Product:**

Not classified for acute toxicity based on available data.

**Specified substance(s):**

|                   |  |
|-------------------|--|
| White mineral oil | LC 50 (Rat): > 5.2 mg/l                |
| Amorphous silica  | LC 50 (Rat): > 2.08 mg/l               |
| Zinc oxide        | LC 50 (Rat): > 5,700 mg/m <sup>3</sup> |

**Repeated dose toxicity**

**Product:**

No data available.

**Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

|                   |   |
|-------------------|---|
| White mineral oil | in vivo (Rabbit): Not irritant Experimental result, Key study |
| Amorphous silica  | in vivo (Rabbit): Not irritant Experimental result, Key study |
| Propylene glycol  | in vivo (Rabbit): Not irritant Experimental result, Key study |
| Carbon Black      | in vivo (Rabbit): Not irritant Experimental result, Key study |
| Zinc oxide        | in vivo (Rabbit): Not irritant Experimental result, Key study |

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

|                   |                                     |
|-------------------|-------------------------------------|
| White mineral oil | Rabbit, 24 - 72 hrs: Not irritating |
| Amorphous silica  | Rabbit, 24 hrs: Not irritating      |
| Carbon Black      | Rabbit, 24 - 72 hrs: Not irritating |
| Zinc oxide        | Rabbit, 24 - 72 hrs: Not irritating |

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Carcinogenicity**

**Product:** Suspected of causing cancer.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

|              |  |
|--------------|--|
| Carbon Black | Overall evaluation: Possibly carcinogenic to humans. |
|--------------|--|

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**  
**Product:** No data available.

**In vivo**  
**Product:** No data available.

**Reproductive toxicity**  
**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**  
**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**  
**Product:** No data available.

**Aspiration Hazard**  
**Product:** No data available.

**Other effects:** No data available.

**12. Ecological information****Ecotoxicity:****Acute hazards to the aquatic environment:**

**Fish**  
**Product:** No data available.

**Specified substance(s):**  
Propylene glycol LC 50 (Fathead minnow (Pimephales promelas), 96 h): 29,485 - 39,339 mg/l Mortality

Zinc oxide LC 50 (Fathead minnow (Pimephales promelas), 96 h): 2,246 mg/l Mortality

**Aquatic Invertebrates**  
**Product:** No data available.

**Specified substance(s):**  
Propylene glycol EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l Intoxication

**Chronic hazards to the aquatic environment:**

**Fish****Product:** No data available.**Specified substance(s):**White mineral oil NOAEL (Oncorhynchus mykiss, 28 d):  $\geq 1,000$  mg/l QSAR QSAR, Supporting study

Propylene glycol NOAEL (Pimephales promelas, 7 d): 11,530 mg/l Experimental result, Not specified

**Aquatic Invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** No data available.**Persistence and Degradability****Biodegradation****Product:** No data available.**BOD/COD Ratio****Product:** No data available.**Bioaccumulative potential****Bioconcentration Factor (BCF)****Product:** No data available.**Partition Coefficient n-octanol / water (log Kow)****Product:** No data available.**Specified substance(s):**

Propylene glycol Log Kow: -0.92

**Mobility in soil:** No data available.**Other adverse effects:** No data available.**13. Disposal considerations****Disposal instructions:** Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.**Contaminated Packaging:** No data available.**14. Transport information****TDG:**

000000025208

Not Regulated

**CFR / DOT:**

Not Regulated

**IMDG:**

Not Regulated

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

| <u>Chemical Identity</u>          | <u>OSHA hazard(s)</u>  |
|-----------------------------------|--|
| Formaldehyde                      | Acute toxicity<br>Skin irritation<br>Skin sensitization<br>Flammability<br>respiratory tract irritation<br>Respiratory sensitization<br>Cancer<br>Eye irritation |
| Cadmium                           | Acute toxicity<br>Lung<br>Kidney<br>Cancer   |
| Lead and compounds<br>(inorganic) | Kidney<br>Acute toxicity<br>Central nervous system<br>Blood<br>Reproductive toxicity   |

**CERCLA Hazardous Substance List (40 CFR 302.4):**

| <u>Chemical Identity</u>            | <u>Reportable quantity</u> |
|-------------------------------------|----------------------------|
| Ammonium hydroxide                  | 1000 lbs.                  |
| Methyl benzimidazole-2-yl carbamate | 10 lbs.                    |
| Methanol                            | 5000 lbs.                  |
| Ethyl Acrylate                      | 1000 lbs.                  |
| Formaldehyde                        | 100 lbs.                   |
| Propionic acid                      | 5000 lbs.                  |
| Acetaldehyde                        | 1000 lbs.                  |
| Cadmium                             | 10 lbs.                    |
| Lead and compounds (inorganic)      | 10 lbs.                    |

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

- Delayed (Chronic) Health Hazard
- Carcinogenicity

**SARA 302 Extremely Hazardous Substance**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> | <u>Threshold Planning Quantity</u> |
|--------------------------|----------------------------|------------------------------------|
| Formaldehyde             | 100 lbs.                   | 500 lbs.                           |

**SARA 304 Emergency Release Notification**

| <u>Chemical Identity</u>            | <u>Reportable quantity</u> |
|-------------------------------------|----------------------------|
| Ammonium hydroxide                  | 1000 lbs.                  |
| Zinc oxide                          |                            |
| Methyl benzimidazole-2-yl carbamate | 10 lbs.                    |
| Methanol                            | 5000 lbs.                  |
| Ethyl Acrylate                      | 1000 lbs.                  |
| Formaldehyde                        | 100 lbs.                   |
| Propionic acid                      | 5000 lbs.                  |
| Acetaldehyde                        | 1000 lbs.                  |
| Cadmium                             | 10 lbs.                    |
| Lead and compounds (inorganic)      | 10 lbs.                    |

**SARA 311/312 Hazardous Chemical**

| <u>Chemical Identity</u> | <u>Threshold Planning Quantity</u> |
|--------------------------|------------------------------------|
| Formaldehyde             | 500lbs                             |
| White mineral oil        | 10000 lbs                          |
| Amorphous silica         | 10000 lbs                          |
| Propylene glycol         | 10000 lbs                          |
| Carbon Black             | 10000 lbs                          |
| Ammonium hydroxide       | 10000 lbs                          |
| Zinc oxide               | 10000 lbs                          |

**SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
|--------------------------|----------------------------|

Formaldehyde                    lbs  
Acetaldehyde                   lbs

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**  
None present or none present in regulated quantities.

## US State Regulations

### US. California Proposition 65



**WARNING**  
Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### US. New Jersey Worker and Community Right-to-Know Act

#### Chemical Identity

White mineral oil  
Amorphous silica  
Propylene glycol  
Carbon Black

### US. Massachusetts RTK - Substance List

#### Chemical Identity

White mineral oil  
Amorphous silica  
Ethyl Acrylate  
Formaldehyde

### US. Pennsylvania RTK - Hazardous Substances

#### Chemical Identity

White mineral oil  
Amorphous silica  
Propylene glycol

### US. Rhode Island RTK

#### Chemical Identity

White mineral oil  
Propylene glycol

## International regulations

### Montreal protocol

Not applicable

### Stockholm convention

Not applicable

### Rotterdam convention

Not applicable

### Kyoto protocol

Not applicable

**VOC:**

|  |   |        |
|--|---|--------|
| Regulatory VOC (less water and exempt solvent) | : | 15 g/l |
| VOC Method 310                                 | : | 0.71 % |

---

**Inventory Status:**

|  |  |
|--|--|
| Australia AICS:                          | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada DSL Inventory List:               | All components in this product are listed on or exempt from the Inventory.             |
| EINECS, ELINCS or NLP:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan (ENCS) List:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| China Inv. Existing Chemical Substances: | One or more components in this product are not listed on or exempt from the Inventory. |
| Korea Existing Chemicals Inv. (KECI):    | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada NDSL Inventory:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Philippines PICCS:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| US TSCA Inventory:                       | All components in this product are listed on or exempt from the Inventory.             |
| New Zealand Inventory of Chemicals:      | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan ISHL Listing:                      | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan Pharmacopoeia Listing:             | One or more components in this product are not listed on or exempt from the Inventory. |
| Mexico INSQ:                             | One or more components in this product are not listed on or exempt from the Inventory. |
| Ontario Inventory:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| Taiwan Chemical Substance Inventory:     | One or more components in this product are not listed on or exempt from the Inventory. |

---

|  |
|--|
| <b>16. Other information, including date of preparation or last revision</b> |
|--|

**Revision Date:** 02/05/2019

**Version #:** 1.1

**Further Information:** No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.