



WATERPROOFING DESIGNED FOR PROTECTION & DURABILITY

TREMproof 6100 Hot-Applied Rubberized Asphalt system is a flexible, durable, 100% solids, self-healing membrane with a proven track record since 1978. Tremco's 215 mil fabric-reinforced system is ideal when hot-rubberized asphalt is desired.

Applications:

- Plaza / Podium Decks / Split Slabs
- Planters
- Under Paver Systems
- Insulated Decks
- Vegetated Roofs


Benefits:

- Tested extensively for adhesion and compatibility with Tremco's high-performance air barriers, coatings, sealants, and waterproofing membranes.
- Comprehensive single-source warranty when used with other Tremco building envelope systems.
- Experienced sales and technical support throughout design, detail development, and installation.
- City of Los Angeles approval (LARR #25299)
- Product manufactured by Tremco in an ISO 9001 certified facility, ensuring consistent product quality.


Tremco's System Warranty*

- Enhanced warranties available including watertight, labor & material and no dollar limit for pre-approved projects
- Combined with other Tremco Building Envelope Systems
- Compound warranties can include coverage for approved system components including:
 - Performance of the chosen paver system
 - Components of the vegetated roof system
 - Thermal retention of the insulation
 - Removal and replacement of overburden


*Contact your local Tremco representative for project-specific warranty terms and conditions.




- 1 Concrete substrate
- 2 Extruded insulation
- 3 Primed roof board
- 4 TREMproof 6100
- 5 Tremco Reemay strip
- **6** 90 mils TREMproof 6100
- 7 Tremco Reemay
- 8 125 mils TREMproof 6100
- 9 Tremco-approved protection course
- PAVERS 1
- 1 Concrete substrate
- 2 Primer
- **3** 90 mils TREMproof 6100
- 4 Tremco Reemay
- 5 125 mils TREMproof 6100
- **6** Tremco-approved protection course
- 7 Paver / pedestal system




- 1 Concrete substrate
- 2 Primer
- **3** 90 mils TREMproof 6100
- 4 Tremco Reemay
- 5 125 mils TREMproof 6100
- 6 Tremco-approved protection course
- **7** TREMDrain drainage board
- 8 Sloped concrete topping slab




- 1 Concrete substrate
- 2 Primer
- **3** 90 mils TREMproof 6100
- 4 Tremco Reemay
- 5 125 mils TREMproof 6100
- **6** Tremco-approved protection course
- 7 TREMDrain drainage board
- 8 Concrete topping slab



- 1 Primed concrete substrate
- 2 TREMproof 6100
- **3** Tremco Elastomeric Sheeting (uncured neoprene)
- 4 90 mils TREMproof 6100
- 5 Tremco Reemay
- 6 125 mils TREMproof 6100
- 7 Tremco-approved protection course
- 8 TREMDrain drainage board
- 9 Concrete topping slab



- 1 Concrete substrate
 - 2 Primer
- 3 TREMproof 6100 with embedded Tremco Reemay
- 4 Tremco-approved protection course & HDPE-40 Root Barrier
- **5** TREMDrain drainage board
- 6 Insulation
- 7 Drainage board (optional)
- 8 Air layer
- **9** Drainage / Retention tray
- 10 Filter fabric
- **11** Engineered growing media
- 12 Stabilization net
- 13 Vegetation



Get started with Design Assistance from Tremco

Complex jobs often require custom solutions. Tremco CS&W is uniquely qualified to provide job-specific details for even the most demanding waterproofing applications. Experienced, knowledgeable Tremco field and technical services representatives in every major market across North America provide assistance with product selection, specifications, system design, testing and on-site support.

Click here to locate a representative in your area:

http://www.tremcosealants.com/distributorrep-locator.aspx



3725 Green Road, Beachwood, OH 44122 216. 292.5000

220 Wicksteed Avenue, Toronto ON M4H 1G7 800.363.3213

www.tremcosealants.com