

We certify that Vulkem<sup>®</sup> 45 SSL has been tested against ASTM C 920, Standard Specification for Elastomeric Joint Sealants and does conform to the specification requirements and is classified as follows:

Type: S	(Single Component)
Grade: P	(Pourable)
Class: 35	(+/- 35% joint movement)
Use: T	(Traffic)
M	(Mortar)
A	(Aluminum)
O	(Other)
I	(Immersion Service – Class 2).

We further certify that Vulkem 45 SSL conforms to the requirements of Federal Specification TT-S-00230C, Type I, Class A.

Vulkem 45 SSL meets CAN/CGSB 2-19.13, MC-1-25 B-N.

Although Vulkem 45 SSL is not NSF registered, or previously authorized by USDA, it does meet the requirements for use in Federally inspected food processing facilities provided it is not used in areas where food is being processed, prepared or packaged. The material must also be applied in a manner which prevents any direct or indirect contamination of food. Additionally, before any food product can be placed in the area of treatment, the sealant must be allowed to cure according to manufacturer's recommendations and the area should be sufficiently free of odor to prevent food contamination.

Vulkem 45 SSL may be used in registered establishments operating under the **Canadian Food Inspection Agency**. The Canadian Food Inspection Agency has approved Vulkem 45 SSL for use in CFIA regulated facilities for situations involving non food contact.

In addition, Vulkem 45 SSL is listed with **Underwriters Laboratories** in the following systems:

FF-D-1062	FW-D-1058
HW-D-1053	WW-D-1053