

Tremco TPA Single Ply Roofing Systems Prefabricated Vent Pipe Boots

DESCRIPTION

The one-piece vent pipe boots are designed to fit circular roof penetrations 1 to 8" in diameter that provide top access. They are designed to add ease to the installation process while offering increased watertight security and improved aesthetics.

PRODUCT SPECS

Material: TPA unreinforced membrane

Size: Small - for 1" to 4" stacks, Large - for 4" to 8" stacks

APPLICATION

1. Existing Pipe Flashing must be removed.
2. Install plates and fasteners that secure field sheet as close to the penetration as possible.
3. Each boot is stepped in increments that will fit standard pipes. The top of the boot should be cut around the "step" which allows a stretch fit between the top of the boot over the stack.
4. Place the boot over the vent pipe.
5. Pull the flange down to the roof, stretching the collar portion around the vent pipe.
6. Inside the top of the boot shall be caulked to prevent water entry and a stainless steel hose clamp must be installed to secure the top edge of the boot to the vent pipe.
7. The flange of the boot is pre-scored and shall be cut at the circular score and then heat-welded (minimum 2") onto the TPA field membrane.
8. Do not split the boot. If the boot cannot be installed intact, use field fabricated flashing per Tremco details.
9. Tremco vent pipe boots can only be installed by hot-air heat-welding.

MAINTENANCE

Your local Tremco Roofing Sales Representative can provide you with effective maintenance procedures which may vary, depending upon specific conditions. Periodic inspections, early repairs and preventative maintenance are all part of a sound roof program.

PRECAUTIONS

Users must read container labels and Safety Data Sheets for health and safety precautions prior to use.

TECHNICAL SUPPORT

Your local Tremco Roofing Sales Representative, working with the Technical Service Staff, can help analyze conditions and needs to develop recommendations for special applications.



Roofing & Building Maintenance

www.tremcoroofing.com

3735 Green Road
Beachwood, Ohio 44122
1.800.852.6013

220 Wicksteed Avenue
Toronto, Ontario, M4H 1G7
1.800.668.9879

Tremco Roofing and Building
Maintenance is part of Tremco
Construction Products Group.

Tremco is a US Registered trademark of Tremco CPG Inc.

The information provided on this data page supersedes all previous data concerning this product and its application.

The Statements provided concerning the materials shown are intended solely as a general guide for material usage and are believed to be true and accurate. Since the manner of use is beyond our control, Tremco DOES NOT MAKE NOR DOES IT AUTHORIZE ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE, OR ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION, EXPRESSED OR IMPLIED, CONCERNING THIS MATERIAL EXCEPT THAT IT CONFORMS TO TREMCO'S PRODUCT SAMPLE. Buyer and user accept the product under those conditions and assume the risk of any failure, injury to person or property and loss or liability resulting from the handling, storage or use of the product, whether or not it is handled, stored, used in accordance with directions or specifications. UNDER NO CIRCUMSTANCE SHALL TREMCO BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES ARISING FROM ANY BREACH OF WARRANTY. IN ALL CASES, TREMCO'S LIABILITY IS LIMITED, AT TREMCO'S OPTION, TO THE REPLACEMENT OF GOODS, OR THEIR VALUE, PROVEN TO BE DEFECTIVE IN MANUFACTURING.