

LOW RISE FOAM INSUL. ADHESIVE PART "B"

Version 1.

REVISION DATE: 04/06/2011

Print Date 04/11/2011

SECTION 1 - PRODUCT IDENTIFICATION

Trade name Product code

COMPANY

Telephone

LOW RISE FOAM INSUL, ADHESIVE PART "B"

362300B405 :

: Tremco Incorporated 3735 Green Road

Cleveland, OH 44122

: (216) 292-5000 8:30 - 5:00 EST Emergency Phone:

: (216) 765-6727 8:30 - 5:00 EST After Hours: Chemtrec 1-800-424-9300

Product use

: Curative

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview

Colorless. Liquid solution. No serious effects anticipated under normal conditions of use. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation	:	No serious effects anticipated under normal conditions of use.
Eyes	:	Direct contact may cause mild irritation.
Ingestion	:	May cause gastrointestinal irritation, nausea, and vomiting.
Skin	:	May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

Chemical Name	CAS-No.	Weight %	
Polypropylene glycol	25322-69-4	> 60.0	
2-Dimethylaminoethanol	108-01-0	1.0 - 5.0	

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

: Flush with water for 15 minutes. If irritation persists, get medical attention. Eye contact

Wash area of contact thoroughly with hand cleaner followed by soap and water. If Skin contact : irritation, rash or other disorders develop, get medical attention immediately.

RPI Company



LOW RISE FOAM INSUL. ADHESIVE PART "B"

Version 1.

Print Date 04/11/2011

REVISION DATE: 04/06/2011

Ingestion

: Get medical attention. Do not induce vomiting.

SECTION 5 - FIRE FIGHTING MEASURES

Flash point Method Lower explosion limit	: : :	> 350 °F, > 177 °C Pensky-Martens Closed Cup Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	Use that which is appropriate to the surroundings.
Hazardous combustion products	:	Carbon monoxide and carbon dioxide can form.Smoke, fumes.
Protective equipment for firefighters	:	Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).
Fire and explosion conditions	:	This product not expected to ignite under normal conditions of use.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Transfer to appropriate container for disposal. Stop flow. Contain spill. Keep out of water courses. Absorb spill in sand, earth or other suitable material. Transfer to appropriate container for disposal. Use appropriate protective equipment. Avoid contact with material.

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions. Handle in compliance with common hygienic practices. Clean hands thoroughly after handling. Do not use in confined or poorly ventilated areas.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equipment

Respiratory protection	:	Not required under normal conditions of use.Wear appropriate, NIOSH/MSHA approved respirator with combination particulate filter and vapor/gas removing cartridge when the ventilation is not adequate or if it is necessary to abrade or grind surfaces coated with this product.
Hand protection	:	Use suitable impervious rubber or vinyl gloves and protective apparel to reduce exposure.
Eye protection	:	Wear appropriate eye protection.Wear chemical safety goggles and/or face shield to prevent eye contact. Do not wear contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye washing facilities readily available.
Skin and body protection	:	Not required.
Protective measures	:	Other equipment not normally required.Use professional judgment in the selection, care, and use.
Engineering measures	:	Not required under normal conditions of use.Use local exhaust when the general ventilation is inadequate.
RPTT Company		2/5



LOW RISE FOAM INSUL. ADHESIVE PART "B"

Version 1.

REVISION DATE: 04/06/2011

Exposure Limits

No known components with exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form	: Liquid solution
Color	: Colorless
Odor	: Polyether
рН	: 9-10
Vapour pressure	: Not available.
Vapor density	: Heavier than air
Melting point/range	: Not available.
Freezing point	: Not available.
Boiling point/range	: Not available.
Water solubility	: Dispersible
Specific Gravity	: 1.01
% Volatile Weight	: 0%

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid Stability

: Stable : Will not occur.

: Strong acids.Strong bases.

Hazardous polymerization

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local regulations., Dispose as hazardous waste according to all local, state, federal and provincial regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

TDG / DOT Shipping Description:

NOT REGULATED

An RPM Company

Print Date 04/11/2011



LOW RISE FOAM INSUL. ADHESIVE PART "B"

Version 1.

REVISION DATE: 04/06/2011

Print Date 04/11/2011

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory. This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components: None present or none present in regulated quantities.SARA 311/312 Hazards: Based on an evaluation of the components used, this product does not
contain hazardous ingredients identified as per 29 CFR 1910.1200

OSHA Hazardous Components :

OSHA Flammability : IIIB

When appropriately mixed with the other part, product has a VOC less water and exempt solvent of: 0 g/l $\,$

Regulatory VOC (less water and exempt solvent)	:	6 g/l
VOC Method 310	:	0 %

U.S. State Regulations:

MASS RTK Components	:	2-Dimethylaminoethanol	108-01-0
Penn RTK Components	:	Polypropylene glycol 2-Dimethylaminoethanol	25322-69-4 108-01-0
NJ RTK Components	:	Polypropylene glycol 2-Dimethylaminoethanol	25322-69-4 108-01-0

Components under California Proposition 65: None known.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

	0
Health	2
Flammability	0
Reactivity	0
PPE	

0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

RPI Company



LOW RISE FOAM INSUL. ADHESIVE PART "B"

Version 1. REVISION DATE: 04/06/2011 Print Date 04/11/2011

Prepared by: Rich Mikol

Legend

ACGIH - American Conference of Governmental Hygienists CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act DOT - Department of Transportation DSL - Domestic Substance List EPA - Environmental Protection Agency HMIS - Hazardous Materials Information System IARC - International Agency for Research on Cancer MSHA - Mine Safety Health Administration NDSL - Non-Domestic Substance List NIOSH - National Institute for Occupational Safety and Health NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit

RCRA - Resource Conservation and Recovery Act

RTK - Right To Know SARA - Superfund Amendments and Reauthorization Act STEL - Short Term Exposure Limit TLV - Threshold Limit Value TSCA - Toxic Substances Control Act TWA - Time Weighted Average V - Volume VOC - Volatile Organic Compound WHMIS - Workplace Hazardous Materials Information System