



100
YEARS
UNRIVALED

USG SHEETROCK BRAND

USG SHEETROCK PLUS 3

SHEETROCK BRAND ECO-SMART FIBERGLASS 30 5/8" X 48" TYPE A

**AN UNRIVALED FINISH.
EVERY TIME.**

USG SHEETROCK® BRAND INTERIOR FINISHING PRODUCTS

usg.com

USG
IT'S YOUR WORLD. BUILD IT.®



At USG, we know that settling for “good enough” is never an option. You need reliable, high-quality products that you can depend on every time.

For more than 100 years, USG has been the leading manufacturer of the highest-performing building materials within the industry. So you can trust that when you choose our products, you’re always getting the best possible quality.


We offer finishing products specifically designed to meet your needs, and a full portfolio that provides unique and adaptable solutions for a variety of environments.

Beyond outstanding products, we also offer expertise, technical support and nationwide availability. All driven by a dedication to finding solutions for you. Plus, we have the technology and manufacturing capabilities to ensure our products exceed industry standards before ever being used.

TABLE OF CONTENTS

	Finishing Solutions
7	Joint Compounds
13	Joint Tapes
15	Bead and Trim
	Surfacing Solutions
25	Interior Textures
27	Plaster
31	Plaster Accessories
	Preparation Solutions
33	Primers
	Sealants
	Interior Patch & Repair Solutions
36	Repair Products
37	USG Commodity Codes






AN UNRIVALED™ PORTFOLIO

Whether you prefer a lightweight, conventional weight, or airborne dust reducing joint compound, USG has a solution specifically formulated to meet your needs – wherever you are.

For more than 100 years, our customers have relied on USG to develop and deliver high-performing products. With nearly 200 years of combined formulation experience – and a manufacturing network that spans the country – USG Sheetrock® Brand Joint Compounds provide you with the largest portfolio in the industry, all backed by nationwide distribution.



USG MANUFACTURING LOCATIONS

Auburn, WA
Baltimore, MD
Bridgeport, AL
Cartersville, GA
Dallas, TX
Denver, CO
East Chicago, IN
Fort Dodge, IA
Galena Park, TX

Gypsum, OH
Jacksonville, FL
Phoenix, AZ
Port Reading, NJ
Shoals, IN
Sigurd, UT
Torrance, CA
Weirton, WV

*** REGIONS**

West
East

* For Bead and Trim products





FINISHING SOLUTIONS

Offering the industry's broadest selection of finishing solutions, our high-quality joint compounds, joint tapes, beads and trims deliver superior performance for every job, every time. Whether you're taping, applying a finish coat or patching a crack, there is a USG finishing product to meet your needs.

JOINT COMPOUNDS

READY-MIX JOINT COMPOUNDS

USG ready-mixed joint compounds are preferred for consistently high-quality work. Superior formulations are premixed to a creamy, smooth consistency and are essentially free of crater-causing air bubbles. USG ready-mixed joint compounds can be used in hand or machine-tool applications and offer excellent slip, bond, and easy workability.

Most USG joint compound products are GREENGUARD GOLD certified. Please review product data available at usg.com or usg.ecomedes.com for product specific compliance.



CONVENTIONAL WEIGHT

USG SHEETROCK® BRAND ALL PURPOSE JOINT COMPOUND		PRODUCT DATA
		• Combines single-package convenience with good taping and finishing performance • Recommended for skim coating and for laminating and repairing cracks in interior plaster and masonry not subject to moisture • Great open time and cold bond • Smooth and slick properties
AVAILABLE IN: 1.75 pt. tub, 3.5 qt. pail, 4.5 gal. pail, 3.5 gal. carton, 4.5 gal. carton*		
USG SHEETROCK® BRAND TOTAL™ JOINT COMPOUND		PRODUCT DATA
		• Smoother working and sands more easily than most other conventional-weight compounds • Offers excellent bond over bead, trim and fastener concealments • Special formulation is ideal for embedding tape and for filling, leveling and finishing over gypsum panel joints, fasteners, bead and trim
REGIONAL AVAILABILITY: Phoenix / Sigurd / Torrance		
AVAILABLE IN: 3.5 gal. carton		
USG SHEETROCK® BRAND TAPING JOINT COMPOUND		PRODUCT DATA
		• High-performance compound for embedding tape • Ideal for patching plaster cracks and for use on most gypsum board when maximum bond and crack resistance are essential • Best ready-mixed compound for laminating and is ideal for use in most major tools
REGIONAL AVAILABILITY: Auburn / Torrance		
AVAILABLE IN: 3.5 gal. carton		
USG SHEETROCK® BRAND TOPPING JOINT COMPOUND		PRODUCT DATA
		• Excellent finishing compound with superior crater resistance • Easily applied and sanded • Recommended for second and third coats • Note: Do not use to embed joint tape, to skim coat, or fill metal bead and trim
REGIONAL AVAILABILITY: Auburn / East Chicago / Fort Dodge / Gypsum / Phoenix / Sigurd / Torrance		
AVAILABLE IN: 4.5 gal. pail, 3.5 gal. carton		

* Packaging size availability may vary by market.

CONVENTIONAL WEIGHT CONT.

USG BEADEX® BRAND ALL PURPOSE JOINT COMPOUND	PRODUCT DATA
 • Combines single-package convenience with good taping and topping performance • Ideal for embedding and finishing, hand-applied simple texturing, skim coating, laminating and repairing cracks in interior plaster and masonry not subject to moisture	REGIONAL AVAILABILITY: Auburn AVAILABLE IN: 4.5 gal. pail, 3.5 gal. carton

USG BEADEX® BRAND TAPING JOINT COMPOUND	PRODUCT DATA
 • High-performance compound for embedding tape • Best ready-mixed compound for laminating • Recommended for skim coating on most gypsum board where maximum bond is essential	REGIONAL AVAILABILITY: Auburn AVAILABLE IN: 3.5 gal. carton

USG BEADEX® BRAND TOPPING JOINT COMPOUND	PRODUCT DATA
 • Excellent finishing compound with superior crater resistance • Recommended for second and third coats over USG Beadex® Brand Taping and All Purpose Compounds • Note: Do not use to embed joint tape or for the first coat over metal beads and trim	REGIONAL AVAILABILITY: Auburn AVAILABLE IN: 3.5 gal. carton

MIDWEIGHT

USG SHEETROCK® BRAND MIDWEIGHT™ JOINT COMPOUND	PRODUCT DATA
 • Provides superior working and sanding properties along with lower shrinkage for improved metal bead, trim, and fastener concealment • Weighs up to 15% less than conventional-weight compounds • Special formulation makes it ideal for embedding tape and for filling, leveling and finishing over gypsum panel joints • Excellent for skim coating and hand-applying simple textures	AVAILABLE IN: 4.5 gal. pail, 3.5 gal. carton, 4.5 gal. carton*

USG SHEETROCK® BRAND TOTAL™ LITE JOINT COMPOUND	PRODUCT DATA
 • Superior working qualities and good open time facilitates working back under fast drying conditions • Weighs up to 15% less than conventional-weight compounds • Easier working and sanding, and provides lower shrinkage for bead, trim and fastener concealments • Special formulation makes it ideal for embedding paper tape and for filling, leveling and finishing over gypsum panel joints, fasteners, bead and trim	REGIONAL AVAILABILITY: Sigurd / Torrance AVAILABLE IN: 3.5 gal. carton

* Packaging size availability may vary by market.

LIGHTWEIGHT

USG SHEETROCK® BRAND PLUS 3® JOINT COMPOUND	PRODUCT DATA
 • Weighs up to 25% less than conventional-weight compounds • Features good open time and less shrinkage • Requires one fewer coat over fasteners and bead, eliminating the need for taping and topping compounds • Sands with the ease of a topping compound and bonds like a taping compound	AVAILABLE IN: 3.5 qt. pail, 4.5 gal. pail, 3.5 gal. carton, 4.5 gal. carton*

USG SHEETROCK® BRAND DUST CONTROL JOINT COMPOUND	PRODUCT DATA
 • Unique formula binds up fine residue during sanding to form heavier particles that tend to fall to the floor instead of clouding the air • Requires only two coats over bead and fasteners • Bonds like a taping product for a tough, tight bond under most job conditions • Combines all-purpose, single-package convenience with optimum taping and topping performance	AVAILABLE IN: 1 qt. patch and repair tub, 3.5 qt. pail, 3.5 gal. pail, 3.5 gal. carton*

USG SHEETROCK® BRAND TAPING LITE JOINT COMPOUND	PRODUCT DATA
 • Weighs up to 40% less than conventional-weight taping compounds • For use in mechanical taping tools, as well as on most gypsum board when maximum bond and crack resistance are essential • Ultralightweight formulation is designed for mechanical tools and is less fatiguing for overhead applications • Superior slip and adhesion • Ideal for embedding paper joint tape	REGIONAL AVAILABILITY: East Chicago / Fort Dodge / Sigurd AVAILABLE IN: 4.5 gal. pail, 3.5 gal. carton, 4.5 gal. carton*

USG SHEETROCK® BRAND TOPPING LITE JOINT COMPOUND	PRODUCT DATA
 • Weighs up to 25% less than conventional-weight compounds • Provides increased crack resistance and is easier to sand • High-performance formulation makes it ideal for filling, leveling and finishing coats • Note: Do not use to embed joint tape, to skim coat or as a texture	REGIONAL AVAILABILITY: Sigurd / Torrance AVAILABLE IN: 3.5 gal. carton

USG SHEETROCK® BRAND ELITE FINISH JOINT COMPOUND	PRODUCT DATA
 • USG's latest premium, lightweight fill and finish compound • Weighs up to 40% less than conventional-weight compounds • Softer sanding and improved open time with a creamier flow and high slip • Note: Do not use to embed joint tape	REGIONAL AVAILABILITY: East Chicago / Fort Dodge AVAILABLE IN: 4.5 gal. carton, 3.5 gal. carton

* Packaging size availability may vary by market.

LIGHTWEIGHT CONT.

USG BEADEX® BRAND GOLD™ LITE JOINT COMPOUND	PRODUCT DATA
 • Weighs up to 30% less than conventional-weight compounds • Facilitates working back, even under fast-drying conditions, by providing more wet-edge life to prevent rolling and tearing of previously laid compound • Factory-controlled shrinkage results in finer finished work, but without the extra labor	REGIONAL AVAILABILITY: Auburn AVAILABLE IN: 3.5 gal. carton
USG BEADEX® BRAND ALL PURPOSE LITE JOINT COMPOUND	PRODUCT DATA
 • Combines all-purpose, single-package convenience with optimum taping and topping performance • Recommended for use as an embedding and finishing compound, bonds like a taping product, and provides a tough, tight bond under most job conditions	REGIONAL AVAILABILITY: Auburn / Phoenix AVAILABLE IN: 3.5 qt. pail, 4.5 gal. pail, 3.5 gal. carton
USG BEADEX® BRAND TOPPING LITE JOINT COMPOUND	PRODUCT DATA
 • Excellent finishing compound with superior crater resistance • Recommended for second and third coats over USG Beadex® Brand Taping Lite and All Purpose Lite Joint Compounds • Note: Do not use to embed joint tape, to skim coat or as a texture	REGIONAL AVAILABILITY: Auburn AVAILABLE IN: 3.5 gal. carton
USG BEADEX® BRAND TAPING LITE JOINT COMPOUND	PRODUCT DATA
 • Lightweight high-performance compound for embedding tape • Best ready-mixed compound for laminating • Ideal for skim coating on most gypsum board where maximum bond is essential	REGIONAL AVAILABILITY: Auburn AVAILABLE IN: 3.5 gal. carton
USG SOQUETE® JOINT COMPOUND	PRODUCT DATA
 • Economical and well-balanced compound • Weighs up to 15% less than conventional-weight compounds, making handling and applying easier and faster • Provides low shrinkage for metal bead, trim and fastener concealments • Ideal for first coat over metal, finishing, skim coating and simple hand-applied texturing	REGIONAL AVAILABILITY: Dallas / Galena Park / Phoenix / Torrance AVAILABLE IN: 3.5 gal. carton


* Packaging size availability may vary by market.

ULTRALIGHTWEIGHT

USG SHEETROCK® BRAND ULTRALIGHTWEIGHT JOINT COMPOUND	PRODUCT DATA
 • Weighs up to 40% less than conventional-weight compounds • Superior formulation provides enhanced working properties and improved slip for easy application • Provides excellent taping performance and tough finished surface, yet is easy to sand • Great for use in mechanical tools	AVAILABLE IN: 4.5 gal. pail, 3.5 gal. carton, 4.5 gal. carton*

■ DRYING-TYPE JOINT COMPOUNDS

USG drying-type joint compounds are high-quality compounds that provide easy mixing, smooth application and ample working time. These compounds are ideal for embedding tape, fill coats and finishing over drywall joints, corner bead, trim and fasteners.

USG SHEETROCK® BRAND ALL PURPOSE JOINT COMPOUND	PRODUCT DATA
 • All-around performer for drywall finishing • Good taping and topping in one product • Also ideal for texturing	REGIONAL AVAILABILITY: Dallas / Gypsum / Phoenix / Sigurd AVAILABLE IN: 25 lb. bag
USG SHEETROCK® BRAND A/P LITE® JOINT COMPOUND	PRODUCT DATA
 • Weighs up to 20% less than conventional-weight compounds • Lower shrinkage, better crack resistance • Easier mixing, application and sanding	REGIONAL AVAILABILITY: Jacksonville / Phoenix AVAILABLE IN: 20 lb. bag

* Packaging size availability may vary by market.

SETTING-TYPE JOINT COMPOUNDS

USG setting-type joint compounds provide faster finishing of drywall interiors, even under slow drying conditions. Rapid chemical hardening and low shrinkage permit same-day finishing and usually next-day decoration. These products feature exceptional bond; virtually unaffected by humidity extremes. They are ideal for laminating double-layer systems, particularly fire-rated assemblies, and for adhering gypsum panels to above-grade concrete surfaces. May also be used for surface texturing and for filling, smoothing and finishing interior above-grade concrete. Note that setting-type joint compounds should not be used for skim coating due to dryout concerns.

USG SHEETROCK® BRAND EASY SAND™ JOINT COMPOUND	PRODUCT DATA
 • For one-day patching and joint finishing and next-day decoration • Weighs up to 25% less than conventional setting-type compounds • Easy to sand • Provides low shrinkage and a superior bond • Ideal for laminating drywall and patching plaster surfaces	AVAILABLE IN: 5-, 20-, 45-, 90- and 210-minute working times; 3 lb. resealable bag (Only 5- and 90-minute working time) 18 lb. bag

USG SHEETROCK® BRAND DURABOND® JOINT COMPOUND	PRODUCT DATA
 • Exceptional bond with low shrinkage • Same-day finishing and next-day decorating possible • Excellent check-crack resistance in heavy fills • Unique resistance to humidity	AVAILABLE IN: 20-, 45-, 90- and 210-minute working times; 25 lb. bag

USG BEADEX® BRAND SILVER SET™ JOINT COMPOUND	PRODUCT DATA
 • Weighs up to 28% less than conventional setting-type compounds • Ideal for heavy fills and virtually unaffected by humidity • Low shrinkage and superior bond, which make it excellent for laminating gypsum panels to sound-deadening boards and to above-grade concrete surfaces • Can also be used for filling, smoothing and finishing interior concrete ceilings and above-grade concrete; taping and finishing gypsum panels, under tile and for finishing joints in exterior gypsum ceiling boards	REGIONAL AVAILABILITY: Auburn AVAILABLE IN: 5-, 20-, 40- and 90-minute working times; 18 lb. bag

CONCRETE FINISHING COMPOUNDS

USG SHEETROCK® BRAND COVER COAT® JOINT COMPOUND	PRODUCT DATA
 • For filling and smoothing monolithic concrete ceilings and columns located above grade • Easily applied—no extra bonding agent needed • Dries to a fine white decorative surface • Also ideal for drywall tape embedding and first coat over bead	REGIONAL AVAILABILITY: Baltimore / Port Reading / East Chicago / Jacksonville AVAILABLE IN: 4.5 gal. pail, 4.5 gal. carton*

* Packaging size availability may vary by market.

JOINT TAPES

PAPER JOINT TAPES

From the originator of modern joint finishing, USG reinforcing tapes add strength and crack resistance for smooth concealment at flat joints and inside corners. USG joint tapes are high quality, easily applied, and available for specialized uses.

USG Sheetrock® Brand Joint Paper Tape is manufactured with a unique, strong, cross-fibered tape for use with USG joint compounds in reinforcing joints and corners in gypsum panels. Paper joint tape is ideal with both drying- and setting-type compounds, as it reinforces the joint compound in compression, bending and shear, and will prevent visible cracking.

All Sheetrock® Brand Joint Tape products are available in the East Region. All Beadex® Brand Joint Tape products are available in the West Region. Please refer back to page 5 for regional details.

USG SHEETROCK® BRAND PAPER JOINT TAPE	PRODUCT DATA
 • Superior center creasing for trouble-free corner finishing • High strength to resist tearing, stretching or wrinkling • Processed for superior bond • Wafer thin for easy joint treatment • Meets ASTM C475, Type I	AVAILABLE IN: 75' roll, 250' roll, 500' roll; 2-1/16" wide

USG SHEETROCK® BRAND HEAVY JOINT TAPE	PRODUCT DATA
 • Superior center creasing for trouble-free corner finishing • High strength to resist tearing, stretching or wrinkling • Higher cross direction strength • Meets ASTM C475, Type II	AVAILABLE IN: 250' roll, 500' roll; 2-1/16" wide

USG BEADEX® BRAND DRYWALL JOINT TAPE	PRODUCT DATA
 • Superior center creasing for trouble-free corner finishing • High strength to resist tearing, stretching or wrinkling • Processed for superior bond • Wafer thin for easy joint treatment • Meets ASTM C475, Type I	AVAILABLE IN: 75' roll, 250' roll, 500' roll; 2-1/16" wide

FIBERGLASS JOINT TAPES

USG Sheetrock® Brand Fiberglass Joint Tape is made with a unique cross-fiber construction to provide greater drywall joint strength than conventional fiberglass leno-weave mesh tapes. This self-adhesive tape goes on quickly, eliminating the bedding coat. Finished joints are accomplished in two coats by using setting-type joint compound. It is not recommended to use drying-type compounds with fiberglass tape.

USG SHEETROCK® BRAND FIBERGLASS JOINT TAPE	PRODUCT DATA
 • Self-adhesive tape—no bedding coat needed • Smooth joints in only two coats • Use with setting-type joint compounds for one-day joint finishing • Meets ASTM C475, Type II • Meets ASTM D3273 for mold resistance	AVAILABLE IN: 75' roll, 250' roll; 1-7/8" wide, 2-1/2" wide

USG BEADEX® BRAND MESH TAPE	PRODUCT DATA
 • Pressure-sensitive adhesive backing permits quick, self-stick, hand application • Creates a tough, durable and crack-resistant veneer plaster assembly • Provides an excellent surface for keying plaster during embedding due to open weave	AVAILABLE IN: 150' roll in 1-7/8" wide; 75' roll, 300' roll in 2" wide

USG IMPERIAL® TAPE: TYPE P & TYPE S	PRODUCT DATA
 • Type S for staple attachment is available in 2-1/2" wide • Type P for pressure-sensitive attachment is available in two sizes: 2" and 2-1/2" wide • Open weave of tape provides excellent keying of plaster during embedding • Produces highly crack-resistant veneer plaster assemblies	AVAILABLE IN: 300' roll; 2" wide, 2-1/2" wide

BEAD AND TRIM

PAPER-FACE METAL CORNER

For the most cost-effective, problem-free, beautiful corners, choose USG Sheetrock® and Beadex® Brand Paper-Faced Metal Corner Bead and Trim. Fast, easy installation means reduced labor costs, while superior product performance eliminates costly job callbacks, saving money and ensuring customer satisfaction. With the tape-on versions, nailing is not required, so installation and corner alignment are easier, and there are no nails to pop when wood framing shrinks. Nail-on versions of the bead and trim are designed for applications where nailing or other mechanical fastening is desired. They use the same paper-faced metal technology to provide excellent bond adhesion qualities for joint compounds, textures and paints. The unique green “nose coating” on the paper tape covering resists scuffing and fuzzing from knives and sanding. The paper tape covering ensures excellent adhesion of joint compounds, textures and paints for a strong, smooth finish.

USG Sheetrock® and Beadex® Brand Paper-Faced Metal Corner Bead and Trim provide superior resistance to edge cracking and chipping for a look that stays beautiful despite the stresses of normal building movement and everyday wear and tear. In fact, USG warrants that its beads and trims will not edge crack for the lifetime of the structure using recommended application techniques.


All Sheetrock® Brand Bead and Trim products are available in the East Region. All Beadex® Brand Bead and Trim products are available in the West Region. Please refer back to page 5 for regional details.

90° AND OFFSET OUTSIDE CORNER BEAD

USG SHEETROCK® BRAND
PAPER-FACED METAL CORNER
BEAD OUTSIDE CORNER,
TAPE-ON (B1W, B1XW, B1XXW,
B1 SUPER WIDE)


Use for 90° outside corners. Suitable for use on any thickness of wallboard.
Standard lengths: 8', 9', 10'. Meets ASTM C1047.

ALSO AVAILABLE IN USG
BEADEX® BRAND



DIMENSIONS				
STYLE	A	B	C	D
B1W	3/4"	13/16"	9/16"	3/4"
B1W EL	3/4"	11/16"	11/16"	3/4"
B1XW	5/8"	15/16"	15/16"	5/8"
B1XW EL	5/8"	13/16"	13/16"	5/8"
B1XW NB	5/8"	15/16"	11/16"	5/8"
B1XW ELNB	5/8"	13/16"	13/16"	5/8"
B1 Super Wide	11/16"	1-1/16"	1-1/16"	11/16"
B1XXW EL*	3/4"	1-1/4"	1-1/4"	3/4"


Note: XW = Extra Wide; XXW = Extra Extra Wide; EL = Even Leg; NB = No Bead.
* Only available in Beadex brand.




USG SHEETROCK® BRAND
PAPER-FACED METAL CORNER
BEAD OUTSIDE CORNER,
TAPE-ON (MICRO BEAD)

Designed with a wider 1" by 1" profile that's easier to install on all cut edges. Reduced bead height results in less use of joint compound. In most cases, reduces the amount of compound needed by one coat. Standard lengths: 8', 10', 12'. Meets ASTM C1047.

ALSO AVAILABLE IN USG
BEADEX® BRAND



DIMENSIONS				
STYLE	A	B	C	D
Micro Bead	3/4"	15/16"	15/16"	3/4"




* For regional map please refer to page 5

90° AND OFFSET OUTSIDE CORNER BEAD CONT.

USG SHEETROCK® BRAND
PAPER-FACED METAL CORNER
BEAD OFFSET OUTSIDE,
CORNER, TAPE-ON (B1 OS)


ALSO AVAILABLE IN USG
BEADEX® BRAND




Designed for 135° corners. Offset bead is designed to give a true offset corner with a smaller bead height requiring less compound to finish. Can be used on any thickness of wallboard. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

DIMENSIONS				
STYLE	A	B	C	D
B1 OS	5/8"	3/4"	1/2"	5/8"

Note: OS = Offset




USG BEADEX® BRAND PAPER-
FACED METAL CORNER BEAD
OUTSIDE CORNER, NAIL-ON
(ULTRA BEAD)




Use for applications where nailing or other mechanical fastening is required. Can be fastened to 1/2" or 5/8" drywall with nails, staples or screws. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

DIMENSIONS				
STYLE	A	B		
Ultra Bead	1-1/4"	1-1/4"		




USG BEADEX® BRAND PAPER-
FACED METAL CORNER BEAD
OUTSIDE CORNER,
TAPE-ON (MEGA BEAD)



Use for 90° outside corners. Suitable for use on any thickness of wallboard. Standard lengths: 8', 10'. Meets ASTM C1047.


DIMENSIONS				
STYLE	A	B	C	D
Mega Bead	3/4"	15/16"	15/16"	3/4"



90° AND OFFSET INSIDE CORNER


USG SHEETROCK® BRAND
PAPER-FACED METAL CORNER
TRIM INSIDE CORNER, TAPE-
ON (B2)

ALSO AVAILABLE IN USG
BEADEX® BRAND




Designed to form a true inside (90°) corner. For use with any thickness of wallboard. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

DIMENSIONS				
STYLE	A	B	C	D
B2	5/8"	3/8"	3/8"	5/8"



USG SHEETROCK® BRAND
PAPER-FACED METAL CORNER
TRIM OFFSET INSIDE CORNER,
TAPE-ON (B2 OS)


ALSO AVAILABLE IN USG
BEADEX® BRAND



Designed for a 135° offset angle on inside corners greater than 90°. For use on any thickness of wallboard. Standard lengths: 8', 9', 10'.

DIMENSIONS				
STYLE	A	B	C	D
B2 OS	5/8"	5/8"	5/8"	5/8"


Note: OS = Offset



SOFTLINE BULLNOSE AND OFFSET OUTSIDE CORNER BEAD


USG SHEETROCK® BRAND
PAPER-FACED METAL CORNER
BEAD 3/4" BULLNOSE OUTSIDE
CORNER, TAPE-ON (SLOC)

ALSO AVAILABLE IN USG
BEADEX® BRAND



Designed for 135° offset angles. Speeds application and eliminates need on framing members for fastening corners. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

DIMENSIONS			
STYLE	A	RADIUS	B
SLOC	5/8"	3/4"	5/8"




SOFTLINE BULLNOSE AND OFFSET OUTSIDE CORNER BEAD CONT.

USG SHEETROCK® BRAND
PAPER-FACED METAL CORNER
BEAD 1" BULLNOSE OFFSET
OUTSIDE CORNER, TAPE-ON
(SLOC OS)


Installs easily to form a smooth rounded outside corner. The 3/4" radius can be used for 1/2" or 5/8" drywall. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

ALSO AVAILABLE IN USG
BEADEX® BRAND




DIMENSIONS			
STYLE	A	RADIUS	B
SLOC OS	3/4"	1"	3/4"

Note: OS = Offset




USG BEADEX® BRAND PAPER-
FACED METAL CORNER BEAD
1-1/2" BULLNOSE OUTSIDE
CORNER, TAPE-ON (DANISH™)

Bead is similar to the SLOC series, except for a 1-1/2" radius. Can be used for 1/2" or 5/8" drywall. Standard lengths: 10'. Meets ASTM C1047.




DIMENSIONS			
STYLE	A	RADIUS	B
Danish™	3/4"	1-1/2"	3/4"



USG SHEETROCK® BRAND
PAPER-FACED METAL CORNER
BEAD 3/4" BULLNOSE OUTSIDE
CORNER, TAPE-ON (SANTA
FE™)

Provides economical alternative for bullnose corners. Suitable for use on any thickness of wallboard. Standard lengths: 8', 9', 10'.

ALSO AVAILABLE IN USG
BEADEX® BRAND




DIMENSIONS			
STYLE	A	RADIUS	B
Santa Fe™	5/8"	3/4"	5/8"



USG SHEETROCK® BRAND
PAPER-FACED METAL CORNER
BEAD 1/2" BULLNOSE OUTSIDE
CORNER, TAPE-ON (BABY
BULL®)

Provides a narrower finished look with a smaller radius compared to other bullnose profiles. Also excellent for trimming around windows. Can be applied over 1/2" or 5/8" drywall. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

ALSO AVAILABLE IN USG
BEADEX® BRAND



DIMENSIONS			
STYLE	A	RADIUS	B
Baby Bull®	5/8"	1/2"	5/8"




SOFTLINE BULLNOSE AND OFFSET OUTSIDE CORNER BEAD CONT.

USG SHEETROCK® BRAND
PAPER-FACED METAL CORNER
BEAD 3/4" BULLNOSE OUTSIDE
CORNER, NAIL-ON (SLOC N)

Use for smooth, rounded corners where nailing or other mechanical fastening is required. Can be fastened to 1/2" or 5/8" drywall with nails, staples or screws. Standard lengths: 8', 9', 10'. Meets ASTM C1047.


*USG SHEETROCK® BRAND ONLY AVAILABLE IN PREMASKED L (5/8")

ALSO AVAILABLE IN USG
BEADEX® BRAND




DIMENSIONS			
STYLE	A	RADIUS	B
SLOC N	9/16"	3/4"	9/16"

Note: OS = Offset




USG BEADEX® BRAND PAPER-
FACED METAL CORNER BEAD
3/4" BULLNOSE OUTSIDE
CORNER, NAIL-ON (SANTA
FE™ N)

Provides economical alternate for bullnose corners. Can be fastened with nails or screws. Standard lengths: 8', 9', 10'. Meets ASTM C1047.




DIMENSIONS			
STYLE	A	RADIUS	
Santa Fe™ N	5/8"	3/4"	

Note: N = Nail-On




USG BEADEX® BRAND PAPER-
FACED METAL CORNER BEAD
3/4" BULLNOSE OUTSIDE
CORNER, NAIL-ON (SLOC NXW)

Use for applications where nailing or other mechanical fastening is required. Creates 135° offset outside corner. Standard lengths: 8', 9', 10'. Meets ASTM C1047.



DIMENSIONS		
STYLE	A	RADIUS
SLOC NXW	7/8"	3/4"


Note: NXW = Nail-On Extra Wide



USG BEADEX® BRAND PAPER-
FACED METAL CORNER BEAD
3/4" BULLNOSE OFFSET
OUTSIDE CORNER, TAPE-ON
(BABY BULL® OS)


Provides economical alternate for bullnose corners. Can be fastened to nails or screws. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

AVAILABLE IN WEST
REGION ONLY



DIMENSIONS			
STYLE	A	RADIUS	B
Baby Bull® OS	5/8"	3/4"	5/8"

Note: OS = Offset




SOFTLINE BULLNOSE AND OFFSET OUTSIDE CORNER BEAD CONT.

USG BEADEX® BRAND PAPER-FACED METAL CORNER BEAD 1" BULLNOSE OFFSET OUTSIDE CORNER, NAIL-ON (SLOC NOS)


Use for applications where nailing or other mechanical fastening is required. Creates 135° offset outside corner. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

Narrower bullnose "look" designed for 135° outside corner offsets. Standard lengths: 8', 10'. Meets ASTM C1047.




DIMENSIONS			
STYLE	A	RADIUS	B
SLOC NOS	1-1/16"	1"	1-1/16"

Note: NOS = Nail-On Offset




USG BEADEX® BRAND PAPER-FACED METAL CORNER BEAD 1/2" BULLNOSE OUTSIDE CORNER, NAIL-ON (BABY BULL® N)

Provides a narrower finished look with a smaller radius compared to other bullnose profiles. Also excellent for trimming around windows. Use where nailing or other mechanical fastening is required. Standard lengths: 8', 9', 10'. Meets ASTM C1047.



DIMENSIONS			
STYLE	A	RADIUS	B
Baby Bull® N	3/4"	1/2"	3/4"

Note: N = Nail-On




L-TRIMS

USG SHEETROCK® BRAND PAPER-FACED METAL TRIM "L" SHAPED, TAPE-ON (B4 SERIES)


Use where wallboard abuts with suspended ceilings, beams, plaster, masonry and concrete walls, as well as untrimmed door and window jambs. Standard lengths: 8', 9', 10'. Meets ASTM C1047, with the exception of B4 (1/2") and B4 NB (1/2").

ALSO AVAILABLE IN USG BEADEX® BRAND




DIMENSIONS			
STYLE	A	B	C
B4 (1/2")	1/2"	15/16"	1-5/16"
B4 (5/8")	5/8"	13/16"	1-5/16"
B4 (1")	1"	15/16"	1-3/8"
B4 NB (1/2")	1/2"	15/16"	1-5/16"
B4 NB (5/8")	5/8"	13/16"	1-5/16"

Note: NB = No Bead




USG BEADEX® BRAND PAPER-FACED METAL TRIM PREMASKED "L" SHAPED, TAPE-ON (PREMASKED L)

Provides a serrated paper strip that protects the adjacent surface of ceiling or wall intersection during finishing and decorating applications. Simply tear away the protective strip after the job is completed, leaving virtually no cleanup to the adjacent surface. No bead. Standard lengths: 8', 10'. Meets ASTM C1047.



DIMENSIONS				
STYLE	A	B	C	D
Premasked L (1/2")	1/2"	7/8"	1-5/16"	1-11/16" tear off
Premasked L (5/8")*	5/8"	3/4"	1-5/16"	1-11/16" tear off




J-TRIMS


USG SHEETROCK® BRAND PAPER-FACED METAL TRIM "J" SHAPED, TAPE-ON (B9)

Tape-on "J"-shaped trim completely surrounds the rough edge of the wallboard, providing a strong and clean corner. Tape-on application eliminates frustration with nailing and nail shrink back. Can be used for finishing off bifold closet doors, as well as under all door and window encasements, and to finish rough drywall ends. Standard lengths: 7', 8', 10'.

ALSO AVAILABLE IN USG BEADEX® BRAND
*USG SHEETROCK BRAND ONLY AVAILABLE IN B9 J (1/2")



DIMENSIONS				
STYLE	A	B	C	D
B9J (1/2")	1/2"	9/16"	5/8"	1-1/16"
B9J (5/8")	1/2"	5/8"	9/16"	1-1/16"




*USG SHEETROCK® BRAND ONLY AVAILABLE IN B9 J (1/2")

REVEAL TRIMS

USG® BEADEX® BRAND PAPER-FACED METAL TRIM REVEAL, TAPE-ON (REVEAL NB)

This modified tape-on “L”-shaped trim solves a variety of problems associated with reveal details on soffits, wall areas, ceilings, light boxes and other interior architectural components. Reveal NB features a paper flange on both trim legs. The additional paper flange eliminates the need to caulk the edge of reveal details, providing a cleaner and straighter line. Available only in No Bead. Standard lengths: 10’. Meets ASTM C1047.



DIMENSIONS				
STYLE	A	B	C	D
Reveal NB (1/2")	15/16"	1/2"	1/2"	3/4"
Reveal NB (5/8")	15/16"	5/8"	5/8"	5/8"


Note: NB = No Bead



USG BEADEX® BRAND SHADOWLINE, TAPE-ON REVEAL TRIM

Designed to provide a reveal or “Shadowline” where wallboard abuts with a suspended ceiling. Standard lengths: 10’. Meets ASTM C1047.

DIMENSIONS				
STYLE	A	B	C	D
SL (1/2")	1/2"	1/2"	15/16"	1-1/4"
SL (5/8")	5/8"	5/8"	7/8"	15/16"




TAPE-ON FLEXIBLE OUTSIDE AND INSIDE CORNER BEAD



USG SHEETROCK® BRAND FLEXIBLE METAL TAPE-ON CORNER BEAD, TAPE-ON FLEXIBLE CORNER (FLEX TAPE)

Can be formed to fit any inside or outside angle. Available in 2-1/16" width that has two 7/16"-wide galvanized rust-resistant steel strips with a 1/16" gap between the strips. Product is suitable for any thickness of wallboard. Available in 100’ rolls.

ALSO AVAILABLE IN USG BEADEX® BRAND




DIMENSIONS				
STYLE	A	B	C	D
Flex Tape (2-1/16")	9/16"	7/16"	7/16"	9/16"



TAPE-ON FLEXIBLE OUTSIDE AND INSIDE CORNER BEAD CONT.


USG SHEETROCK® BRAND B1 FLEXIBLE METAL CORNER, TAPE-ON OUTSIDE FLEXIBLE CORNER (B1 BEADED FLEX)

ALSO AVAILABLE IN USG BEADEX® BRAND



Proprietary style designed specifically to make straight, strong outside corner angles. Available in 3" width and manufactured with two 3/4" galvanized steel strips laminated to paper tape with a flexible gap between the strips. B1 Beaded Flex has a unique raised bead (nose) in the flexible gap to provide faster, easier finishing with joint compound. For use on any wallboard thickness. Standard lengths: 8’, 9’, 10’. Meets ASTM C1047.


DIMENSIONS				
STYLE	A	B	C	D
B1 Beaded Flex (3")	11/16"	3/4"	3/4"	11/16"



METAL CORNER BEAD

Metal corner bead provides protection and neat finished edges for corners, gypsum panels at window and door jambs, ceiling angles and intersections where panels abut other materials.

USG SHEETROCK® BRAND DUR-A-BEAD® CORNER BEAD



Durable metal bead that’s manufactured with galvanized steel. Installs easily by crimping or nailing to steel or wood framing through panels. Protects external corners, angles and panel intersections in drywall construction, and is concealed with our joint compounds, delivering a smooth, finished corner that protects from impact. Standard lengths: 8’, 9’, 10’, 12’. Meets ASTM C1047.

*Limited availability on East Coast



SURFACING SOLUTIONS

USG offers a wide variety of textures and finishes to hide minor surface blemishes and provide distinctive interior styling. These products are fast and easy to apply and quick drying, saving labor time to preserve job profits.

INTERIOR TEXTURES

POWDER TEXTURES

USG powder textures provide an economical interior wall and ceiling solution for a wide range of patterns. Conveniently packaged in bags, these textures allow you to transport more at once and require less storage space.

USG SHEETROCK® BRAND QT POLY CEILING SPRAY TEXTURE: FINE, MEDIUM AND COARSE		PRODUCT DATA
	• For striking acoustical appearance on interior ceilings	AVAILABLE IN: 32 lb. bag, 40 lb. bag
	• Ideal for new construction and for renewing old ceilings	
	• Hides minor surface defects with an attractive texture	
	• Choice of three high-style finishes	
	• Easy-pumping, low-cost spray application	
USG SHEETROCK® BRAND SPRAY TEXTURE: UNAGGREGATED		PRODUCT DATA
	• For a variety of light, appealing textures in interiors, including spatter and spatter/knockdown	AVAILABLE IN: 50 lb. bag
	• Superior open time for hand-tooled knockdown finishes	
	• Excellent surface relief (standout), low shrinkage	
	• Not washable unpainted—overpaint when dry	
USG SHEETROCK® BRAND TUF-TEX® WALL AND CEILING TEXTURE		PRODUCT DATA
	• For diverse texture patterns from bold spatter/knockdown to light orange peel	AVAILABLE IN: 50 lb. bag
	• Conceals minor surface defects	
	• Spray, brush or roller application	
	• Dries to a hard white finish—overpaint when dry	
USG BEADEX® BRAND QUICK SPRAY DECORATIVE TEXTURE		PRODUCT DATA
	• Designed for spray application over gypsum panels and most other interior wall and ceiling surfaces where moderate to bold texture patterns are desired	REGIONAL AVAILABILITY: Auburn AVAILABLE IN: Unaggregated; 50 lb. bag
	• Dries to a firm, soft-tone white surface	
	• Provides lower shrinkage than texturing with joint compound	

READY-MIXED TEXTURES

Ideal for repair and remodel projects, USG ready-mixed textures eliminate the screening of lumps that occur in the mixing process, which means less wear and tear on equipment.

USG SHEETROCK® BRAND SPRAY TEXTURE	PRODUCT DATA
 • Spray texture with ready-mixed convenience • For a variety of light, appealing textures in interiors, such as spatter, spatter/knockdown and orange peel • Excellent surface relief (standout); low shrinkage • Not washable unpainted—overpaint when dry	REGIONAL AVAILABILITY: Fort Dodge / Dallas / Galena Park / Phoenix / Sigurd / Torrance / Auburn AVAILABLE IN: 3.5 gal. carton, 4.5 gal. carton
USG SHEETROCK® BRAND TEXOLITE® SANDED PASTE STIPPLE	PRODUCT DATA
 • Provides a fine, light sand finish • Latex formula dries to a durable, natural white finish • Conceals minor surface defects • Spray, brush or roller applied	REGIONAL AVAILABILITY: Port Reading / East Chicago / Gypsum AVAILABLE IN: 1 gal. pail, 5 gal. pail
USG SHEETROCK® BRAND SAND FINISH PAINT ADDITIVE	PRODUCT DATA
 • For creating textured walls and ceilings • Also ideal for creating a non-skid surface on decks, steps, etc. • Works in all paints and varnishes—oil-based or latex-based interior or exterior • Amount used can be varied to provide a customized texture • Remains suspended during application to ensure a uniform finish	REGIONAL AVAILABILITY: East Chicago / Fort Dodge / Gypsum AVAILABLE IN: 8 oz. tub, 30 oz. box
USG BEADEX® BRAND FASTEX™ WALL AND CEILING SPRAY TEXTURE	PRODUCT DATA
 • Vinyl formulation for texturing interior, above-grade surfaces • Designed for spray application over gypsum panel, concrete, and most other interior wall and ceiling surfaces where moderate to bold texture patterns are desired • Dries to a white surface, but should be overpainted when dry	REGIONAL AVAILABILITY: Auburn AVAILABLE IN: 3.5 gal. carton

PLASTER

VENEER PLASTER FINISHES AND BASECOATS

USG veneer plaster systems offer the opportunity to trim days from interior finishing schedules and provide strong, highly abrasion-resistant surfaces. These products are designed for one- or two-coat work over gypsum bases or directly to concrete block or properly prepared monolithic concrete. Both one- or two-coat applications offer a truly monolithic surface that is superior for critical light conditions.


Plaster products are GREENGUARD certified and qualify as low VOC emitting materials (CDPH Standard Method V1.1, also known as CA Section 01350).



VENEER FINISHES

USG DIAMOND® VENEER FINISH AND USG DIAMOND® VENEER FINISH - SANDED	PRODUCT DATA
 • For economical, abrasion-resistant walls and ceilings • Excellent for texturing • Finish coat for one- and two-coat veneer plaster systems • Fast drying—permits next-day decorating • USG Diamond® Veneer Finish - Sanded is preaggregated for convenience and higher productivity	AVAILABLE IN: 50 lb. bag
USG IMPERIAL® VENEER FINISH	PRODUCT DATA
 • For strong, abrasion-resistant interior finishes • Durable and stable, especially in high-traffic areas • Usually ready for next-day decoration with a latex-based breather-type paint • When used with USG Imperial® Gypsum Base, provides fire resistance	AVAILABLE IN: 50 lb. bag
USG APEX™ VENEER FINISH	PRODUCT DATA
 • Versatile, fuller bodied veneer finish plaster that may be textured, floated or finished smooth • One- and two-coat veneer plaster systems • Easy mixing • Extended set • Fast applying—permits next-day decorating	AVAILABLE IN: 50 lb. bag
USG NORFOLK™ VENEER FINISH	PRODUCT DATA
 • Versatile veneer plaster that may be finished smooth, float or textured • Provides white finish that may be left undecorated if found acceptable (painting recommended) • Fast finishing, usually ready for next-day decoration with a latex-base breather-type paint (PVA paints not recommended)	AVAILABLE IN: 50 lb. bag

VENEER BASECOATS

USG DIAMOND® VENEER BASECOAT	PRODUCT DATA
 • For economical two-coat residential and light-commercial applications • Superior workability for faster, easier application • Excellent base for a variety of plaster finishes • High coverage—as much as 4,000 to 5,000 sq. ft. per ton	AVAILABLE IN: 50 lb. bag
USG IMPERIAL® VENEER BASECOAT	PRODUCT DATA
 • Durable and stable, especially in high-traffic areas • Permanent bond • When used with USG Imperial® Gypsum Base, provides fire resistance • Can be applied direct to concrete block or over a bonding agent to monolithic concrete	AVAILABLE IN: 50 lb. bag

CONVENTIONAL PLASTER FINISHES AND BASECOATS

USG conventional plaster systems provide the highest-quality finish and the capability to create complex high-end surfaces such as vaults, domes and columns. These products feature excellent acoustical performance, proven fire resistance, increased abuse resistance and design flexibility, and are the best system to attain a uniform, monolithic, blemish-free, smooth surface with excellent wear resistance.

CONVENTIONAL FINISHES

USG RED TOP® GAUGING PLASTER: QUICK SET, SLOW SET AND PERLITE AGGREGATE	PRODUCT DATA
 • Mixes smoothly and easily • Provides smooth-trowel or sand-float lime-putty finishes for normal interior walls and ceilings • Produces hard, crack and abrasion-resistant surfaces	AVAILABLE IN: 50 lb. bag
USG STRUCTO-GAUGE® GAUGING PLASTER: QUICK SET AND SLOW SET	PRODUCT DATA
 • For filling and smoothing monolithic concrete ceilings and columns located above grade • Easily applied—no extra bonding agent needed • Dries to a fine white decorative surface • Also ideal for drywall tape embedding and first coat over bead	AVAILABLE IN: 50 lb. bag

USG RED TOP® FINISH PLASTER	PRODUCT DATA
 • For finishing conventional and veneer plaster interior surfaces • Factory-prepared for trouble-free mixing • Excellent smoothness and troweling characteristics • Consistent lime/gauging ratio	AVAILABLE IN: 50 lb. bag
USG RED TOP® KEENES CEMENT	PRODUCT DATA
 • For blending with lime putty to create a durable, high-crack-resistant finish • Retemperable; can be floated for an extended time period • Permits mixing large batches and job finishing when sand-float finished	AVAILABLE IN: 50 lb. bag

CONVENTIONAL BASECOATS

USG STRUCTO-LITE® BASECOAT PLASTER	PRODUCT DATA
 • Mill-mixed perlite-aggregate gypsum plaster; requires only the addition of water at the job site • Ideal where it is not desirable to mix aggregate with plaster on the job • Lightweight plaster; weighs less than half as much as sanded plaster • Excellent for areas requiring highly insulated plaster	AVAILABLE IN: 50 lb. bag
USG STRUCTO-BASE® GYPSUM PLASTER	PRODUCT DATA
 • For extremely high-strength conventional plaster applications • Develops higher strengths than conventional plasters (up to 2,800 psi compressive strength) • Ideal for high-abuse areas, such as handball courts, security walls, hospital corridors and schools • Recommended over metal lath with scratch and brown coats mixed 2 cu. ft. sand to 100 lbs. plaster	AVAILABLE IN: 50 lb. bag

CONVENTIONAL BASECOASTS CONT.

USG RED TOP® GYPSUM PLASTER	PRODUCT DATA
 • Multipurpose conventional basecoat plaster applications • The most popular conventional gypsum basecoat plaster in the building industry • For hand or machine application, or both; for use with sand or lightweight aggregates • For plaster wall and ceiling assemblies requiring high fire-resistant and sound-isolating performance	AVAILABLE IN: 50 lb. bag
USG RED TOP® GYPSUM PLASTER: WOOD FIBER	PRODUCT DATA
 • For plaster wall and ceiling assemblies requiring high fire-resistant and sound-isolating performance • Ideal as a scratch coat for metal lath applications • Contains fine particles of selected wood fiber, needs addition of water only • Develops higher strength than standard gypsum plasters	AVAILABLE IN: 50 lb. bag

PLASTER ACCESSORIES

When conditions exist that affect the adhesion or the normal setting time of conventional plasters, veneer plasters, lime finish plasters and setting-type joint compounds, USG offers special additives in a variety of high-performance formulations.

USG GYPSUM PLASTER RETARDER: STANDARD STRENGTH	PRODUCT DATA
 • For slowing the setting time of conventional plasters, veneer plasters, lime finish plasters and setting-type joint compounds • Easily disperse into mixing water for quick addition to plaster mix • Available in a Standard Strength formulation	AVAILABLE IN: 2.5 lb. resealable pouch
USG GYPSUM PLASTER ACCELERATOR: STANDARD STRENGTH	PRODUCT DATA
 • For reducing the setting time of plasters and setting-type joint compounds • Available in a Standard Strength formulation to meet accelerated setting requirements • Easy to use	AVAILABLE IN: 3 lb. resealable pouch
USG PLASTER BONDER: PINK AND CLEAR	PRODUCT DATA
 • Provides enhanced and fortified adhesion to a wide variety of sound substrates • Compatible with a large assortment of gypsum- and cement-based plasters • Easily applied by brush, roller or spray to a uniform continuous film • Clear or tinted to allow easy visual inspection when required • Film dries quickly for same-day use, or may be left unplastered for up to 10 days	AVAILABLE IN: 1 gal. resealable container, 5 gal. pail

PREPARATION SOLUTIONS

Proper preparation is essential for producing the best possible painted finish. Also important for a superior paint job is the equalization of both the porosity and surface texture to minimize decorating problems. USG preparation solutions ensure your interiors are perfectly smooth and free of pockmarks, fine ridges and scuffed paper from sanding, providing a solid foundation for a superior finish.

PRIMERS

Whether you're skim coating an entire surface or spray applying a primer, USG primers and primer-surfacers minimize decorating problems and help achieve a superior paint job over interior gypsum board, wood and concrete surfaces.

USG SHEETROCK® BRAND FIRST COAT™ PRIMER



- Ideal primecoat for interior gypsum board and concrete surfaces
- Equalizes surface absorption and texture variations of substrate to minimize decorating problems
- Apply with brush, roller or spray equipment
- Dries white in less than 30 minutes—top coat in an hour

PRODUCT DATA

AVAILABLE IN:
1 gal. pail, 5 gal. pail

USG SHEETROCK® BRAND TUFF-HIDE™ PRIMER-SURFACER



- Achieves a Level 5 finish faster
- High build spray for a smoother, more beautiful finish
- Durable coating hides minor surface defects
- Excellent for critical light areas
- Ideal finish for ceilings
- Dries white, can be tinted to match final top coat

PRODUCT DATA

AVAILABLE IN:
5 gal. pail

SEALANTS

Applying sealant has proven to be the most cost-effective way to seal assemblies and prevent sound transmission. USG offers a variety of high-performing, resilient acoustical and Firecode® sealants that are approved for use in all Underwriters Laboratories Inc. (UL) fire-rated assemblies without affecting fire ratings.

Sealant products are GREENGUARD GOLD certified and qualify as low VOC emitting materials (CDPH Standard Method V1.1, also known as CA Section 01350).



USG SHEETROCK® BRAND ACOUSTICAL SEALANT



- Excellent sound-blocking material (supports high STC ratings)
- Superior performance as a fire caulk in UL Classified joint and through-penetration firestop systems
- Ideal for use in smoke and/or sound assemblies
- Meets ASTM C834 specifications for latex sealants
- Grade -18°C (0°F) low temperature flexibility, strong bond
- Low VOC

PRODUCT DATA

AVAILABLE IN:
29 oz. cartridge, 5 gal. pail

SEALANTS CONT.

USG SHEETROCK® BRAND FIRECODE® SMOKE-SOUND SEALANT	PRODUCT DATA
 • Superior performance as a fire caulk in UL Classified joint systems and through-penetration systems • Ideal for use in smoke and/or sound assemblies • Sound-blocking acoustical sealant (supports high STC ratings) • Highly elastic for permanent flexibility and seal • Meets ASTM C834	AVAILABLE IN: 29 oz. cartridge

USG SHEETROCK® BRAND FIRECODE® COMPOUND	PRODUCT DATA
 • For use in providing firestop systems for floor and wall penetrations and head-of-wall construction joints • Nontoxic; flame spread 0, smoke developed 0 when tested per ASTM E84 • Mixes quickly with water • Complies with ASTM E814, CAN 4-S115 and UL 2079; recognized by ICBO (ER-5050)	AVAILABLE IN: 15 lb. bag

INTERIOR PATCH & REPAIR SOLUTIONS

Finished interior walls are subject to abuse and damage from time to time. USG has developed a line of repair products to deal with a variety of holes, cracks, dents and abrasions.

REPAIR PRODUCTS

USG SHEETROCK® BRAND PLASTER OF PARIS



- For patching interior drywall and plaster walls and ceilings
- Sets hard in 30–50 minutes
- Can be used for casting, modeling and sculpting forms

PRODUCT DATA

AVAILABLE IN:
3 lb. resealable pouch, 25 lb. bag

USG SHEETROCK® BRAND DRYWALL REPAIR CLIPS



- For fast, easy drywall repair of large holes (over 2") and areas damaged by water
- When used with fire-rated drywall, meets building code requirements for repairing one-hour fire-rated drywall partitions
- Suitable for both 1/2" and 5/8" drywall

PRODUCT DATA

AVAILABLE IN:
6 clips, 12 drywall screws

USG SHEETROCK® BRAND DUST CONTROL PATCH AND REPAIR COMPOUND



- Unique formula binds up fine residue during sanding to form heavier particles that tend to fall to the floor instead of clouding the air
- Requires only two coats over bead and fasteners
- Bonds like a taping product for a tough, tight bond under most job conditions
- Combines all-purpose, single-package convenience with optimum taping and topping performance
- Easy to work from mud pan and knife

PRODUCT DATA

AVAILABLE IN:
1 qt. tub

USG SHEETROCK® BRAND EASY SAND™ JOINT COMPOUND



- For one-day patching and joint finishing and next-day decoration
- Weighs up to 25% less than conventional setting-type compounds
- Easy to sand
- Provides low shrinkage and a superior bond
- Ideal for laminating drywall and patching plaster surfaces

PRODUCT DATA

AVAILABLE IN:
5- and 90-minute working times;
3 lb. resealable pouch

USG COMMODITY CODES

READY-MIXED JOINT COMPOUNDS

CONVENTIONAL WEIGHT

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand All Purpose Joint Compound	1.75 pt. tub	380270	6	72 cartons
USG Sheetrock® Brand All Purpose Joint Compound	3.5 qt. pail	385140	4	45 cartons
USG Sheetrock® Brand All Purpose Joint Compound	4.5 gal. pail	380501	–	48
USG Sheetrock® Brand All Purpose Joint Compound	3.5 gal. carton	380122	–	48
USG Sheetrock® Brand All Purpose Joint Compound	4.5 gal. carton	381450	–	48
USG Sheetrock® Brand Total™ Joint Compound	3.5 gal. carton	385240	–	48
USG Sheetrock® Brand Taping Joint Compound	3.5 gal. carton	385242	–	48
USG Sheetrock® Brand Topping Joint Compound	4.5 gal. pail	380051	–	48
USG Sheetrock® Brand Topping Joint Compound	3.5 gal. carton	385236	–	48
USG Beadex® Brand All Purpose Joint Compound	4.5 gal. pail	388558	–	48
USG Beadex® Brand All Purpose Joint Compound	3.5 gal. carton	385252	–	48
USG Beadex® Brand Taping Joint Compound	3.5 gal. carton	385256	–	48
USG Beadex® Brand Topping Joint Compound	3.5 gal. carton	385254	–	48

MIDWEIGHT

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Midweight™ Joint Compound	4.5 gal. pail	380417	–	48
USG Sheetrock® Brand Midweight™ Joint Compound	3.5 gal. carton	380423	–	64
USG Sheetrock® Brand Midweight™ Joint Compound	4.5 gal. carton	380427	–	48 or 64
USG Sheetrock® Brand Total™ Lite Joint Compound	3.5 gal. carton	380281	–	64

LIGHTWEIGHT

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Plus 3® Joint Compound	3.5 qt. pail	384013	4	45 cartons
USG Sheetrock® Brand Plus 3® Joint Compound	4.5 gal. pail	381466	–	48 or 72 unit pallet
USG Sheetrock® Brand Plus 3® Joint Compound	3.5 gal. carton	383640	–	64
USG Sheetrock® Brand Plus 3® Joint Compound	4.5 gal. carton	380285	–	48 or 64
USG Sheetrock® Brand Plus 3® Joint Compound	4.5 gal. carton (tinted)	383645	–	48 or 64
USG Sheetrock® Brand Elite Finish Joint Compound	3.5 gal. carton	380278	–	64
USG Sheetrock® Brand Elite Finish Joint Compound	4.5 gal. carton	380279	–	64
USG Sheetrock® Brand Elite Finish Joint Compound	4.5 gal. carton (tinted)	380273	–	64
USG Sheetrock® Brand Dust Control Patch and Repair Compound	1 qt. tub	380138	4 or 6	48 or 65 cartons
USG Sheetrock® Brand Dust Control Joint Compound	3.5 qt. pail	384014	4	45 cartons
USG Sheetrock® Brand Dust Control Joint Compound	3.5 gal. pail	380059	–	48
USG Sheetrock® Brand Dust Control Joint Compound	3.5 gal. carton	380609	–	64
USG Sheetrock® Brand Taping Lite Joint Compound	4.5 gal. pail	384448	–	48
USG Sheetrock® Brand Taping Lite Joint Compound	3.5 gal. carton	385244	–	64
USG Sheetrock® Brand Taping Lite Joint Compound	4.5 gal. carton	380128	–	64
USG Sheetrock® Brand Topping Lite Joint Compound	3.5 gal. carton	385248	–	64
USG Beadex® Brand All Purpose Lite Joint Compound	3.5 qt. pail	384015	4	45 cartons
USG Beadex® Brand All Purpose Lite Joint Compound	4.5 gal. pail	380604	–	48
USG Beadex® Brand All Purpose Lite Joint Compound	3.5 gal. carton	385258	–	64
USG Beadex® Brand Gold™ Lite Joint Compound	3.5 gal. carton	385284	–	64
USG Beadex® Brand Taping Lite Joint Compound	3.5 gal. carton	385264	–	64
USG Beadex® Brand Topping Lite Joint Compound	3.5 gal. carton	385262	–	64
USG Soquete™ Joint Compound	3.5 gal. carton	380066	–	64

ULTRALIGHTWEIGHT

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand UltraLightweight Joint Compound	4.5 gal. pail	381903	–	48
USG Sheetrock® Brand UltraLightweight Joint Compound	3.5 gal. carton	381901	–	64
USG Sheetrock® Brand UltraLightweight Joint Compound	4.5 gal. carton	381902	–	48 or 64

DRYING-TYPE JOINT COMPOUNDS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand All Purpose Joint Compound	25 lb. bag	383700	–	60 or 120
USG Sheetrock® Brand A/P Lite® Joint Compound	20 lb. bag	380081	–	120

SETTING-TYPE JOINT COMPOUNDS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Easy Sand™ 5 Joint Compound	3 lb. resealable bag	384024	6	48 cartons
USG Sheetrock® Brand Easy Sand™ 90 Joint Compound	3 lb. resealable bag	384025	6	48 cartons
USG Sheetrock® Brand Easy Sand™ 5 Joint Compound	18 lb. bag	384150	–	60 or 120
USG Sheetrock® Brand Easy Sand™ 20 Joint Compound	18 lb. bag	384214	–	60 or 120
USG Sheetrock® Brand Easy Sand™ 45 Joint Compound	18 lb. bag	384210	–	60 or 120
USG Sheetrock® Brand Easy Sand™ 90 Joint Compound	18 lb. bag	384211	–	60 or 120
USG Sheetrock® Brand Easy Sand™ 210 Joint Compound	18 lb. bag	384212	–	60 or 120
USG Sheetrock® Brand Durabond® 20 Joint Compound	25 lb. bag	380581	–	60 or 120
USG Sheetrock® Brand Durabond® 45 Joint Compound	25 lb. bag	381110	–	60 or 120
USG Sheetrock® Brand Durabond® 90 Joint Compound	25 lb. bag	381630	–	60 or 120
USG Sheetrock® Brand Durabond® 210 Joint Compound	25 lb. bag	381710	–	120
USG Beadex® Brand Silver Set™ 5 Joint Compound	18 lb. bag	384153	–	48
USG Beadex® Brand Silver Set™ 20 Joint Compound	18 lb. bag	385266	–	48
USG Beadex® Brand Silver Set™ 40 Joint Compound	18 lb. bag	385268	–	48
USG Beadex® Brand Silver Set™ 90 Joint Compound	18 lb. bag	385272	–	48

CONCRETE FINISHING COMPOUNDS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Cover Coat® Compound	4.5 gal. pail	380951	–	48
USG Sheetrock® Brand Cover Coat® Compound	4.5 gal. carton	380910	–	48

JOINT TAPES

PAPER JOINT TAPES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Paper Joint Tape	75' roll; 2-1/16" wide	380041	24	100 cartons
USG Sheetrock® Brand Paper Joint Tape	250' roll; 2-1/16" wide	382175	20	36 cartons
USG Sheetrock® Brand Paper Joint Tape	500' roll; 2-1/16" wide	382198	10	40 cartons
USG Sheetrock® Brand Heavy Joint Tape	250' roll; 2-1/16" wide	382178	20	54 cartons
USG Sheetrock® Brand Heavy Joint Tape	500' roll; 2-1/16" wide	382199	10	40 cartons
USG Beadex® Brand Drywall Joint Tape	75' roll; 2-1/16" wide	380054	24	100 cartons
USG Beadex® Brand Drywall Joint Tape	250' roll; 2-1/16" wide	380046	20	36 cartons
USG Beadex® Brand Drywall Joint Tape	500' roll; 2-1/16" wide	380057	10	40 cartons
USG Beadex® Brand Perforated Drywall Joint Tape	500' roll; 2-1/16" wide	380050	10	40 cartons

FIBERGLASS JOINT TAPES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Fiberglass Joint Tape	75' roll; 1-7/8" wide	385170	24	60
USG Sheetrock® Brand Fiberglass Joint Tape	250' roll; 1-7/8" wide	385200	20	36
USG Sheetrock® Brand Fiberglass Joint Tape	250' roll; 2-1/2" wide	385201	20	36
USG Beadex® Brand Mesh Tape	75' roll; 2" wide	385173	30	36
USG Beadex® Brand Mesh Tape	300' roll; 2" wide	385191	28	28
USG Imperial® Tape: Type S	300' roll; 2-1/2" wide	364800	12	54
USG Imperial® Tape: Type P	300' roll; 2" wide	364850	12	54
USG Imperial® Tape: Type P	300' roll; 2-1/2" wide	364820	12	54

BEAD AND TRIM

90° AND OFFSET OUTSIDE CORNER BEAD

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (BIW)	8', 9', 10', 12'	280380	50	60
USG Sheetrock® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (BIXW EL)	7', 8', 9', 10', 12'	280350	50	
USG Sheetrock® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (BIXW ELNB)	8', 9', 10'	280330	50	60
USG Sheetrock® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (B1 Super Wide)	8', 10', 12'	280460	50	60
USG Sheetrock® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (Micro Bead)	8', 9', 10'	280270	50	60
USG Sheetrock® Brand Paper-Faced Metal Corner Bead Offset Outside Corner, Tape-On (B1 OS)	6', 7', 8', 9', 10', 12'	280280	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (BIW)	8', 9', 10', 12'	285740	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (BIW EL)	7', 8', 9', 10', 12'	680051	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (BIXW)	8', 9', 10'	285730	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (BIXW EL)	8', 9', 10', 12'	285720	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (B1XXW EL)	8', 9', 10', 12'	285610	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (B1XW ELNB)	8', 9', 10'	285850	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (B1 Super Wide)	7', 8', 9', 10', 12'	285780	50	54
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (Micro Bead)	8', 9', 10', 12'	285670	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner, Tape-On (Mega Bead)	8', 10'	285620	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead Offset Outside Corner, Tape-On (B1 OS)	8', 9', 10'	285650	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead Outside Corner, Nail-On (Ultra Bead)	8', 9', 10'	288300	50	60

90° AND OFFSET INSIDE CORNER

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Paper-Faced Metal Corner Trim Inside Corner, Tape-On (B2)	8', 9', 10'	281530	50	60
USG Sheetrock® Brand Paper-Faced Metal Corner Trim Offset Inside Corner, Tape-On (B2 OS)	8', 9', 10'	281520	50	60
USG Beadex® Brand Paper-Faced Metal Corner Trim Inside Corner, Tape-On (B2)	8', 9', 10'	287910	50	60
USG Beadex® Brand Paper-Faced Metal Corner Trim Offset Inside Corner, Tape-On (B2 OS)	8', 9', 10'	287920	50	60

SOFTLINE BULLNOSE AND OFFSET OUTSIDE CORNER BEAD

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner, Tape-On (SLOC)	8', 9', 10'	280320	50	60
USG Sheetrock® Brand Paper-Faced Metal Corner Bead 1" Bullnose Offset Outside Corner, Tape-On (SLOC OS)	8', 9', 10'	280310	50	60
USG Sheetrock® Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner, Tape-On (Santa Fe™)	8', 9', 10'	280450	50	60
USG Sheetrock® Brand Paper-Faced Metal Corner Bead 1/2" Bullnose Outside Corner, Tape-On (Baby Bull®)	8', 9', 10'	280260	50	60
USG Sheetrock® Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner, Nail-On (SLOC N)	8', 9', 10'	281740	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner, Tape-On (SLOC)	7', 8', 9', 10', 12'	285700	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead 1" Bullnose Offset Outside Corner, Tape-On (SLOC OS)	8', 9', 10'	285690	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead 1-1/2" Bullnose Outside Corner, Tape-On (Danish™)	10'	285680	25	54

USG Beadex® Brand Paper-Faced Metal Corner Bead 1/2" Bullnose Outside Corner, Tape-On (Baby Bull®)	7', 8', 9', 10'	285640	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead 1/2" Bullnose Offset Outside Corner, Nail-On (Baby Bull® N)	8', 9', 10'	288970	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Offset Outside Corner, Tape-On (Baby Bull® OS)	8', 10'	288980	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner, Tape-On (Santa Fe™)	7, 8', 9', 10'	285760	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner, Nail-On (SLOC N)	8', 9', 10', 12'	288270	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead 1/2" Bullnose Offset Outside Corner, Tape-On (SLOC NOS)	8', 9', 10'	288280	50	60
USG Beadex® Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner, Nail-On (SLOC NXW)	8', 9', 10', 12'	288290	50	54
USG Beadex® Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner, Nail-On (Santa Fe™ N)	8', 9', 10'	288260	50	60

L-TRIMS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Paper-Faced Metal Trim "L" Shaped, Tape-On (B4 1/2")	8', 9', 10'	281490	50	60
USG Sheetrock® Brand Paper-Faced Metal Trim "L" Shaped, Tape-On (B4 5/8")	8', 9', 10'	281480	50	60
USG Sheetrock® Brand Paper-Faced Metal Trim "L" Shaped, Tape-On (B4 NB 1/2")	8', 9', 10'	281440	50	60
USG Sheetrock® Brand Paper-Faced Metal Trim "L" Shaped, Tape-On (B4 NB 5/8")	8', 9', 10'	281450	50	60
USG Beadex® Brand Paper-Faced Metal Trim "L" Shaped, Tape-On (B4 1/2")	7', 8', 9', 10', 12'	287940	50	60
USG Beadex® Brand Paper-Faced Metal Trim "L" Shaped, Tape-On (B4 5/8")	7', 8', 9', 10'	287960	50	60
USG Beadex Brand Paper-Faced Metal Trim "L" Shaped, Tape-On (B4 1")	8', 10'	287990	50	60
USG Beadex® Brand Paper-Faced Metal Trim "L" Shaped, Tape-On (B4 NB 1/2")	8', 9', 10', 12'	287930	50	60
USG Beadex® Brand Paper-Faced Metal Trim "L" Shaped, Tape-On (B4 NB 5/8")	8', 9', 10', 12'	287970	50	60
USG Beadex® Brand Paper-Faced Metal Trim Premasked "L" Shaped, Tape-On (Premasked L 1/2")	8', 10'	288160	50	60
USG Beadex® Paper-Faced Metal Trim Premasked "L" Shaped, Tape-On (Premasked L 5/8")	8', 10'	288180	50	60

J-TRIMS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Paper-Faced Metal Trim "J" Shaped, Tape-On (B9J 1/2")	7', 8', 10'	281560	50	60
USG Beadex® Brand Paper-Faced Metal Trim "J" Shaped, Tape-On (B9J 1/2")	7', 8', 9', 10'	288000	25	54
USG Beadex® Brand Paper-Faced Metal Trim "J" Shaped, Tape-On (B9J 5/8")	7', 8', 10'	288010	25	54

REVEAL TRIMS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Beadex® Brand Paper-Faced Metal Trim Reveal, Tape-On (Reveal NB 1/2")	10'	288020	50	60
USG Beadex® Brand Paper-Faced Metal Trim Reveal, Tape-On (Reveal NB 5/8")	10'	288030	50	60
USG Beadex® Brand Shadowline, Tape-On Reveal (SL 1/2")	10'	288040	50	60
USG Beadex® Brand Shadowline, Tape-On Reveal (SL 5/8")	10'	288050	50	60

TAPE-ON FLEXIBLE OUTSIDE AND INSIDE CORNER BEAD

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Flexible Metal Tape-On Corner Bead, Tape-On Flexible Corner (Flex Tape 2-1/16")	25' roll, 100' roll	388810	10	40
USG Sheetrock® Brand B1 Flexible Metal Corner, Tape-On Outside Flexible Corner (B1 Beaded Flex)	8', 9', 10'	280430	50	60
USG Beadex® Brand Flexible Metal Tape-On Corner Bead, Tape-On Flexible Corner (Flex Tape 2-1/16")	25' roll, 100' roll	285870	10	24
USG Beadex® Brand B1 Flexible Metal Corner, Tape-On Outside Flexible Corner (B1 Beaded Flex)	8', 9', 10'	285750	50	56

METAL CORNER BEAD

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Dur-A-Bead® Corner Bead (No. 103)	8', 9', 10', 12'	283990	Varies by length	42

INTERIOR TEXTURES

POWDER TEXTURES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand QT Poly Ceiling Spray Texture: Fine	40 lb. bag	540500	–	60
USG Sheetrock® Brand QT Poly Ceiling Spray Texture: Medium	32 lb. bag	542860	–	28 or 48
USG Sheetrock® Brand QT Poly Ceiling Spray Texture: Medium	40 lb. bag	540795	–	32 or 60
USG Sheetrock® Brand QT Poly Ceiling Spray Texture: Coarse	32 lb. bag	542095	–	28 or 48
USG Sheetrock® Brand QT Poly Ceiling Spray Texture: Coarse	40 lb. bag	540790	–	32 or 60
USG Sheetrock® Brand Spray Texture: Unaggregated (Red)	50 lb. bag	545341	–	50
USG Sheetrock® Brand Spray Texture: Unaggregated (Gray)	50 lb. bag	545347	–	32 or 60

USG Sheetrock® Brand Spray Texture: Unaggregated (Blue)	50 lb. bag	544343	–	50
USG Sheetrock Brand Spray Texture Unaggregated (Brown)	50 lb. bag	545330	–	32 or 50
USG Sheetrock® Brand Tuf-Tex® Wall and Ceiling Texture	50 lb. bag	540901	–	32 or 60
USG Beadex® Brand Quick Spray Decorative Texture	50 lb. bag	385274	–	32 or 50

READY-MIXED TEXTURES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Spray Texture	3.5 gal. carton	540750	–	48
USG Sheetrock® Brand Spray Texture	4.5 gal. carton	540752	–	48
USG Sheetrock® Brand TexoLite® Sanded Paste Stipple	1 gal. pail	545600	4	45 cartons
USG Sheetrock® Brand TexoLite® Sanded Paste Stipple	5 gal. pail	545601	–	32 or 48
USG Sheetrock® Brand Sand Finish Paint Additive	8 oz. tub	380301	12	72 cartons
USG Sheetrock® Brand Sand Finish Paint Additive	30 oz. box	380300	6	36 cartons
USG Beadex® Brand FastTex™ Wall and Ceiling Spray Texture	3.5 gal. carton	385276	–	48

PLASTER

VENEER FINISHES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Diamond® Veneer Finish	50 lb. bag	162640	–	63
USG Diamond® Veneer Finish - Sanded	50 lb. bag	161980	–	63
USG Imperial® Veneer Finish	50 lb. bag	164949	–	63
USG Apex™ Veneer Finish	50 lb. bag	162101	–	63
USG Norfolk™ Veneer Finish	50 lb. bag	165650	–	63

VENEER BASECOATS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Diamond® Veneer Basecoat	50 lb. bag	162681	–	63
USG Imperial® Veneer Basecoat	50 lb. bag	164849	–	63

CONVENTIONAL FINISHES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Red Top® Gauging Plaster: Quick Set	50 lb. bag	163351	–	63
USG Red Top® Gauging Plaster: Slow Set	50 lb. bag	163352	–	63
USG Red Top® Gauging Plaster: Perlite Aggregate	50 lb. bag	163842	–	56
USG Structo-Gauge® Gauging Plaster: Quick Set	50 lb. bag	162581	–	63
USG Structo-Gauge® Gauging Plaster: Slow Set	50 lb. bag	162582	–	63
USG Red Top® Finish Plaster	50 lb. bag	162850	–	63
USG Red Top® Keenes Cement	50 lb. bag	165450	–	63

CONVENTIONAL BASECOATS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Structo-Lite® Basecoat Plaster	50 lb. bag	163841	–	40
USG Structo-Base® Gypsum Plaster	50 lb. bag	161410	–	63
USG Red Top® Gypsum Plaster	50 lb. bag	163840	–	63
USG Red Top® Gypsum Plaster: Wood Fiber	50 lb. bag	167780	–	63

PLASTER ACCESSORIES

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Gypsum Plaster Retarder: Standard Strength	2.5 lb. resealable pouch	160217	6	48 cartons
USG Gypsum Plaster Accelerator: Standard Strength	3 lb. resealable pouch	160216	6	48 cartons
USG Plaster Bonder: Clear	1 gal. resealable container	160206	6	36 cartons
USG Plaster Bonder: Clear	5 gal. pail	160207	–	42
USG Plaster Bonder: Pink	1 gal. resealable container	161200	6	36 cartons
USG Plaster Bonder: Pink	5 gal. pail	161201	–	42

PRIMERS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand First Coat™ Primer	1 gal. pail	544825	4	45 cartons
USG Sheetrock® Brand First Coat™ Primer	5 gal. pail	544822	–	48
USG Sheetrock® Brand Tuff-Hide™ Primer-Surfacer	5 gal. pail	542728	–	48

SEALANTS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Acoustical Sealant	29 oz. cartridge	030250	12	60 cartons
USG Sheetrock® Brand Acoustical Sealant	5 gal. pail	030260	–	48
USG Sheetrock® Brand Firecode® Compound	15 lb. bag	380020	–	120
USG Sheetrock® Brand Firecode® Smoke-Sound Sealant	29 oz. cartridge	030265	12	60 cartons

REPAIR PRODUCTS

Product	Available In	Commodity Code	Quantity per Carton	Quantity per Pallet
USG Sheetrock® Brand Plaster of Paris	3 lb. resealable pouch	380364	6	48 cartons
USG Sheetrock® Brand Plaster of Paris	25 lb. bag	380261	–	60 or 120 cartons
USG Sheetrock® Brand Drywall Repair Clips	6 clips, 12 drywall screws	380161	8 zip strips/carton (6 pieces/zip strip)	–
USG Sheetrock® Brand Dust Control Patch and Repair Compound	1 qt. tub	380138	4 or 6	48 or 65 cartons
USG Sheetrock® Brand Easy Sand™ 5 Joint Compound	3 lb. resealable pouch	384024	6	48 cartons
USG Sheetrock® Brand Easy Sand™ 90 Joint Compound	3 lb. resealable pouch	384025	6	48 cartons



CONTACT INFORMATION

Manufactured by
United States Gypsum Company
550 West Adams Street
Chicago, IL 60661

PRODUCT INFORMATION

See usg.com for the most up-to-date product information.

CUSTOMER SERVICE

800 950-3839

TECHNICAL SERVICE

800 USG.4YOU (874-4968)

WEBSITES

usg.com
usgdesignstudio.com

J1424/rev. 10-20

© 2020 USG Corporation and/or its affiliates.
All rights reserved.

The trademarks USG, A/P LITE, APEX, BABY BULL, BEADEX, COVER COAT, DANISH, DIAMOND, DUR-A-BEAD, DURABOND, EASY SAND, FASTEX, FIRECODE, FIRST COAT, GOLD, IMPERIAL, MAC, MIDWEIGHT, NORFOLK, PLUS 3, RED TOP, SANTA FE, SELECT, SHEETROCK, SILVER SET, SOQUETE, STRUCTO-BASE, STRUCTO-GAUGE, STRUCTO-LITE, TEXOLITE, TOTAL, TUF-TEX, TUFF-HIDE, VLS, IT'S YOUR WORLD. BUILD IT., the USG logo, the design elements and colors, and related marks are trademarks of USG Corporation or its affiliates.

The trademark BAZOOKA is a trademark of Axia Acquisition Corporation.

NOTE

Products described here may not be available in all geographic markets. Consult your USG sales office representative for information.

The information in this document is subject to change without notice. USG Corporation assumes no responsibility for any errors that may inadvertently appear in this document.

NOTICE

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered.

SAFETY FIRST!

Follow good safety and industrial hygiene practices during handling and installation of all products and systems. Take necessary precautions and wear the appropriate personal protective equipment as needed. Read Safety Data Sheets and related literature on products before specification and/or installation.

