

BEADEx<sup>®</sup> Brand

USG

paper faced  
metal bead  
and trim



For the most beautiful, cost-effective, problem-free corners, the logical choice is BEADEX paper faced metal bead and trim. Fast, easy installation means reduced labor costs, while superior product performance eliminates costly job callbacks, saving money and ensuring customer satisfaction. With the tape-on versions, nailing is not required, so installation and corner alignment are easier, and there are no nails to pop when wood framing shrinks. The paper tape covering ensures excellent adhesion of joint compounds, textures and paints for a strong, smooth finish.

BEADEX paper faced metal bead and trim provides superior resistance to edge cracking and chipping for a look that stays beautiful despite the stresses of normal building movement and everyday wear and tear. In fact, USG warrants that BEADEX paper faced metal tape-on bead and trim will not edge crack for the lifetime of the structure using recommended application techniques (refer to warranties J1713 (tape-on bead) or J1720 (nail-on bead) for full warranty details). The unique “nose coating” on the paper tape covering resists scuffing and fuzzing from knives and sanding.

Nail-on versions of the bead and trim are designed for applications where nailing or other mechanical fastening is desired. They use the same paper faced metal technology to provide excellent bond adhesion qualities for joint compounds, textures and paints.



For technical product information, refer to BEADEX paper faced metal bead and trim submittal sheet (J1646).

# Paper Faced Metal Bead and Trim

## 90° and Offset Outside Corner Bead

### BEADEX® Paper Faced Metal Outside Corner, Tape-On Bead (B1W, B1XW, B1 Super Wide)

Use for 90° outside corners. Suitable for use on any thickness of wallboard. Standard lengths: 8', 9', 10'.




Style	Dimensions			
	A	B	C	D
B1W	3/4"	13/16"	9/16"	3/4"
B1W EL	3/4"	11/16"	11/16"	3/4"
B1XW	5/8"	15/16"	11/16"	5/8"
B1XW EL	5/8"	13/16"	13/16"	5/8"
B1XW NB	5/8"	15/16"	11/16"	5/8"
B1XW ELNB	5/8"	13/16"	13/16"	5/8"
B1 Super Wide*	11/16"	1-1/16"	1-1/16"	11/16"

Note: XW = Extra Wide; EL = Even Leg; NB = No Bead.


\* Does not meet ASTM C1047

### BEADEX® Paper Faced Metal Outside Corner, Tape-On Bead (MICRO BEAD™)

Designed with a wider 1" by 1" profile that's easier to install on all cut edges. Reduced bead height results in less use of joint compound. In most cases, reduces the amount of compound needed by one coat. Standard lengths: 8', 10'.




Style	Dimensions			
	A	B	C	D
MICRO BEAD	3/4"	15/16"	15/16"	3/4"




### BEADEX® Paper Faced Metal Offset Outside Corner, Tape-On Bead (B1 OS)

Designed for 135° corners. Offset bead is designed to give a true offset corner with a smaller bead height requiring less compound to finish. Can be used on any thickness of wallboard. Standard lengths: 8', 9', 10'.




Style	Dimensions			
	A	B	C	D
B1 OS	5/8"	3/4"	1/2"	5/8"

Note: OS = Offset




### BEADEX® Paper Faced Metal Outside Corner, Nail-On Bead (ULTRA BEAD™)

Use for applications where nailing or other mechanical fastening is required. Has wider flanges for easier nailing and maximum corner coverage. Can be fastened to 1/2" or 5/8" drywall with nails, staples, or screws. Does not meet ASTM C1047. Standard lengths: 8', 9', 10'.




Style	Dimensions	
	A	B
ULTRA BEAD	1-1/4"	1-1/4"



**90° and Offset  
Inside Corner**

**BEADEX Paper Faced Metal  
Inside Corner, Tape-On Trim  
(B2)**


Designed to form a true inside (90°) corner. For use with any thickness of wallboard. Standard lengths: 8', 9', 10'.



		Dimensions			
Style		A	B	C	D
B2		5/8"	3/8"	3/8"	5/8"

**BEADEX Paper Faced Metal  
Offset Inside Corner, Tape-On  
(B2 OS)**

Designed for a 135° offset angle on inside corners greater than 90°. For use on any thickness of wallboard. Standard lengths: 8', 9', 10'.




		Dimensions			
Style		A	B	C	D
B2 OS		5/8"	5/8"	5/8"	5/8"
Note: OS = Offset 					

**Softline Bullnose  
and Offset Outside  
Corner Bead**

**BEADEX Paper Faced Metal  
3/4" Bullnose Outside Corner,  
Tape-On Bead (SLOC)**


Installs easily to form a smooth rounded outside corner. The 3/4" radius can be used for 1/2" or 5/8" drywall. Standard lengths: 8', 9', 10'.



		Dimensions		
Style		A	Radius	B
SLOC		5/8"	3/4"	5/8"

**BEADEX Paper Faced Metal  
1" Bullnose Offset Outside Corner,  
Tape-On Bead (SLOC OS)**

Designed for 135° offset angles. Speeds application and eliminates need for fastening corners on framing members. Standard lengths: 8', 9', 10'.




		Dimensions		
Style		A	Radius	B
SLOC OS		3/4"	1"	3/4"
Note: OS = Offset 				


# Paper Faced Metal Bead and Trim

## BEADEX Paper Faced Metal 1-1/2" Bullnose Outside Corner, Tape-On Bead (DANISH™)

Bead is similar to the SLOC series except for a 1-1/2" radius. Can be used for 1/2" or 5/8" drywall. Standard lengths: 8', 10'.




Dimensions			
Style	A	Radius	B
DANISH	3/4"	1-1/2"	3/4"




## BEADEX Paper Faced Metal 1/2" Bullnose Outside Corner, Tape-On Bead (BABY BULL®)

Provides a narrower finished look with a smaller radius compared to other bullnose profiles. Also, excellent for trimming around windows. Can be applied over new 1/2" or 5/8" thick drywall. Standard lengths: 8', 9', 10'.




Dimensions			
Style	A	Radius	B
BABY BULL	5/8"	1/2"	5/8"




## BEADEX Paper Faced Metal 3/4" Bullnose Offset Outside Corner, Tape-On Bead (BABY BULL OS)

Narrower bullnose "look" designed for 135° outside corner offsets. Standard lengths: 8', 10'.




Dimensions			
Style	A	Radius	B
BABY BULL OS	5/8"	3/4"	5/8"

Note: OS = Offset




## BEADEX Paper Faced Metal 3/4" Bullnose Outside Corner, Tape-On Bead (SANTA FE™)

Provides economical alternative for bullnose corners. Suitable for use on any thickness of wallboard. Does not meet ASTM C1047. Standard lengths: 8', 9', 10'.





Dimensions			
Style	A	Radius	B
SANTA FE	5/8"	3/4"	5/8"



**BEADEX Paper Faced Metal  
3/4" Bullnose Outside Corner,  
Nail-On Bead (SLOC N)**


Use for smooth rounded corners where nailing or other mechanical fastening is required. Can be fastened to 1/2" or 5/8" drywall with nails, staples, or screws. Standard lengths: 8', 9', 10'.




Dimensions			
Style	A	Radius	B
SLOC N	9/16"	3/4"	9/16"
Note: N = Nail-On 			

**BEADEX Paper Faced Metal  
3/4" Bullnose Outside Corner,  
Nail-On Bead (SLOC NXW)**

Use for applications where nailing or other mechanical fastening is required. Has wider flanges for easier nailing and maximum corner coverage. Standard lengths: 8', 9', 10'.





Dimensions			
Style	A	Radius	B
SLOC NXW	13/16"	3/4"	13/16"
Note: NXW = Nail-On Extra Wide 			

**Softline Bullnose  
and Offset Outside  
Corner Bead**

**BEADEX Paper Faced Metal  
1" Bullnose Offset Outside Corner,  
Nail-On Bead (SLOC NOS)**


Use for applications where nailing or other mechanical fastening is required. Creates 135° offset outside corner. Standard lengths: 8', 9', 10'.




Dimensions			
Style	A	Radius	B
SLOC NOS	1-1/16"	1"	1-1/16"
Note: NOS = Nail-On Offset 			

**BEADEX Paper Faced Metal  
1-1/2" Bullnose Outside Corner,  
Nail-On Bead (DANISH N)**

Forms a smooth rounded corner similar to SLOC N but with a 1-1/2" radius. Use where nailing or other mechanical fastening is required. Can be fastened to 1/2" or 5/8" drywall with nails, staples or screws. Standard lengths: 8' and 10'.




Dimensions			
Style	A	Radius	B
DANISH N	3/4"	1-1/2"	3/4"
Note: N = Nail-On 			

# Paper Faced Metal Bead and Trim

## BEADEX Paper Faced Metal 1/2" Bullnose Outside Corner, Nail-On Bead (BABY BULL N)


Provides a narrower finished look with a smaller radius compared to other bullnose profiles. Also excellent for trimming around windows. Use where nailing or other mechanical fastening is required. Standard lengths: 8', 9', 10'.



Style	Dimensions		
	A	Radius	B
BABY BULL N	3/4"	1/2"	3/4"
Note: N = Nail-On			

## BEADEX Paper Faced Metal 3/4" Bullnose Outside Corner, Nail-On Bead (SANTA FE N)

Provides economical alternative for bullnose corners. Can be fastened to 1/2" or 5/8" drywall with nails, staples or screws. Does not meet ASTM C1047. Standard lengths: 8', 9', 10'.




Style	Dimensions		
	A	Radius	B
SANTA FE N	9/16"	3/4"	9/16"
Note: N = Nail-On			

## Softline Bullnose and Offset Inside Corners

### BEADEX Paper Faced Metal 3/4" Bullnose Inside Corner, Tape-On (SLIC)


Use to create a smooth rounded inside corner. The 3/4" radius trim is suitable for 1/2" or 5/8" drywall. Standard lengths: 8', 10'.



Style	Dimensions		
	A	Radius	B
SLIC	3/4"	3/4"	3/4"

### BEADEX Paper Faced Metal 1" Bullnose Offset Inside Corner, Tape-On (SLIC OS)

Softline inside cover for 135° offset angles. Creates smooth rounded inside corner suitable for 1/2" or 5/8" drywall. Standard lengths: 8', 10'.



Style	Dimensions		
	A	Radius	B
SLIC OS	5/8"	1"	5/8"
Note: OS = Offset			

**L Trims**

**BEADEX Paper Faced Metal  
"L" Shaped, Tape-On Trim  
(B4 Series)**



Use where wallboard abuts with suspended ceilings, beams, plaster, masonry and concrete walls, as well as untrimmed door and window jambs. Standard lengths: 8', 9', 10'.

	Dimensions		
Style	A	B	C
B4 (3/8")	3/8"	7/8"	1-1/16"
B4 (1/2")	1/2"	15/16"	1-5/16"
B4 (5/8")	5/8"	13/16"	1-5/16"
B4 (1")	1"	15/16"	1-3/8"
B4 NB (3/8")	3/8"	7/8"	1-1/16"
B4 NB (1/2")	1/2"	15/16"	1-5/16"
B4 NB (5/8")	5/8"	13/16"	1-5/16"

Note: NB = No Bead

**BEADEX Paper Faced Metal  
Premasked "L"-Shaped  
Tape-On Trim (Premasked L)**

Provides a serrated paper strip that protects the adjacent surface of ceiling or wall intersection during finishing and decorating applications. Simply tear away the protective strip after the job is completed, leaving virtually no clean up to the adjacent surface. No bead. Standard lengths: 8', 10'.

	Dimensions				
	Style	A	B	C	D
	Premasked L (1/2")	1/2"	7/8"	1-5/16"	1-11/16" tear off
	Premasked L (5/8")	5/8"	3/4"	1-5/16"	1-11/16" tear off
					




# Paper Faced Metal Bead and Trim


## J Trims

### BEADEX Paper Faced Metal "J"-Shaped, Tape-On Trim (B9)

Tape-on "J" trim completely surrounds the rough edge of the wallboard, providing a strong and clean corner. Tape-on application eliminates frustration with nailing and nail shrink back. Can be used for finishing off bifold closet doors, as well as under all door and window encasements, and to finish rough drywall ends. Does not meet ASTM C1047. Standard lengths: 7', 8', 10'.




	Dimensions			
Style	A	B	C	D
B9J (1/2")	1/2"	9/16"	5/8"	1-1/8"
B9J (5/8")	1/2"	5/8"	5/8"	1-1/8"



## Reveal Trims


### BEADEX Paper Faced Metal Reveal, Tape-On Trim (Reveal NB)

This modified tape-on "L" trim solves a variety of problems associated with reveal details on soffits, wall areas, ceilings, light boxes and other interior architectural components. Reveal NB features a paper flange on both trim legs. The additional paper flange eliminates the need to caulk the edge of reveal details, providing a cleaner and straighter line. Available only in No Bead. Standard lengths: 8', 10'.



	Dimensions			
Style	A	B	C	D
Reveal NB (1/2")	15/16"	1/2"	1/2"	3/4"
Reveal NB (5/8")	15/16"	5/8"	5/8"	5/8"


Note: NB = No Bead



### Shadowline Tape-On Reveal Trim

Designed to provide a reveal or "Shadowline" where wallboard abuts with a suspended ceiling. Standard lengths: 8', 10'.

	Dimensions			
Style	A	B	C	D
SL (1/2")	1/2"	1/2"	15/16"	1-1/4"
SL (5/8")	5/8"	5/8"	7/8"	15/16"




# Paper Faced Metal Bead and Trim

## Tape-On Flexible Outside and Inside Corner Bead



### BEADEX Flex Metal Tape, Tape-On Flexible Corner (Flex Tape)

Can be formed to fit any inside or outside angle. Available in 2-1/16" width that has two 7/16" wide galvanized, rust-resistant steel strips with a 1/16" gap between the strips. For maximum strength and coverage, the tape is also available in a 4" width that has two 7/8" wide galvanized steel strips with a 1/16" gap between the strips. Product is suitable for any thickness of wallboard. Does not meet ASTM C1047. Available in 100' rolls.




Dimensions

Style	A	B	C	D
Flex Tape (2-1/16")	9/16"	7/16"	7/16"	9/16"
Flex Tape (4")	1-1/8"	7/8"	7/8"	1-1/8"




### BEADEX B1 Flex Metal Corner, Tape-On Outside Flexible Corner (B1 Beaded Flex)

Proprietary, style designed specifically to make straight, strong outside corner angles. Available in 3" width and manufactured with two 3/4" galvanized steel strips laminated to paper tape with a flexible gap between the strips. B1 beaded flex has a unique raised bead (nose) in the flexible gap to provide faster, easier finishing with joint compound. For use on any wallboard thickness. Standard lengths: 8', 9', 10'.



Dimensions

Style	A	B	C	D
B1 Beaded Flex (3")	11/16"	3/4"	3/4"	11/16"







#### Website

[usg.com](http://usg.com)

#### Technical Service

800 USG.4YOU

#### Samples/Literature E-mail

[samplit@usg.com](mailto:samplit@usg.com)

#### Samples/Literature Fax

888 874.2348

#### Customer Service

800 950.3839

#### SAFETY FIRST

Follow good safety and industrial hygiene practices during handling and installing all products and systems. Take necessary precautions and wear the appropriate personal protective equipment as needed. Read material safety data sheets and related literature on products before specification and/or installation.

#### Trademarks

The following trademarks used herein are owned by United States Gypsum Company: BABY BULL, BEADEX, DANISH, MICRO BEAD, SANTA FE, ULTRA BEAD, USG, USG in stylized letters.

#### Notice

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered.

#### Note

All products described here may not be available in all geographic markets. Consult your local sales office or representative for more information.



Manufactured by  
United States Gypsum Company  
550 West Adams St.  
Chicago, IL 60661

J1688/rev. 11-11  
© 2011, United States Gypsum Company  
Printed in U.S.A.