

USG
Ceiling
Solutions

SPECIALTY CEILING SYSTEMS

Compositions™ Decorative Clouds

SYSTEMS GUIDE



IT'S YOUR WORLD. BUILD IT.™

SYSTEMS GUIDE

USG Compositions™ are decorative ceiling clouds offered in convenient, ready-to-assemble kits. Compositions allow you to create a custom look, accentuate an area or make a unique design statement. The suspension system, trim and suspension wire are pre-cut and packaged for easy installation.

Compositions™ Decorative Clouds

2 Overview

Design Your System

3 Squared Corners Rounded Corner Kits

Understand Your System

5 System Components

Select Your System

13 Squared Corner Kits

27 Rounded Corner Kits

For More Information

Technical Service
800.USG.4YOU

Web Site
usg.com or cgcinc.com

COMPOSITIONS™ DECORATIVE CLOUDS

Overview

FEATURES

- Compositions are offered in several attractive shapes and configurations eliminating the coordination of multiple parts and pieces
- All components are pre-cut and expertly packaged and shipped in one convenient box¹
- Compositions are installed with minimal hanger wires and no wires are required at the perimeter
- Minimal trim intersections with no corner trim intersections create a seamless aesthetic
- Premier Compasso™ Elite extruded perimeter trim
- Achieve a custom look without the cost and difficult coordination of custom applications















COMPOSITIONS™ DECORATIVE CLOUD



¹Panels not included. Thorough component and full scale load tests were conducted to ensure performance with a variety of infill panels and loading conditions. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended.















COMPOSITIONS™ DECORATIVE CLOUDS

Squared Corners

| | | | | | |
|----------------|---|---|--|---|---|
| 6 feet | 6' x 6' | 6' x 8' | 6' x 10' | 6' x 12' | 6' x 14' |
| |  |  |  |  |  |
| | See page 9 | See page 10 | See page 11 | See page 12 | See page 13 |
| | | | | | |
| | | | | | |
| 8 feet | | 8' x 8' | 8' x 10' | 8' x 12' | 8' x 14' |
| | |  |  |  |  |
| | | See page 14 | See page 15 | See page 16 | See page 17 |
| | | | | | |
| 10 feet | | | 10' x 10' | 10' x 12' | 10' x 14' |
| | | |  |  |  |
| | | | See page 18 | See page 19 | See page 20 |
| 12 feet | | | | 12' x 12' | 12' x 14' |
| | | | |  |  |
| | | | See page 21 | See page 22 | |

COMPOSITIONS™ DECORATIVE CLOUDS

Rounded Corners

| | | | | | |
|----------------|---|---|--|---|---|
| 6 feet | 6' x 6' | 6' x 8' | 6' x 10' | 6' x 12' | 6' x 14' |
| |  |  |  |  |  |
| | See page 23 | See page 24 | See page 25 | See page 26 | See page 27 |
| | | | | | |
| | | | | | |
| 8 feet | | 8' x 8' | 8' x 10' | 8' x 12' | 8' x 14' |
| | |  |  |  |  |
| | | See page 28 | See page 29 | See page 30 | See page 31 |
| | | | | | |
| 10 feet | | | 10' x 10' | 10' x 12' | 10' x 14' |
| | | |  |  |  |
| | | | See page 32 | See page 33 | See page 34 |
| 12 feet | | | | 12' x 12' | 12' x 14' |
| | | | |  |  |
| | | | See page 35 | See page 36 | |

COMPOSITIONS™ DECORATIVE CLOUDS

System Components


SUSPENSION SYSTEM

Donn DX/DXL




PANEL OPTIONS


**Square Edge
SQ**




**Shadowline Tapered
SLT**



**Shadowline
SL**




**Shadowline Bevel
SLB**



COLOR

White




Panels not included. Thorough component and full scale load tests were conducted to ensure performance with a variety of infill panels and loading conditions. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended.

COMPOSITIONS™ DECORATIVE CLOUDS


System Components

EDGE TRIM OPTIONS


4"



6"




8"




TEES

Donn DX Main Tee




Donn DX Cross Tee




ACCESSORIES


Tee Brace



Splice Plate



Attachment Clip



12 ga Hanger Wire




COMPOSITIONS™ DECORATIVE CLOUDS


System Components

Compasso Elite Trim


ROUNDED CORNER
EDGE TRIM



SQUARED CORNER
EDGE TRIM




STRAIGHT EDGE TRIM



COMPOSITIONS™ DECORATIVE CLOUDS

System Components

ASSEMBLY



Panels not included. Thorough component and full scale load tests were conducted to ensure performance with a variety of infill panels and loading conditions. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended.

Compositions™ Decorative Cloud



6' x 6' Layout
 Squared Corners
 4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|---------|---------|-----------|------------|----------------|----------|-------------------------|
| 6' x 6' | Squared | 4" | CPKT466SDX | 279370 | 116 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT666SDX | 279213 | 120 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT866SDX | 279240 | 131 lbs. | 121" x 36" x 8" |

Assembly



- Trim
- Main Tee
- 2 ft. Cross Tee


| Components | Description | Quantity |
|--------------------------|--|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 2 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 6 |
| Tee Brace | 24" tee braces | 4 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 2 |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 |
| Attachment Clip | attachment clips | 8 |
| Hanger Wire | 12-ga hanger wire | 4 |

| Components | Description | Quantity |
|----------------------|----------------------------|----------|
| Splice Plate Options | 4" edge trim splice plates | 8 |
| | 6" edge trim splice plates | 8 |
| | 8" edge trim splice plates | 12 |

Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.).
 Solid wood panels are not recommended.
 (1) Package weight figures presented are averages and may vary slightly
 (2) Exterior dimensions rounded to the nearest inch.

Compositions™ Decorative Clouds



6' x 8' Layout
Squared Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|---------|---------|-----------|------------|----------------|----------|-------------------------|
| 6' x 8' | Squared | 4" | CPKT468SDX | 279195 | 123 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT668SDX | 279214 | 128 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT868SDX | 279241 | 141 lbs. | 137" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|---|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 2 | Hanger Wire | 12-ga hanger wire | 4 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 2 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 7 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 4 | | 8" edge trim splice plates | 12 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 10 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



6' x 10' Layout
Squared Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight ¹ | Dimensions ² |
|----------|---------|-----------|-------------|----------------|---------------------|-------------------------|
| 6' x 10' | Squared | 4" | CPKT4610SDX | 279196 | 131 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6610SDX | 279216 | 137 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT8610SDX | 279349 | 151 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|---|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 6 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 2 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 9 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 6 | | 8" edge trim splice plates | 12 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 12 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



6' x 12' Layout
Squared Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|----------|---------|-----------|-------------|----------------|----------|-------------------------|
| 6' x 12' | Squared | 4" | CPKT4612SDX | 279197 | 140 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6612SDX | 279226 | 146 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT8612SDX | 279249 | 162 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|---|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 6 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 4 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 10 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 6 | | 8" edge trim splice plates | 12 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 14 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™

Decorative Clouds



6' x 14' Layout
 Squared Corners
 4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight ¹ | Dimensions ² |
|----------|---------|-----------|-------------|----------------|---------------------|-------------------------|
| 6' x 14' | Squared | 4" | CPKT4614SDX | 279198 | 147 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6614SDX | 279227 | 154 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT8614SDX | 279253 | 171 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|--|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 4 | Hanger Wire | 12-ga hanger wire | 8 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 4 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 12 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 8 | | 8" edge trim splice plates | 12 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 16 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



8' x 8' Layout
Squared Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|---------|---------|-----------|------------|----------------|----------|-------------------------|
| 8' x 8' | Squared | 4" | CPKT488SDX | 279199 | 134 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT688SDX | 279228 | 140 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT888SDX | 279254 | 154 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|---|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 2 | Hanger Wire | 12-ga hanger wire | 6 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 3 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 10 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 6 | | 8" edge trim splice plates | 12 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. (1) Package weight figures presented are averages and may vary slightly (2) Exterior dimensions rounded to the nearest inch. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | | | |
| Attachment Clip | attachment clips | 12 | | | |

Compositions™ Decorative Clouds



8' x 10' Layout
Squared Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|----------|---------|-----------|-------------|----------------|----------|-------------------------|
| 8' x 10' | Squared | 4" | CPKT4810SDX | 279200 | 144 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6810SDX | 279232 | 15 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT8810SDX | 279255 | 166 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|---|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 9 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 3 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 13 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 8 | | 8" edge trim splice plates | 12 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. (1) Package weight figures presented are averages and may vary slightly (2) Exterior dimensions rounded to the nearest inch. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | | | |
| Attachment Clip | attachment clips | 14 | | | |

Compositions™ Decorative Clouds



8' x 12' Layout
Squared Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|----------|---------|-----------|-------------|----------------|----------|-------------------------|
| 8' x 12' | Squared | 4" | CPKT4812SDX | 279201 | 156 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6812SDX | 279233 | 163 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT812SDX | 279256 | 180 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|---|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 6 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 6 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 14 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 9 | | 8" edge trim splice plates | 12 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. (1) Package weight figures presented are averages and may vary slightly (2) Exterior dimensions rounded to the nearest inch. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | | | |
| Attachment Clip | attachment clips | 16 | | | |

Compositions™ Decorative Clouds



8' x 14' Layout
Squared Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|----------|---------|-----------|-------------|----------------|----------|-------------------------|
| 8' x 14' | Squared | 4" | CPKT4814SDX | 279202 | 165 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6814SDX | 279234 | 172 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT8814SDX | 279257 | 192 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|---|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 4 | Hanger Wire | 12-ga hanger wire | 8 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 6 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 17 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 10 | | 8" edge trim splice plates | 12 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 18 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



10' x 10' Layout
Squared Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|-----------|---------|-----------|--------------|----------------|----------|-------------------------|
| 10' x 10' | Squared | 4" | CPKT41010SDX | 279203 | 159 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT61010SDX | 279235 | 166 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT81010SDX | 279258 | 183 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|--|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 4 | | 6" edge trim splice plates | 8 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 17 | | 8" edge trim splice plates | 12 |
| Tee Brace | 24" tee braces | 10 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. | | |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 4 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 16 | (2) Exterior dimensions rounded to the nearest inch. | | |
| Hanger Wire | 12-ga hanger wire | 9 | | | |

Compositions™ Decorative Clouds



10' x 12' Layout
Squared Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|-----------|---------|-----------|--------------|----------------|----------|-------------------------|
| 10' x 12' | Squared | 4" | CPKT41012SDX | 279204 | 172 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT61012SDX | 279236 | 179 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT81012SDX | 279262 | 199 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

4" Trim
6" Trim
8" Trim

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|---|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 9 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 8 | Splice Plate Options | 4" edge trim splice plates | 12 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 18 | | 6" edge trim splice plates | 12 |
| Tee Brace | 24" tee braces | 10 | | 8" edge trim splice plates | 18 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 4 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 18 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



10' x 14' Layout
Squared Corners
4" 6" or 8" trim




System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|-----------|---------|-----------|--------------|----------------|----------|-------------------------|
| 10' x 14' | Squared | 4" | CPKT41014SDX | 279205 | 185 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT61014SDX | 279237 | 193 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT81014SDX | 279263 | 215 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee



| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|---|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 4 | Hanger Wire | 12-ga hanger wire | 12 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 8 | Splice Plate Options | 4" edge trim splice plates | 12 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 22 | | 6" edge trim splice plates | 12 |
| Tee Brace | 24" tee braces | 12 | | 8" edge trim splice plates | 18 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 4 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 20 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



12' x 12' Layout
Squared Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight ¹ | Dimensions ² |
|-----------|---------|-----------|--------------|----------------|---------------------|-------------------------|
| 12' x 12' | Squared | 4" | CPKT41212SDX | 279211 | 182 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT61212SDX | 279238 | 191 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT81212SDX | 279264 | 213 lbs. | 121" x 36" x 8" |

Assembly



- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee


| Components | Description | Quantity |
|--------------------------|--|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 3 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 10 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 22 |
| Tee Brace | 24" tee braces | 13 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 4 |
| Attachment Clip | attachment clips | 20 |
| Hanger Wire | 12-ga hanger wire | 12 |

| Components | Description | Quantity |
|----------------------|----------------------------|----------|
| Splice Plate Options | 4" edge trim splice plates | 8 |
| | 6" edge trim splice plates | 8 |
| | 8" edge trim splice plates | 12 |

Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended.
 (1) Package weight figures presented are averages and may vary slightly
 (2) Exterior dimensions rounded to the nearest inch.

Compositions™ Decorative Clouds



12' x 14' Layout
Squared Corners
4" 6" or 8" trim




System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|-----------|---------|-----------|--------------|----------------|----------|-------------------------|
| 12' x 14' | Squared | 4" | CPKT41214SDX | 279212 | 203 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT61214SDX | 279239 | 212 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT81214SDX | 279265 | 235 lbs. | 121" x 36" x 8" |

Assembly



- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee



| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|---|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 4 | Hanger Wire | 12-ga hanger wire | 16 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 10 | Splice Plate Options | 4" edge trim splice plates | 12 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 27 | | 6" edge trim splice plates | 12 |
| Tee Brace | 24" tee braces | 15 | | 8" edge trim splice plates | 18 |
| Squared Corner Edge Trim | 4", 6", or 8" squared corner edge trim | 4 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 26 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



6' x 6' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight ¹ | Dimensions ² |
|---------|---------|-----------|------------|----------------|---------------------|-------------------------|
| 6' x 6' | Rounded | 4" | CPKT466RDX | 279266 | 114 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT666RDX | 279280 | 117 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT866RDX | 279303 | 127 lbs. | 121" x 36" x 8" |

Assembly



- Trim
- Main Tee
- 2 ft. Cross Tee

| Components | Description | Quantity |
|--------------------------|--|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 2 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 6 |
| Tee Brace | 24" tee braces | 4 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 2 |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 |
| Attachment Clip | attachment clips | 8 |
| Hanger Wire | 12-ga hanger wire | 4 |


| Components | Description | Quantity |
|----------------------|----------------------------|----------|
| Splice Plate Options | 4" edge trim splice plates | 8 |
| | 6" edge trim splice plates | 8 |
| | 8" edge trim splice plates | 12 |

Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.).
Solid wood panels are not recommended.

- (1) Package weight figures presented are averages and may vary slightly
- (2) Exterior dimensions rounded to the nearest inch.

Compositions™ Decorative Clouds



6' x 8' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight ¹ | Dimensions ² |
|---------|---------|-----------|------------|----------------|---------------------|-------------------------|
| 6' x 8' | Rounded | 4" | CPKT468RDX | 279267 | 121 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT668RDX | 279281 | 126 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT868RDX | 279304 | 137 lbs. | 137" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|--|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 2 | Hanger Wire | 12-ga hanger wire | 4 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 2 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 7 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 4 | | 8" edge trim splice plates | 12 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 10 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



6' x 10' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight ¹ | Dimensions ² |
|----------|---------|-----------|-------------|----------------|---------------------|-------------------------|
| 6' x 10' | Rounded | 4" | CPKT4610RDX | 279268 | 129 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6610RDX | 279282 | 133 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT8610RDX | 279309 | 146 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|---|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 6 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 2 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 9 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 6 | | 8" edge trim splice plates | 12 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 12 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



6' x 12' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|----------|---------|-----------|-------------|----------------|----------|-------------------------|
| 6' x 12' | Rounded | 4" | CPKT4612RDX | 279269 | 138 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6612RDX | 279283 | 144 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT8612RDX | 279310 | 158 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|--|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 6 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 4 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 10 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 6 | | 8" edge trim splice plates | 12 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 14 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



6' x 14' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|----------|---------|-----------|-------------|----------------|----------|-------------------------|
| 6' x 14' | Rounded | 4" | CPKT4614RDX | 279270 | 146 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6614RDX | 279284 | 152 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT8614RDX | 279311 | 168 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|---|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 4 | Hanger Wire | 12-ga hanger wire | 8 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 4 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 12 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 8 | | 8" edge trim splice plates | 12 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 16 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



8' x 8' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|---------|---------|-----------|------------|----------------|----------|-------------------------|
| 8' x 8' | Rounded | 4" | CPKT488RDX | 279271 | 133 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT688RDX | 279285 | 137 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT888RDX | 279313 | 151 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|---|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 2 | Hanger Wire | 12-ga hanger wire | 6 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 3 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 10 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 6 | | 8" edge trim splice plates | 12 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 12 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



8' x 10' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|----------|---------|-----------|-------------|----------------|----------|-------------------------|
| 8' x 10' | Rounded | 4" | CPKT4810RDX | 279272 | 142 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6810RDX | 279286 | 148 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT8810RDX | 279317 | 163 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|--|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 9 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 3 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 13 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 8 | | 8" edge trim splice plates | 12 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 14 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



8' x 12' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|----------|---------|-----------|-------------|----------------|----------|-------------------------|
| 8' x 12' | Rounded | 4" | CPKT4812RDX | 279273 | 154 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6812RDX | 279287 | 160 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT812RDX | 279318 | 177 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|--|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 6 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 6 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 14 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 9 | | 8" edge trim splice plates | 12 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 16 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



8' x 14' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|----------|---------|-----------|-------------|----------------|----------|-------------------------|
| 8' x 14' | Rounded | 4" | CPKT4814RDX | 279274 | 163 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT6814RDX | 279288 | 170 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT8814RDX | 279319 | 188 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|--|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 4 | Hanger Wire | 12-ga hanger wire | 8 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 6 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 17 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 10 | | 8" edge trim splice plates | 12 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg). Solid wood panels are not recommended. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | (1) Package weight figures presented are averages and may vary slightly | | |
| Attachment Clip | attachment clips | 18 | (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



10' x 10' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|-----------|---------|-----------|--------------|----------------|----------|-------------------------|
| 10' x 10' | Rounded | 4" | CPKT41010RDX | 279275 | 156 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT61010RDX | 279289 | 162 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT81010RDX | 279322 | 178 lbs. | 121" x 36" x 8" |

Assembly



- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee


| Components | Description | Quantity |
|--------------------------|---|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 3 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 4 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 17 |
| Tee Brace | 24" tee braces | 10 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 4 |
| Attachment Clip | attachment clips | 16 |
| Hanger Wire | 12-ga hanger wire | 9 |

| Components | Description | Quantity |
|----------------------|----------------------------|----------|
| Splice Plate Options | 4" edge trim splice plates | 8 |
| | 6" edge trim splice plates | 8 |
| | 8" edge trim splice plates | 12 |

Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.).
Solid wood panels are not recommended.
(1) Package weight figures presented are averages and may vary slightly
(2) Exterior dimensions rounded to the nearest inch.

Compositions™ Decorative Clouds



10' x 12' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight1 | Dimensions ² |
|-----------|---------|-----------|--------------|----------------|----------|-------------------------|
| 10' x 12' | Rounded | 4" | CPKT41012RDX | 279276 | 170 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT61012RDX | 279291 | 177 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT81012RDX | 279323 | 195 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|--|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 9 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 8 | Splice Plate Options | 4" edge trim splice plates | 12 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 18 | | 6" edge trim splice plates | 12 |
| Tee Brace | 24" tee braces | 10 | | 8" edge trim splice plates | 18 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 4 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg). Solid wood panels are not recommended. (1) Package weight figures presented are averages and may vary slightly (2) Exterior dimensions rounded to the nearest inch. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | | | |
| Attachment Clip | attachment clips | 18 | | | |

Compositions™ Decorative Clouds



10' x 14' Layout
Rounded Corners
4" 6" or 8" trim




System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight ¹ | Dimensions ² |
|-----------|---------|-----------|--------------|----------------|---------------------|-------------------------|
| 10' x 14' | Rounded | 4" | CPKT41014RDX | 279277 | 186 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT61014RDX | 279292 | 191 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT81014RDX | 279326 | 211 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee



| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|--|----------|--|----------------------------|----------|
| Main Tee | DX'/DXL™ 15/16" x 1.64" heavy duty main tees | 4 | Attachment Clip | attachment clips | 20 |
| 4' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 4' cross tees | 8 | Hanger Wire | 12-ga hanger wire | 12 |
| 2' Cross Tee | DX'/DXL™ 15/16" x 1.50" x 2' cross tees | 22 | Splice Plate Options | 4" edge trim splice plates | 12 |
| Tee Brace | 24" tee braces | 12 | | 6" edge trim splice plates | 12 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 4 | | 8" edge trim splice plates | 18 |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg). Solid wood panels are not recommended. (1) Package weight figures presented are averages and may vary slightly (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



12' x 12' Layout
Rounded Corners
4" 6" or 8" trim



System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight ¹ | Dimensions ² |
|-----------|---------|-----------|--------------|----------------|---------------------|-------------------------|
| 12' x 12' | Rounded | 4" | CPKT41212RDX | 279278 | 185 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT61212RDX | 279299 | 193 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT81212RDX | 279333 | 212 lbs. | 121" x 36" x 8" |

Assembly




- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee

| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|---|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 3 | Hanger Wire | 12-ga hanger wire | 12 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 10 | Splice Plate Options | 4" edge trim splice plates | 8 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 22 | | 6" edge trim splice plates | 8 |
| Tee Brace | 24" tee braces | 13 | | 8" edge trim splice plates | 12 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 4 | Panels not included. Infill panels weight shall not exceed 4lbs. (1.81kg). Solid wood panels are not recommended. | | |
| Attachment Clip | attachment clips | 20 | (1) Package weight figures presented are averages and may vary slightly (2) Exterior dimensions rounded to the nearest inch. | | |

Compositions™ Decorative Clouds



12' x 14' Layout
Rounded Corners
4" 6" or 8" trim




System Kits

| Layout | Corner | Edge Trim | Model Name | Commodity Code | Weight ¹ | Dimensions ² |
|-----------|---------|-----------|--------------|----------------|---------------------|-------------------------|
| 12' x 14' | Rounded | 4" | CPKT41214RDX | 279279 | 201 lbs. | 121" x 36" x 8" |
| | | 6" | CPKT61214RDX | 279302 | 210 lbs. | 121" x 36" x 8" |
| | | 8" | CPKT81214RDX | 279334 | 231 lbs. | 121" x 36" x 8" |

Assembly



- Trim
- Main Tee
- 4 ft. Cross Tee
- 2 ft. Cross Tee



| Components | Description | Quantity | Components | Description | Quantity |
|--------------------------|---|----------|---|----------------------------|----------|
| Main Tee | DX/DXL™ 15/16" x 1.64" heavy duty main tees | 4 | Hanger Wire | 12-ga hanger wire | 16 |
| 4' Cross Tee | DX/DXL™ 15/16" x 1.50" x 4' cross tees | 10 | Splice Plate Options | 4" edge trim splice plates | 12 |
| 2' Cross Tee | DX/DXL™ 15/16" x 1.50" x 2' cross tees | 27 | | 6" edge trim splice plates | 12 |
| Tee Brace | 24" tee braces | 15 | | 8" edge trim splice plates | 18 |
| Rounded Corner Edge Trim | 4", 6", or 8" rounded corner edge trim | 4 | Panels not included. Infill panel weight shall not exceed 4lbs. (1.81kg.). Solid wood panels are not recommended. (1) Package weight figures presented are averages and may vary slightly (2) Exterior dimensions rounded to the nearest inch. | | |
| Straight Edge Trim | 4", 6", or 8" straight edge trim | 2 | | | |
| Attachment Clip | attachment clips | 26 | | | |

WEBSITES

usg.com
cgcinc.com
usgdesignstudio.com
cgcdesignstudio.com

TECHNICAL SERVICE

800 USG.4YOU
800 874.4968

CUSTOMER SERVICE

USG 800 950.3839
CGC 800 387.2690

Notice
The information in this document is subject to change without notice. CGC Inc. or USG Corp. assumes no responsibility for any errors that may inadvertently appear in this document.

Manufactured by
USG Interiors, LLC
550 West Adams Street
Chicago, IL 60661

PRODUCT INFORMATION

See usg.com for the most up-to-date product information.

INSTALLATION

Must be installed in compliance with ASTM C636, ASTM E580, CISCA and standard industry practices, within all applicable code requirements. Alternative assemblies and installation methods may be utilized when approved by the Authority Having Jurisdiction. USG recommends checking with the Authority Having Jurisdiction prior to designing and installing a suspended ceiling system.

RESTRAINT / SEISMIC BRACING

If restraint or seismic bracing is required please refer to Seismic Technical Guide — Specialty Decorative Ceilings, SC2494 for more information and examples of seismically tested bracing methods. Prior to installation please consult with a licensed architect or engineer in the particular locale of the installation to assure compliance with all legal requirements.

CODE COMPLIANCE

The information presented is correct to the best of our knowledge at the date of issuance. Because codes continue to evolve, check with a local official prior to designing and installing a ceiling system. Other restrictions and exemptions may apply. This is only intended as a quick reference.

ICC EVALUATION SERVICE, INC., REPORT COMPLIANCE

Suspension systems manufactured by USG Interiors, Inc., have been reviewed and are approved by listing in ICC-Evaluation Service Report ESR-1222. Evaluation Reports are subject to reexamination, revision and possible cancellation. Please refer to usgdesignstudio.com or usg.com for current reports.

L.A. RESEARCH REPORT COMPLIANCE

DONN brand suspension systems manufactured by USG Interiors, Inc., have been reviewed and are approved by listing in the following L.A. Research Report number: 25764.

NOTICE

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered.

SAFETY FIRST!

Follow good safety/industrial hygiene practices during installation. Wear appropriate personal protective equipment. Read MSDS and literature before specification and installation.

IS267/11-12

© 2012, USG Corporation or its affiliates. All rights reserved.

The following are trademarks of USG Interiors, LLC or a related company: COMPASSO, COMPOSITIONS, DX, DXL, DONN, USG, IT'S YOUR WORLD BUILD IT, THE USG LOGO and related marks are trademarks of USG Interiors, LLC.

USG  **CGC**
IT'S YOUR WORLD. BUILD IT.™