# Levelrock™ Brand All Purpose Sealer by USG

**Health Product Declaration v2.3** 

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 7885745918976 CLASSIFICATION: 09 61 00 Flooring Treatment

PRODUCT TYPE: Interior Floor Sealer (Paints And Coatings)

PRODUCT DESCRIPTION: Spray- or roller-applied floor sealer that can be applied with one application that enhances the bond between floor-covering

adhesive and underlayment.



# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 100 ppm

€ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ○ No

Provided name and CAS RN or other identifier.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

LEVELROCK™ BRAND ALL PURPOSE SEALER [

ETHYLENEVINYLACETATE COPOLYMER LT-UNK WATER BM-4 PROPYLENE GLYCOL BM-2 | END | MAM UREA LT-UNK | EYE UNDISCLOSED LT-UNK | SKI | EYE (ETHYLENEDIOXY)DIMETHANOL

BM-1 | MUL ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): <12 g/l Regulatory (g/l): 150 g/l

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings.

VOC emissions: ClearChem Standard BkA-CC-01.3

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VFRIFIFR: **VERIFICATION #:**  SCREENING DATE: 2025-07-02 PUBLISHED DATE: 2025-07-02 EXPIRY DATE: 2028-07-02

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

## LEVELROCK™ BRAND ALL PURPOSE SEALER

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. Naturally occurring raw materials in this product may contain trace amounts of respirable crystalline silica. The accumulative percentage of respirable crystalline silica is expected to exceed the threshold of 1000 ppm. See the SDS on usg.com for occupational exposure information.

OTHER PRODUCT NOTES: This product is manufactured at Gypsum, OH and Walworth, WI

## **ETHYLENEVINYLACETATE COPOLYMER**

ID: 24937-78-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SO	CREENING DATE: 2025-07-02 13:54:17
%: <b>72.0000 - 90.0000</b>	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. This substance is found in the product, as delivered to the job site but will not be found in the final installed product. Percent range is due to regional manufacturing variations.

WATER ID: 7732-18-5

	,		Exempted from RI safety	EACH Annex IV listing due to intrinsic
EXEMPT	European Union / European (	Commission (EU	EU - REACH Exe	mptions
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No war	nings found on HPD Priority Hazard Lists
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
%: 10.0000 - 25.0000	GreenScreen: BM-4	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Solvent
HAZARD DATA SOURCE: Ph	naros Chemical and Materials Libr	ary	HAZARD S	CREENING DATE: 2025-07-02 13:54:18

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. This substance is found in the product, as delivered to the job site but will not be found in the final installed product. Percent range is due to regional manufacturing variations.

PROPYLENE GLYCOL ID: 57-55-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-07-02 13:54:18	
%: 0.1000 - 2.0000	GreenScreen: BM-2	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Anti-freeze
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrin	ne Disruptor
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]
MAM	GHS - Japan			amage to organs [Specific target oxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institu	te (GSPI)	GSPI - Six Classe	es Precautionary List
			Antimicrobials	
RESTRICTED LIST	Green Science Policy Institu	te (GSPI)	GSPI - Six Classe	es Precautionary List
			Some Solvents	

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. This substance is found in the product, as delivered to the job site but will not be found in the final installed product. Percent range is due to regional manufacturing variations.

UREA ID: 57-13-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-07-02 13:54:19	
%: 0.1000 - 2.0000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Buffer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation categ	ory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List		
			Antimicrobials	

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. This substance is found in the product, as delivered to the job site but will not be found in the final installed product. Percent range is due to regional manufacturing variations.

EYE GHS - Australia H319 - Causes serious eye irritation [Serious eye

damage/eye irritation - Category 2A]

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. This substance is found in the product, as delivered to the job site but will not be found in the final installed product. Percent range is due to regional manufacturing variations.

# (ETHYLENEDIOXY)DIMETHANOL

**UNDISCLOSED** 

ID: 3586-55-8

ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZARD S	SCREENING DATE: 2025-07-02 13:54:18	
%: 0.1000 - 1.5000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Fungicide	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances H Waters	Hazardous to	Class 2 - Hazard	to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institu	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Antimicrobials		
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute		1 Product Standard Restricted active July 1, 2024	
			All Products		

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 pp score of BM-1, LT-1, LT-P1 or NoGS. This substance is found in the product, as delivered to the job si product. Percent range is due to regional manufacturing variations.	
elrock Brand All Purpose Sealer	HPD v2.3 created via HPDC Builder Page 5 of

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

# ClearChem Standard BkA-CC-01.3

CERTIFYING PARTY: Third Party

ISSUE DATE: 2021-09-21 00:00:00

ISSUE DATE: 2021-07-02 00:00:00

CERTIFIER OR LAB: Berkeley

APPLICABLE FACILITIES: Gypsum, OH, Walworth, WI

**EXPIRY DATE:** 

Analytical

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.

#### **VOC CONTENT**

## EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: Gypsum, OH, Walworth, WI

**EXPIRY DATE:** 

CERTIFIER OR LAB: USG

Analytical Lab

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

#### **MANUFACTURER INFORMATION**

MANUFACTURER: USG ADDRESS: 550 W Adams St

Chicago, IL 60661
COUNTRY: United States

WEBSITE: usg.com

CONTACT NAME: Stacy Simpson TITLE: Sustainability Manager PHONE: 1-800-USG4YOU EMAIL: sustainability@usg.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### **KEY**

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

**NF** Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

# Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

# **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

