

HPD UNIQUE IDENTIFIER: 820324887552

CLASSIFICATION: 09 20 00 Plaster and Gypsum Board

PRODUCT DESCRIPTION: USG Sheetrock® Brand EcoSmart Panels Mold Tough® Firecode® X represent a revolution in wallboard manufacturing, significantly reducing the need for natural resources and impact on the environment. These 5/8 in. Type X lightweight gypsum panels have a noncombustible, moisture and mold-resistant gypsum core that is encased in moisture- and mold-resistant, 100% recycled green face and brown back papers. When tested in accordance with ASTM D3273, Standard Test Method for Resistance to Growth of Mold on the Surface of Interior Coatings in an Environmental Chamber, the panels score a 10 (highest). The long edges of the panels are tapered, allowing joints to be reinforced and concealed with USG Sheetrock® Brand joint treatment systems. The panels are UL Classified for fire resistance and can be used in any UL Design where Type ULIX panels are listed. On the face along the long edge of each panel, the UL Type Designation is printed for easy identification by building inspectors.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
☐ Nested Materials Method	☐ 100 ppm	☒ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☒ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

USG SHEETROCK® BRAND ECOSMART PANELS MOLD TOUGH®
FIRECODE® X | GYPSUM BM-3dg | MAM CELLULOSE,
MICROCRYSTALLINE LT-UNK | RES VERMICULITE (VERMICULITE)
NoGS STARCH NoGS SOLID GLASS AND GLASS / MINERAL FIBER
(SEE VARIANTS) (SOLID GLASS AND GLASS / MINERAL FIBER (SEE
VARIANTS)) LT-UNK | CAN FLY ASH (FLY ASH) LT-UNK
POLY(METHYLHYDROSILOXANE) NoGS UNDISCLOSED LT-UNK
NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER,
CALCIUM SALT LT-P1 BORIC ACID (BORIC ACID) LT-1 | END | DEV |
REP | MUL | MAM | EYE | SKI |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified
LCA: Environmental Product Declaration (EPD) by UL
Ingredient Disclosure: ILFI Declare - LBC Compliant

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2025-01-29
☐ Yes	VERIFIER:	PUBLISHED DATE: 2025-01-29
☒ No	VERIFICATION #:	EXPIRY DATE: 2028-01-29

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

USG SHEETROCK® BRAND ECOSMART PANELS MOLD TOUGH®
FIRECODE® X

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
RESIDUALS AND IMPURITIES NOTES: Raw materials in this product may contain trace amounts of respirable crystalline silica. Testing has shown exposures to respirable crystalline silica are not expected to exceed the OSHA Permissible Exposure Level (PEL) during the normal use of this product. See the SDS on usg.com for occupational exposure information. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.	
OTHER PRODUCT NOTES: This product is made at Bridgeport, AL, Plaster City, CA, Rainier, OR, Sperry, IA, and Washingtonville, PA. Percent ranges displayed for this HPD are for all manufacturing plants that make this product and may vary but are not expected to exceed a range beyond 10%.	

GYPSUM			ID: 13397-24-5	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-29 9:48:45	
%: 85.0000 - 95.0000	GreenScreen: BM-3dg	RC: PreC	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS
MAM		GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS		LIST NAME AND SOURCE		NOTIFICATION
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. The use of FGD gypsum and the pre-consumer recycled content of USG Sheetrock® Brand EcoSmart Panels Mold Tough® Firecode® X will vary by the manufacturing plant.				

CELLULOSE, MICROCRYSTALLINE					ID: 9004-34-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-29 9:48:45		
%: 5.0000 - 8.0000	GreenScreen: LT-UNK	RC: PostC	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
RES	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

VERMICULITE (VERMICULITE)

ID: 1318-00-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-01-29 9:48:46

%: 2.0000 - 3.0000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

STARCH

ID: 9005-25-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-01-29 9:48:46

%: 0.5000 - 2.0000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

EXEMPT European Union / European Commission (EU EC) EU - REACH Exemptions
Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)
(SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS))

ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-01-29 9:48:47

%: 0.1000 - 0.7000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

CAN EU - GHS (H-Statements) H351 - Suspected of causing cancer

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety
SUBSTANCE NOTES: As manufactured, continuous filament glass fibers in this product are not respirable. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.		

FLY ASH (FLY ASH)

ID: 68131-74-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-01-29 9:48:46		
%: 0.1000 - 0.7000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

POLY(METHYLHYDROSILOXANE)

ID: 63148-57-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-01-29 9:48:47		
%: 0.1000 - 0.7000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-01-29 9:48:47		
%: 0.0500 - 0.2000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Tensile strength additive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.		

NAPHTHALENESULFONIC ACID, FORMALDEHYDE POLYMER, CALCIUM SALT				ID: 37293-74-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-29 9:48:48	
%: 0.0100 - 0.2000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024		
		Red List substances to avoid in Living Building Challenge V4.0 projects		
SUBSTANCE NOTES: USG has made an effort to decrease and will ultimately replace this dispersant. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.				

BORIC ACID (BORIC ACID)				ID: 10043-35-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-01-29 9:48:48		
%: 0.0500 - 0.1000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Antimicrobial Pesticide

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	MAK	Pregnancy Risk Group B
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
REP	EU - SVHC List	Toxic to reproduction - Candidate list
REP	EU - SVHC List	Toxic to reproduction - Prioritized for listing
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. US EPA - DfE SCIL - Yellow Triangle - best available in class but some hazard profile issues.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://spot.ulprospector.com/en/na/BuiltEnvironment/Suppliers/32898/USG?st=1	ISSUE DATE: 2017-10-01 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818, Section 7.1 and 7.2. Maximum allowable predicted TVOC concentrations for GREENGUARD Gold (0.22 mg/m ³) fall in the range of 0.5 mg/m ³ or less, as specified in CDPH Standard Method v1.2.		
LCA	Environmental Product Declaration (EPD) by UL	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://spot.ulprospector.com/en/na/BuiltEnvironment/Suppliers/32898/USG?st=1	ISSUE DATE: 2017-10-01 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: The Environmental Product Declarations (EPDs) are in accordance with ISO 14025. EPDs rely on Life Cycle Assessment (LCA) to provide information on a number of environmental impacts of products over their life cycle. Exclusions: EPDs do not indicate that any environmental or social performance benchmarks are met, and there may be impacts that they do not encompass. LCAs do not typically address the site-specific environmental impacts of raw material extraction, nor are they meant to assess human health toxicity.		
INGREDIENT DISCLOSURE	ILFI Declare - LBC Compliant	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2018-01-01 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Self-certified
CERTIFICATION AND COMPLIANCE NOTES: Declare is a voluntary self-disclosure program.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

USG SHEETROCK® OR BEADEX® BRAND FINISHING PRODUCTS
MANUFACTURER (OR GENERIC): USG
HPD URL: https://www.usg.com ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: For high-quality finishing results, USG recommends USG Sheetrock® or Beadex® Brand finishing products. Painting products and systems should be used that comply with recommendations and requirements in Appendices of ASTM C840. For priming and decorating with paint, texture or wall covering, follow manufacturer's directions for materials used. Gypsum Association's Recommended Specification for Levels of Gypsum Board Finish (GA-214) should be referred to in order to determine the level of finishing needed to ensure a surface properly prepared to accept the final decoration. For additional installation information, refer to product submittal sheet.

Section 5: General Notes

Ingredient specific notes are included in Section 2.

MANUFACTURER INFORMATION

MANUFACTURER: **USG**
ADDRESS: **550 West Adams Street**
Chicago, IL 60661
COUNTRY: **United States**

WEBSITE: **usg.com**
CONTACT NAME: **Stacy Simpson**
TITLE: **Sustainability Manager**
PHONE: **1-800-USG4YOU**
EMAIL: **sustainability@usg.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

