


USG WIREWORKS™ OPEN CELL CEILING PANELS



USG WireWorks™ Open Cell Ceiling Panels, Weave Pattern/USG GridWare™ GWDX Open Cell Decorative Suspension System in Silver Satin

TO ORDER SAMPLES, GO TO USG.COM OR CGCINC.COM



CUSTOM COLORS AVAILABLE



FEATURES AND BENEFITS

- Metal, woven wire lay-in panels with powder-coated finish are abuse resistant and highly durable.
- Four cell sizes, as well as unique wave designs, offer flexibility to meet design and budget needs. Custom configurations available.
- Combine with the USG GridWare™ Open Cell Decorative Suspension System to create custom ceiling system.
- Easy installation into standard USG Donn® Brand suspension systems.
- Easily accommodates lightweight signage.
- Custom colors and patterns available.

APPLICATIONS

- Interior Applications
- Pods, Islands, and Clouds
- Wall to Wall Ceilings
- Sloped Ceilings
- New Construction and Renovation



USG WIREWORKS™ OPEN CELL CEILING PANELS

ORDER SAMPLES/LITERATURE
USG: usg.com or samplitt@usg.com
CGC: contact Sales Representative

TECHNICAL SERVICES
800.USG.4YOU (874-4968)

FOR MOST UP-TO-DATE
TECHNICAL INFORMATION
AND LEED REPORT TOOL
usgdesignstudio.com
cgcdesignstudio.com



PRODUCT INFORMATION

USG WIREWORKS™ OPEN CELL CEILING PANELS 2'X2' 1/8" DIAMETER WIRE

Materials	Typical Sizes	Wire Thickness	
Robotically welded steel wire	2'x2' 4'x4' limited profiles (DX or DXW Grid)	Panels are 1/8" diameter Forms are 3/16" diameter	
1"x1" Cells Open Area 86%	2"x2" Cells Open Area 87.1% Available in 4'x4' panel size	3"x3" Cells Open Area 91.2% Available in 4'x4' panel size	4"x4" Cells Open Area 94.2% Available in 4'x4' panel size

USG WIREWORKS™ OPEN CELL FORMS 2'X2' 3/16" DIAMETER WIRE

Weave

Pattern	Front Profile	Side Profile

Low Emissions (VOC)
CDPH 01350 v1.2-2017 compliance on select finishes,
see usg.com for more details and documentation.

High Recycled Content
USG classifies High Recycled Content as greater than 50%. Total recycled content is based on product composition of postconsumer and preconsumer (postindustrial) recycled content per FTC guidelines.

PHYSICAL DATA

Product literature
Data sheet: IC325
Warranty: SC2102
System Guide: IC34102
Cleaning Instructions: IC518

Metric equivalents
Contact Technical Service for additional information.

Online tools
usgdesignstudio.com or cgcdesignstudio.com

Notice
The information in this document is subject to change without notice. CGC Inc. or USG Corp. assumes no responsibility for any errors that may inadvertently appear in this document.

IC325/rev. 6-22
© 2022 USG Corporation and/or its affiliates. All rights reserved. Printed in U.S.A.

Manufactured by
USG Interiors, LLC
550 West Adams Street
Chicago, IL 60661

The trademarks USG, CGC, DONN, GRIDWARE, WIREWORKS, IT'S YOUR WORLD. BUILD IT., the USG/CGC logo, the design elements and colors, and related marks are trademarks of USG Corporation or its affiliates.

Safety First! Follow good safety/industrial hygiene practices during installation. Wear appropriate personal protective equipment. Read SDS and literature before specification and installation.

