

Commercial Daylighting

Skylights and daylighting systems in commercial buildings provide unique benefits that are unmatched by any other light source. From dynamic unit skylights and configurable modular skylights to stunning structural architectural applications, VELUX® Commercial North America provides various daylighting solutions designed to meet the aesthetic and performance needs of commercial, industrial, educational, and healthcare facilities.

4 Metal Framed Skylights

- 6 VELUX Modular Skylights (VMS)
- 7 Custom Pinnacle, Classic and Low Profile Systems

8 Translucent Daylighting

- 10 Skylights
- 11 Canopy Systems and Wall Systems

12 Advanced Glazing Technologies

- 13 Photovoltaic, Electrochromic
- 14 Translucent Insulated Glass, Polycarbonate with Aerogel Fill, High Performance Glass

16 Unit Skylights

- 18 Energy Efficient Dynamic Dome and EcoSky Series
- 20 Custom Domed Units, Tandem and Cluster Systems
- 21 Continuous Vault, Smoke Vents
- 22 Circular Units, Glass Units
- 23 Accessories

24 Sun Tunnel® Skylights

26 Flashing and Diffuser Options






Metal-Framed Skylights

An innovative series for custom skylight designs

Designed for easy installation and stunning architectural results, metal-framed structural skylights from VELUX Commercial North America are available with a range of quality glass, glazing, and finish options for a fully customized configuration.



VELUX Modular System (VMS) Ridgelight and Step Longlight configurations, CoLaboratory, Chicago, IL





Modular Skylights

Maximize daylighting with modular innovation

VELUX Modular Skylights (VMS) offer eight configurations to fit a multitude of commercial buildings, bringing daylight and fresh air to any space. With smart, automated control options, these modules offer integrated roller blinds and ventilation that control heat gain and glare for superior energy-efficiency.

The pretested and prefabricated modular system requires no on-site glazing, making installations three times faster for long-term watertight performance.

VMS Systems

A complete modular system for fast and easy installation

The unique modular design offers multiple configurations for fast on-site installation and watertight performance. More than just daylight, these skylights offer climate control, ventilation, and shading automation for healthier, beautiful buildings.





Siemens Building in Ballerup, Denmark



VMS Ridgelight, Cermak Fresh Market, Chicago, IL

Custom Skylights


Completely customizable daylighting systems

For a dramatic look, the Custom Series offers lightweight, metal-framed structural skylights available in fully customizable configurations, finish colors, and glazing options. Custom skylights are made up of an adaptable range of versatile systems to help create stunning daylight designs for every project.

Structural

Pinnacle and Classic systems

The Pinnacle Systems consist of structural skylights that are available in a variety of configurations capable of spanning up to 40 feet wide. The lightweight Classic Systems are capable of spanning up to six feet wide with three standard pitches to create just the right look for every job.



Non-Structural

Low Profile system

The Low Profile System is laid over roof rafters to create a narrow line frame for a clean, appealing look on pitched roof applications. Available in curb-mounted or self-flashing deck-mounted options.





Circular Hurricane Single Pitch Pinnacle 600, University of Missouri, Kansas City, MO




Two Pinnacle 350 Trapezoid Pyramids, UMass Design Building, Amherst, MA

Translucent Daylighting

Innovative options for commercial daylighting applications

Energy-efficient polycarbonate panel skylight, wall, and canopy systems from VELUX Commercial provide superior diffused light transmission and glare control over glass systems. Each product in this series utilizes advanced, high-performance, lightweight multiwall panels that maintain high clarity while providing excellent thermal insulation, UV protection, and long-term high light transmission.









S-Series Skylights

Creative designs for commercial daylighting applications

The Horizon S-Series consists of metal-framed translucent skylight structures, available in a wide range of configurations for unlimited design possibilities.

A dry-glazed sloped translucent single or double multiwall polycarbonate panel system, the S-Series has fewer parts for faster on-site assembly for reduced labor savings in new construction, retrofit, or renovation projects.





12-Sided Polygon Pyramid, French Elementary School, Spring, TX







Single Pitch, Rockaway Town Center, Rockaway, NJ

V-Series Wall System

Superior maintenance-free translucent wall system

Made of lightweight, interlocking tongue and groove polycarbonate panels, the vertical Translucent Wall is easy to install and delivers superior light transmission, high impact resistance, and low u-values. This dry glaze system also features optional polyurethane thermal breaks for superior thermal performance.



University of Houston Indoor Football Practice Facility, Houston, TX



Pinnacle National Development Center, Kansas City, KS

C-Series and M-Series Canopies

Economical solutions for custom low-slope canopy designs

Available in various panel colors and configurations, the canopy systems are constructed of lightweight, impactresistant, UV-protected polycarbonate panels. A top choice of design professionals, the systems are available as translucent multiwall standing seam polycarbonate (C-Series) or monolithic polycarbonate (M-Series) canopy systems.



M-Series Canopy



C-Series Canopy, Methodist Hospital, Omaha, NE

Advanced Glazings

Customize for maximum light control, comfort, and energy efficiency

The Advanced Glazing Series lets you harness the positive benefits of natural daylight without suffering undesirable effects like excessive heat gain, glare or fading. This complete line of innovative glazing provides maximum design versatility as well as optimum daylighting for multiple applications.







Photovoltaic Glass

Photovoltaic (PV) glass is made of a silicon-based material that improves thermal inner comfort while filtering out UV and infrared radiation. Its semi-transparency reduces the need for artificial lighting, generates power, and provides thermal and sound insulation.



Crystalline Silicon Glass, Massachusetts State House, Boston, MA



Amorphous Silicon Glass, Massachusetts State House, Boston, MA

Electrochromic Glass

This glass is tinted electronically and can be switched from a clear to dark tint with the push of a button. It's programmable to respond to changing sunlight and heat conditions, providing the highest possible solar control without sacrificing views.



U.S. Naval Academy, Philadelphia, PA



Horseshoe Bend Swim & Tennis Club House, Roswell, GA

Translucent **Insulated Glass**

For the highest quality of diffused light, translucent insulated glass converts harsh, direct-beam sunlight into softly diffused light in architectural daylighting projects. With this glass, you can design your desired light level without worrying about excessive heat gain, glare, or fading.



Jamesville-Dewitt High School, DeWitt, NY



Highlands Oncology Group, Rogers, AR

Polycarbonate with Aerogel Fill

Made up of high-performance, lightweight panels, multiwall polycarbonate maintains high clarity with an outstanding balance of impact strength and high light transmission. The Lumira® aerogel fill provides superior insulating capabilities. Made of a dry silica particulate, aerogel is a lightweight insulation that provides beautifully diffused full spectrum daylight.

High-Performance Glass

High-performance Low-E insulated glass options are available as an economical alternative to our other energy-efficient Advanced Glazings. These triple silver coated options are engineered to provide high visible light transmittance while controlling solar heat gain, which is essential for minimizing cooling costs.



Northland Workforce Training Center, Buffalo, NY

Unit Skylights

Versatile unit skylights for any commercial project

VELUX Commercial has a diverse range of unit skylight models for new build or retrofit applications. Numerous glazing options, backed by testing and certification, help you meet regional and code-driven needs. Available in standard and custom sizes and configurations, these quality-engineered unit skylights provide options for increased energy efficiency, to withstand extreme weather (hurricane-rated), and to meet safety and security needs (OSHA-compliant fall protection options).







Dynamic Dome


Light harvesting domes with industry leading strength

The Dynamic Dome unit skylight is an innovative product that balances the structural demands of industry professionals with an architecturally progressive design. It is quality-engineered to catch the sun's angles during low-light periods to harvest more early morning and late afternoon daylight than its competitors. This lets you keep your lights off for longer on sunny and bright cloudy days, allowing a building's electric lights to remain off for nearly an extra hour per day.



Available in 21 standard sizes

- Smooth outer dome transmits 20% more light into the spaces below
- Numerous glazing options to meet regional and code-driven needs
- 100% diffusion/haze
- Industry-best lead times on unit skylights
- Stocked sizes: 4848, 4896, 6060, 6072 and 5060
- Superior moisture management system
- Designed for ease of installation
- Dry installation no caulk or curb tape needed
- Options include hail ratings, hurricane-rated (HVHZ), Miami-Dade NOA-certified, FM Approved, and more
- OSHA-compliant fall protection options
- Competitive Warranty






EcoSky Dome

Thermally efficient unit skylights

EcoSky dome skylights are designed for optimal performance in both hot and cold climates, featuring an infrared-blocking outer dome that minimizes solar heat gain.

EcoSky3 enhances energy efficiency with Lumira® Aerogel-filled multiwall polycarbonate panel laylights, providing exceptional thermal insulation while softly diffusing natural light.



Available in custom or standard sizes

- · Curb-mount and deck-mount models
- Traditional domed and Dynamic Dome models
- NFRC certified, meets IECC requirements in all climate zones
- · Outer dome of Acrylite® Satin Sky 2
 - Infrared blocking, light diffusing and 100% haze white
- EcoSky3 units available with Lumira® Aerogel-filled multiwall polycarbonate panel laylites
 - Improved thermal performance and excellent light diffusion





Traditional Dome Skylights

Classic look in a versatile range of styles

Dome Skylights are availabe as a wide variety of custom unit skylights, with glazing options that include hurricane-resistant. Custom Domes are ideal for visible applications that require a specific size and a classic appearance. Curb-mount units are manufactured to fit outside curb sizes to the nearest 1/4" with a 1/2" clearance on all sides. Available in sizes up to 99" x 147" (inside curb). Deck-mount units are available with an insulated 9", 12" or 16" integral curb (maximum size).



Giant Food Store, Fredericksburg, VA



Tandem and Cluster Systems

A scalable solution for flat roofs

Tandem Systems allows dome assemblies to be combined side by side in a single frame. Domes are separated by a structural purlin that does not require site-built support. Sizes are available up to 8' wide with unlimited lengths.

Cluster Systems allow for the creation of dramatic sky lighting over large enclosures, utilizing site-built structural grid supports on flat roof applications.



Tandem Units



Cluster System, Medical Office Building, San Antonio, TX

Vaulted Skylights

Open up new horizons with vaulted skylights

Available in Standard Rise, Half-Round, and Quarter-Round Vault configurations, the Continuous Vault Systems allow you to push the limits on your vaulted applications. Built on pre-fabricated or site-built curbs intended for flat roofs, each vault system is available with Lumira® aerogel-filled polycarbonate laylites for improved thermal performance and light diffusion.



Embassy Suites, Secaucus, NJ




University of New Mexico, Department of Biology, Albuquerque, NM

Smoke Vent Skylights


Mechanical and gravity-operated systems

When smoke vents are required by code, VELUX offers lightweight double-leaf mechanical smoke vents for fire protection. These domes are FM 4430 approved and exceeds UL 793 listed standards for automatically-operated roof vents for smoke and heat.

Gravity-operated smoke vents are designed to automatically shrink and fall out in case of a fire. The optional ESFR-Rated fusible link-activated release mechanism ensures they only activate once the building reaches a certain temperature. Available in curb-mount and deck-mount models.



Warehouse, Livermore, CA



Gravity-Operated Smoke Vents




Mechanical Smoke Vents

Circular Skylights

Bring your skylights full circle

Circular units are constructed with a vinyl frame and rolled aluminum retainer, reducing condensation and increasing thermal performance by eliminating the need for weep holes. Units are available in six standard sizes with a wide variety of glazing options.





Circular Units, Levy Park Canopy, Houston, TX

Glass Units

Custom sizes up to 35 square feet

Spanning up to 35 square feet, the SkyMax (GSM) is structurally reinforced and features a one-piece extruded vinyl curb with condensation channel eliminating the need for weep holes.

The commercial Fixed Curb-Mounted (FCM) Skylight is great for visually expanding interior spaces. An economical alternative, the FCM Skylight creates a spacious interior filled with natural light.



GSM SkyMax Units



FCM Units, YMCA, Atlanta, GA

Fall Protection

Reinforce your safety measures

Skylights pose an inherent risk, and the safety of others is of the utmost importance to VELUX. We have developed a number of fall protection options to fit your building's needs and enhance long-term safety.

Interior safety screens provide a cost-effective means of protecting the skylight opening during construction and long after construction is complete.

Exterior safety screens provide fall protection for flat roof, domed commercial skylights without damaging your skylight.






CRGA ICD Interior Safety Screen



CRGA SB Interior Security Bars (5" o.c. one direction)



CRGA BB Interior Security Bars (8" o.c. both directions)



CAE Exterior Safety Screens for Dynamic Domes and Custom Units




CAEW/CAEB/CAES Exterior Safety Screens (5" o.c. both directions)

Prefabricated Curbs

An economical, convenient alternative to site-built curbs

Our prefabricated curbs are fully assembled to reduce installation time and cost, eliminating missing parts and the need for field assembly. They are available in insulated and non-insulated models as structural or non-structural.





Aluminum Curb, Insulated Double Wall



CCA3 Steel Curb, Insulated Double Wall



CCA6 Steel Curb, Non-Insulated Single Wall

Sun Tunnel® Skylights

Compact and highly reflective

Available in curb-mount flashing and self-flashed models, commercial Sun Tunnel® skylights bring daylight into small, enclosed or confined spaces where typical daylighting solutions may not be an option.

Sun Tunnel® skylights are designed for flat or low-slope commercial roofing applications. Comprised of a round, highly reflective light shaft, Sun Tunnel skylights are a costeffective method for transferring daylight through the roof.







Sun Tunnel® skylights

Take it from the top... VELUX SunCurve

The SunCurve is designed to capture sunrays that would normally pass through the dome, and directs them down the tunnel instead.









Mid-day

Bring daylight into any interior spacee

The high-tech, efficient and easy to assemble light shaft systems provide an ideal solution for any application. VELUX Sun Tunnel® skylights provide greater cost savings as the length of the light shaft increases.





Flashing & Dome Types







TCC Curb-mounted 14" or 22"

TMC Pitched self-flashed 14"

Diffuser Assembly Type






THC Hard ceiling 22" for drywall

THC Hard ceiling 14" for drywall



TTC Round to square assembly for suspended ceiling



TOC Open ceiling

Diffuser Material



Frosted Frosted diffusers offer a combination of performance and aesthetics.



 $\textbf{Prismatic} \ \textbf{The industry standard prismatic diffusers}$ provide good light distribution with the look and feel to match existing architectural design.



Fresnel Fresnel diffusers utilize a concentric pattern of parabolic prisms that provide superior $% \left(1\right) =\left(1\right) \left(1\right) \left($ light diffusion.

Trusted for over 80 years for daylighting innovation, VELUX® offers an expansive commercial skylight product line to meet the aesthetic and performance specifications that transform and elevate your commercial projects.

By creating brighter, healthier, more sustainable places to live, work, learn, and play, we enable a better everyday life for people worldwide. We work globally, with sales and manufacturing operations in more than 40 countries and around 11,500 employees worldwide. The VELUX Group is owned by VKR Holding A/S, a limited company wholly owned by non-profit, charitable foundations (THE VELUX FOUNDATIONS) and family.

For more information, visit commercial.veluxusa.com.

VELUX America LLC 104 Ben Casey Drive Fort Mill, SC 29708

commercialteam@velux.com 800-888-3589