



FASTENERS & PLATES

SYSTEM ACCESSORIES

Versico offers a wide variety of fasteners and plates to enhance our roofing systems. From pre-assembled choices for VersiGard® installations to Purlin fasteners for Metal Retrofit Systems and HPVX plates for VersiWeld® options, our focus is to provide all components necessary for the application of a long-lasting, single-ply roofing system from Versico.

PRODUCT	DECK TYPE	USAGE	DESCRIPTION	SIZE	PACKAGING	
					SIZE	# PER CTN
 HPV Fastener	Steel (22 gauge & heavier) Wood Plank Decks CDX Plywood	VersiGard Membrane, Insulation Securement, RTS	• #3 Square Drive Recess • Flat Wafer Style Head and Buttfress Threads • Mini Drill Point	• 1¼", 2"– 15" (1" Increments) • <i>Longer Fastener Sizes Available As Special Order</i>	1¼" 2"– 6" 7"– 12" 13"– 15"	1000 1000 500 250
 Insultite	Wood Decks Steel (22 gauge & heavier)	Insulation Only	• #3 Phillips Head • Deep Buttfress Threads	• 1⅝", 2¼" • 3"– 8" (1" Increments)	1⅝", 2¼" 3"– 8"	1000 1000
 GypTec Fastener	Cementitious Wood Fiber Lightweight Concrete Gypsum	VersiGard, VersiFlex™ & VersiWeld Membranes, Insulation Securement	• ¼" Square Drive • Glass Filled Nylon Fastener	• 2½"– 10" (½" Increments)	2½"– 7" 7½"– 10"	500 250
GypTec Plate (not shown) 1000/ctn 2" Steel Plate for Membrane Attachment 3" Steel Plate for Insulation Attachment						


VERSICO

A SINGLE SOURCE FOR SINGLE-PLY ROOFING

Versico PO Box 1289, Carlisle, PA 17013
Tel: **800.992.7663** Fax: 717.960.4036 Web: **www.versico.com**



FASTENERS & PLATES

PRODUCT	DECK TYPE	USAGE	DESCRIPTION	SIZE	PACKAGING	
					SIZE	# PER CTN
MP 14-10 Fastener 	Structural Concrete Steel CDX Plywood Wood Plank	VersiGard, VersiFlex, VersiWeld Membranes Securement over Wood & Concrete Decks, Insulation Securement Over Steel Decks	#3 Phillips - Truss Head	2"– 12" (1" Increments) 14"– 24" (2" Increments)	2"– 4"	1000
					5"– 11"	500
					12"– 24"	250
HP Lite Deck Fasteners 	Cementitious Wood Fiber Lightweight Concrete Gypsum	VersiGard and VersiWeld Membranes Insulation Only	Threaded Oversize Diameter Fastener with #3 Square Drive	2 5/8", 3", 4" 5"– 8" (1" Increments) 9"– 12" (1" Increments)		500
						250
						125
HPVX Fastener 	Steel Wood Decks CDX Plywood	VersiGard, VersiWeld & VersiFlex Membranes	#3 Phillips - Truss Head - Buttress Threads - Mini-Drill Point	2"– 12" (1" Increments) 14"– 16"	2"– 4"	1000
					5"– 12"	500
					14"– 16"	250
HPV-XL Fastener 	Steel Wood Decks CDX Plywood	VersiGard, VersiWeld & VersiFlex Membranes	#3 Phillips Oversized Truss Head - Buttress Threads - Mini-Drill Point	2"– 8" (1" Increments)	2"– 6"	500
					7", 8"	250
CD 10 Nail-In Fastener 	Concrete Decks	VersiGard, VersiFlex and VersiWeld Membranes, & Insulation Securement	- Hammer Driven - Compression Type Fastener - Diamond Point For Easy Installation	2"– 6" (1/2" Increments) 7"– 12" (1" Increments)	2"– 8"	500
					9"– 12"	250

SYSTEM ACCESSORIES

PRODUCT	DECK TYPE	USAGE	DESCRIPTION	SIZE	PACKAGING	
					SIZE	# PER CTN
Purlin Fasteners 	Structural Steel Purlin (12 gauge max.)	VersiGard, VersiFlex and VersiWeld Metal Retrofit Membrane Securement	• ¼" Hex Head • Elongated Self-Drilling Point • Use with HPVX or Insulation Fastening Plates	• 3" – 5" (1" Increments) • 6¼", 7¼"	3" – 7¼"	500
Zinc Nail-In Anchors 	Concrete Brick Block Walls	VersiGard, VersiFlex and VersiWeld Membranes & Insulation Securement	• Zinc Plated Steel Pin with a Zinc Alloy Outer Body	• 1¼" x ¼"		1000
Insultite ASAP 	Steel Wood Decks	Insulation Only	• #3 Phillips Head • Buttfress Threads • Insultite Fastener • Pre-Assembled with Plastic Insulation Plate	• 2¼", 3"– 8" (1" Increments) • 9"–14" <i>Available As Special Order</i>	2¼"– 8"	250
HPV ASAP 	Steel Wood Decks CDX Plywood	VersiGard Membrane Securement	• #3 Square Drive • Wafer Style Head • Buttfress Threads • Mini Drill Point • Pre-assembled HPV Fastener with Polymer Seam Plate	• 2"–12" (1" Increments) • <i>Longer Fastener Sizes Available As Special Order</i>	2" 3" 4", 5" 6" 7", 8" 9" 10"– 12"	500 450 400 350 300 250 200
HPVX ASAP 	Steel Wood Decks CDX Plywood	VersiWeld & VersiFlex Membranes	• #3 Phillips Truss Head • Buttfress Threads • Mini-Drill Point • Pre-Assembled with HPVX Plate	• 2"– 10" (1" Increments) • 12"– 16" (2" Increments)	2"– 9" 10"– 12" 14"– 16"	250 200 150



FASTENERS & PLATES

SYSTEM ACCESSORIES

PRODUCT	USED WITH	USAGE	DESCRIPTION	SIZE	PACKAGING
					# PER CTN
HPVX-Plate 	HPVX Fastener	VersiWeld and VersiFlex Membranes, Steel, Concrete, Wood	20 Gauge Metal Plate with Reinforcing Ribs and 12 "Gripping Teeth"	• 2 3/8" (Diameter)	1000
HPV-XL Plate 	HPV-XL Fastener	VersiWeld and VersiFlex Membranes, Steel	20 Gauge Metal Plate with Reinforcing Ribs and 12 "Gripping Teeth" - Oversized Hole to Accommodate HPV-XL Fastener	• 2 3/8" (Diameter)	1000
Polymer Seam Plate 	HPV Fastener	VersiGard Membrane Mechanically Attached Systems, RTS Attachment	Round Nylon Plate with 16 Barb Profile on Underside	• 2" (Diameter)	1000
Seam Fastening Plate 	HPV Fastener MP14-10, CD-10	VersiGard Membranes Mechanically Attached Systems, (Excluding Steel Decks), RTS Attachment (Excluding Mechanically Attached Systems Over Steel Decks)	20 Gauge, Round Metal Plate with Aluminized Coating	• 2" (Diameter)	1000
Insulation Fastening Plate 	Insul-Tite	Insulation Only Standard Heavy-Duty CD-10 Fluted Nail, Steel, Wood, Concrete	26 Gauge - Round Metal Plate with Aluminized Coating	• 3"	1000
Oval Barbed Plate 	HPVX Fastener	VersiFlex and VersiFlex-E Membranes, Mechanically Attached Systems, Metal, Wood, Concrete, Steel	8-gauge - GALVALUME® corrosion-resistant metal barbed plate	• 1.5" x 2.75"	500

