

Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																			
																				
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality					
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance	
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS	
EPDM THERMOSET MEMBRANE ROOFING																				
VERSIGARD NON - REINFORCED EPDM																				
VERSIGARD REINFORCED EPDM																				
VERSIGARD QA (QUICK-APPLIED) REINFORCED EPDM																				
VERSIGARD NON-REINFORCED WHITE EPDM																				
VERSIGARD WHITE QA (QUICK-APPLIED) NON-REINFORCED EPDM																				
VERSIGARD QA (QUICK-APPLIED) NON-REINFORCED EPDM																				
VERSIFLEECE AC EPDM																				
VERSIFLEECE WHITE AC EPDM																				
VERSIFLEECE RL™ EPDM																				

Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
																			
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2		
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
THERMOPLASTIC MEMBRANE ROOFING																			
VERSIWELD TPO				✓					✓	✓	✓	✓		✓		✓			✓
VERSIWELD QA (QUICK-APPLIED) TPO				✓					✓			✓		✓		✓			✓
VERSIFLEECE TPO				✓					✓			✓		✓		✓			✓
VERSIFLEECE AC TPO				✓					✓			✓		✓		✓			✓
VERSIFLEECE RL TPO				✓					✓			✓		✓		✓			✓

Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
																			
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2		
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
PVC MEMBRANE ROOFING																			
VERSIFLEX PVC				✓					✓	✓	✓	✓		✓		✓			✓
VERSIFLEX KEE HP				✓					✓	✓	✓	✓		✓		✓			✓
VERSIFLEECE PVC				✓					✓		✓	✓		✓		✓			✓
VERSIFLEECE KEE HP				✓					✓		✓	✓		✓		✓			✓
VERSIFLEECE RL PVC				✓					✓		✓	✓		✓		✓			✓

Rating System and Version		LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
																				
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality					
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance	
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS	
THERMAL INSULATION																				
POLYISOCYANURATE INSULATION GLASS REINFORCED FELT (GRF) FACERS																				
VERSICORE																				
VERSICORE NH																				
VERSICORE RL™																				
POLYISOCYANURATE INSULATION COATED GLASS FACERS (CGF)																				
SECURSHIELD®																				
SECURSHIELD NH																				
SECURSHIELD RL																				
EXPANDED POLYSTYRENE (EPS)																				
INSULFOAM FLAT																				
HIGH-DENSITY POLYISOCYANURATE COVER BOARDS																				
VERSICORE HD																				
SECURSHIELD HD																				
SECURSHIELD HD PLUS																				
SECURSHIELD HD RL																				
COMPOSITE COVER BOARDS																				
SECURSHIELD HD COMPOSITE (HD POLYISO & POLYISO)																				
DURAFACER COMPOSITE (OSB & POLYISO)																				
SECURSHIELD HD EPS COMPOSITE (HD POLYISO & EXPANDED POLYSTYRENE)																				

																			
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2		
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS

VEGETATED ROOF SYSTEMS

CCW 300HV PROTECTION COURSE																			
CCW 200V PROTECTION COURSE																			
ROOT BARRIER																			
MIRADRAIN G4																			
MIRADRAIN 9800																			
MIRADRAIN IDB																			
HYDRO-BLANKET D13																			
ENGINEERED GROWTH MEDIA																			
SEDUM PLUGS																			
SEDUM TILES																			
SEDUM MATS																			
ALUMINUM DRAIN BOX																			
ALUMINUM EDGE																			
EASY BEND ALUMINUM EDGE																			
STAINED GLASS STONE																			

VEGETATED ROOF SYSTEMS (CONTINUED)

Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2		
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
HYDROPACK PRE-GROWN TRAY	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
GREENGRID PRE-GROWN TRAY	✔	✔	✔	✔	✔	✔	✔	✔	✔			✔		✔		✔			✔
HANOVER PREST PAVERS		✔	✔	✔	✔	✔	✔		✔			✔		✔		✔			✔
HANOVER GUARDIAN PAVERS		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
HANOVER PEDESTAL PAVERS		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
HANOVER HIGH TAB PEDESTALS		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
HANOVER EPDM PEDESTALS		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
HANOVER COMPENSATOR		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
HANOVER PORCELAIN PAVERS		✔	✔	✔	✔	✔	✔		✔			✔		✔		✔			✔
SUNNY BROOK CONCRETE PAVERS		✔	✔	✔	✔	✔	✔		✔			✔		✔		✔			✔
WAUSAU CONCRETE PAVERS		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
WESTILE CONCRETE PAVERS		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
MRP ADJUSTABLE SUPPORTS		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
RUBBER PAVERS		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
RUBBER PAVER EDGE RESTRAINT		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔
RUBBER PAVER EASY-BEND EDGE RESTRAINT		✔	✔		✔	✔	✔		✔			✔		✔		✔			✔

Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																			
																				
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality					
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance	
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS	
ADHESIVES, PRIMERS, CLEANERS, FASTENERS																				
G200SA EPDM BONDING ADHESIVE																				
AQUA BASE 120 BONDING ADHESIVE																				
CAV-GRIP 3V ADHESIVE/PRIMER																				
CAV-GRIP PVC ADHESIVE																				
CD-10																				
COLD APPLIED ADHESIVE																				
EPDM x-23 LOW-VOC BONDING ADHESIVE																				
FLEXIBLE DASH ADHESIVE																				
GYPTEC FASTENER & PLATE																				
MP 14-10																				
HPV FASTENER																				
HPV POLYMER SEAM PLATE																				
HPV PRE-ASSEMBLED																				
V-150 PRIMER																				
HPVX ASAP																				

ADHESIVES, PRIMERS, CLEANERS, FASTENERS (CONTINUED)

Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2		
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
HPVX FASTENER™ & HPV-XL FASTENER												✔							
HYDROBOND PVC WATER-BASED ADHESIVE														✔	✔				
LOW-VOC BONDING ADHESIVE														✔	✔				
LOW VOC EPDM AND TPO PRIMER														✔	✔				
LOW-VOC PVC BONDING ADHESIVE														✔	✔				
LOW-VOC PVC STEP 1 ACTIVATOR														✔	✔				
LOW-VOC PVC STEP 2 PRIMER														✔	✔				
ONE-PART POURABLE SEALER (BLACK/WHITE)														✔	✔				
HPVX PLATE												✔							
EPDM QUICK-APPLIED SEAM TAPE														✔	✔				
PVC AND KEE HP MEMBRANE CLEANER														✔	✔				
PVC CUT-EDGE SEALANT														✔	✔				
PVC STEP 2 PRIMER														✔	✔				
RHINOBOND® PLATE												✔							
SEAM FASTENING PLATE												✔							
G300 LAP SEALANT														✔	✔				
VERSIWELD TPO BONDING ADHESIVE														✔					

ADHESIVES, PRIMERS, CLEANERS, FASTENERS (CONTINUED)

Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2		
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
WHITE LAP SEALANT														✓	⚙️				
TPO CLEAR CUT EDGE SEALANT														✓	⚙️				
TPO PRIMER (STANDARD AND LOW-VOC)*														✓	⚙️				
UNIVERSAL SINGLE-PLY SEALANT														✓	⚙️				
WATER CUT-OFF MASTIC														✓	⚙️				
WEATHERED MEMBRANE CLEANER														✓	⚙️				
WHITE ONE-PART SEALANT														✓	⚙️				

Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																		
																			
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2		
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
AIR & VAPOR BARRIERS																			
VAPAIR SEAL 725																			
VAPAIR SEAL MD																			
VAPAIR SEAL FLASHING FOAM																			
SUREMB 90 BASE																			
SUREMB 90TG BASE																			
SUREMB 120TG																			

Rating System and Version	LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																			
																				
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality					
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance	
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2			
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS	
ROOF COATINGS																				
X-TENDA COAT CLASSIC ACRYLIC COATING																				
X-TENDA COAT XTRA SILICONE COATING																				

Rating System and Version		LEED® V4 & V4.1 - Product Reference Guide For Green Building Rating Systems																	
																			
Credit Category	SS - Sustainable Sites							WE - Water Efficiency	EA - Energy and Atmosphere	MR - Materials and Resources					EQ - Indoor Environmental Quality				
Credit Description	Site Development – Protect or Restore Habitat	Open Space	Rainwater Management	Heat Island Reduction	Site Master Plan	Places of Respite	Direct Exterior Access	Outdoor Water Use Reduction Direct Exterior Access	Optimize Energy Performance	Construction & Demolition Waste Management Planning	Building Product Disclosure and Optimization – Environmental Product Declarations	Building Product Disclosure and Optimization – Sourcing of Raw Materials	Building Product Disclosure and Optimization – Material Ingredients	PBT Source Reduction - Lead, Cadmium And Copper	Low-Emitting Materials	Thermal Comfort	Daylight	Quality Views	Acoustic Performance
	Option 1		Option1	Option 1 & 2				Option 1 & 2	Option 1 & 2		Option 1	Option 1 & Option 2	Option 1			Option 1 & 2	Option 1 & 2		
LEED Point Contribution	Up to 2 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	1 PT	1 PT	1 PT	Prerequisite	Up to 20 PTS	Prerequisite	Up to 2 PTS	Up to 2 PTS	Up to 2 PTS	1 PT	Up to 3 PTS	1 PT	Up to 3 PTS	Up to 2 PTS	Up to 2 PTS
SKYLIGHTS																			
SUNPATH																			
SUNWELD PLUS																			



A SINGLE SOURCE FOR SINGLE-PLY ROOFING
800.992.7663 • www.versico.com