

Showcase Your Space With GFRG Access Panels

Stealth Access Panels are Glass Fiber Reinforced Gypsum (GFRG) ceiling and wall access panels that are designed to blend seamlessly into any drywall ceiling or wall where periodic access is required.

The panels consist of a surround frame with pre-drilled/spotted fastener holes and a drop-in door (for ceiling access) or a hinged door with a latching mechanism (for wall applications).

The hinged models offer 3 different styles of latching mechanisms (Lock-Latch, Touch Latch, or Keyless/Cam-Latch) depending on the ease of access desired.

Ideal for use in both New Construction and Retrofit Construction projects, Stealth Access Panels are available in Commercial or Residential models for Interior projects in a wide range of stock sizes as well as a host of special-order custom size configurations.

Residential models incorporate an energy-saving gasket seal that keeps air from passing through and keeps attic temperatures from infiltrating the living space.

Wind-lock also offers Exterior (FRP) models, talk to your Sales Rep for more information.


If you think Stealth Access Panels could benefit your next project, please contact us today at 800-872-5625 or email us at StealthPanels@wind-lock.com




Features & Benefits:

- Tapered Edge Frame
- Easily Textured & Paintable
- Lightweight
- Blends with Surrounding Drywall
- No Shrinkage
- No Cracking After Install
- New Construction or Retrofit Jobs
- Reduces Labor Costs

Commercial



Residential



Job Name: _____

Company Name: _____

Main Contact for Project: _____

Date Panels Are Needed: _____

Estimated Duration of Job: _____

Approved By: _____

COMMERCIAL PANELS

| New Part Code | Door/Access Opening (in) | Rough/Frame Opening (in) | Description | Door/Access Corner Style | Stock Status/Notes | QTY to Order |
|---------------|--------------------------|--------------------------|-------------------|--------------------------|-----------------------------------|--------------|
| AP-DR0909 | 9x9 | 15x15 | Standard, Drop in | Radius | Standard Stock | |
| AP-DR1212 | 12x12 | 18x18 | Standard, Drop in | Radius | Standard Stock | |
| AP-DR1616 | 16x16 | 22x22 | Standard, Drop in | Radius | Standard Stock | |
| AP-DR1818 | 18x18 | 24x24 | Standard, Drop in | Radius | Standard Stock | |
| AP-DR2424 | 24x24 | 30x30 | Standard, Drop in | Radius | Standard Stock | |
| AP-DR3636 | 36x36 | 42x42 | Standard, Drop in | Radius | Standard Stock (Supplies Limited) | |
| AP-DS0909 | 9x9 | 15x15 | Standard, Drop in | Square | Special Order Item | |
| AP-DS1212 | 12x12 | 18x18 | Standard, Drop in | Square | Special Order Item | |
| AP-DS1616 | 16x16 | 22x22 | Standard, Drop in | Square | Special Order Item | |
| AP-DS1818 | 18x18 | 24x24 | Standard, Drop in | Square | Special Order Item | |
| AP-DS2424 | 24x24 | 30x30 | Standard, Drop in | Square | Special Order Item | |


RESIDENTIAL PANELS

| Wind-lock Part Code | Door/Access Opening (in) | Rough/Frame Opening (in) | Description | Door/Access Corner Style | Stock Status/Notes | QTY to Order |
|---------------------|--------------------------|--------------------------|-------------------------------|--------------------------|---------------------|--------------|
| AP-DR2230 | 22x30 | 28x36 | Residential (includes gasket) | Radius | Standard Stock Item | |
| AP-DR3030 | 30x30 | 36x36 | Residential (includes gasket) | Radius | Standard Stock Item | |


****Additional Cut Sheets with the specific panel demensions listed above available upon request****

****For LEED information please contact your Stealth Sales Representative****


Key-Latch



Touch Latch



Keyless-Latch



Job Name: _____

Company Name: _____

Main Contact for Project: _____

Date Panels Are Needed: _____

Estimated Duration of Job: _____

Approved By: _____

HINGED: KEY-LATCH

| New Part Code | Door/Access Opening (inches) | Rough/Frame Opening (inches) | Description | Door/Access Corner Style | Stock Status/Notes | QTY to Order |
|---------------|------------------------------|------------------------------|------------------|--------------------------|--------------------|--------------|
| AP-HRK0909 | 9x9 | 15x15 | Standard, Hinged | Radius | Standard Stock | |
| AP-HRK1212 | 12x12 | 18x18 | Standard, Hinged | Radius | Standard Stock | |
| AP-HRK1616 | 16x16 | 22x22 | Standard, Hinged | Radius | Standard Stock | |
| AP-HRK1818 | 18x18 | 24x24 | Standard, Hinged | Radius | Standard Stock | |
| AP-HRK2424 | 24x24 | 30x30 | Standard, Hinged | Radius | Standard Stock | |

HINGED: TOUCH LATCH

| New Part Code | Door/Access Opening (inches) | Rough/Frame Opening (inches) | Description | Door/Access Corner Style | Stock Status/Notes | QTY to Order |
|---------------|------------------------------|------------------------------|------------------|--------------------------|--------------------|--------------|
| AP-HRT0909 | 9x9 | 15x15 | Standard, Hinged | Radius | Special Order Item | |
| AP-HRT1212 | 12x12 | 18x18 | Standard, Hinged | Radius | Special Order Item | |
| AP-HRT1616 | 16x16 | 22x22 | Standard, Hinged | Radius | Special Order Item | |
| AP-HRT1818 | 18x18 | 24x24 | Standard, Hinged | Radius | Special Order Item | |
| AP-HRT2424 | 24x24 | 30x30 | Standard, Hinged | Radius | Special Order Item | |


HINGED: KEYLESS-LATCH (No Lock)

| New Part Code | Door/Access Opening (inches) | Rough/Frame Opening (inches) | Description | Door/Access Corner Style | Stock Status/Notes | QTY to Order |
|---------------|------------------------------|------------------------------|------------------|--------------------------|--------------------|--------------|
| AP-HRC0909 | 9x9 | 15x15 | Standard, Hinged | Radius | Special Order Item | |
| AP-HRC1212 | 12x12 | 18x18 | Standard, Hinged | Radius | Special Order Item | |
| AP-HRC1616 | 16x16 | 22x22 | Standard, Hinged | Radius | Special Order Item | |
| AP-HRC1818 | 18x18 | 24x24 | Standard, Hinged | Radius | Special Order Item | |
| AP-HRC2424 | 24x24 | 30x30 | Standard, Hinged | Radius | Special Order Item | |


****Additional Cut Sheets with the specific panel dimensions listed above available upon request****

****For LEED information please contact your Stealth Sales Representative****


Touch Latch



Key-Latch



Keyless-Latch



Job Name: _____

Company Name: _____

Main Contact for Project: _____

Date Panels Are Needed: _____

Estimated Duration of Job: _____

Approved By: _____

****PLEASE NOTE: LEAD-TIME & PRICING SUBJECT TO MOLD CREATION (IF NECESSARY) AND CAN VARY BY SIZE, STYLE, QUANTITY AND DESIRED DELIVERY DESTINATION****

CUSTOM DROP-IN/CEILING PANELS

| Door/Access Opening (inches, AxB) | Door/Access Corner Style (Radius or Square) | QTY to Order |
|--------------------------------------|---|--------------|
| | | |
| | | |
| | | |
| | | |
| | | |

CUSTOM HINGED PANELS: TOUCH LATCH

| Door/Access Opening (inches, AxB) | Door/Access Corner Style (Radius or Square) | QTY to Order |
|--------------------------------------|---|--------------|
| | | |
| | | |
| | | |
| | | |
| | | |

CUSTOM HINGED PANELS: KEY-LATCH

| Door/Access Opening (inches, AxB) | Door/Access Corner Style (Radius or Square) | QTY to Order |
|--------------------------------------|---|--------------|
| | | |
| | | |
| | | |
| | | |
| | | |

CUSTOM HINGED PANELS: KEYLESS-LATCH (No Lock)

| Door/Access Opening (inches, AxB) | Door/Access Corner Style (Radius or Square) | QTY to Order |
|--------------------------------------|---|--------------|
| | | |
| | | |
| | | |
| | | |
| | | |

****Custom Molds are good for up to 6 months from the date they are produced; any mold older than 6 months may be subject to a second charge for the creation of a new mold****

****Additional Cut Sheets with the specific panel dimensions listed above available upon request****

****For LEED information please contact your Stealth Sales Representative****

Installing the Stealth Access Panel Frame:



1. Frame out location of the panel.



2. Affix panel frame by screwing it into ceiling frame using pre-marked divots.



3. Hang drywall around the panel frame.

Finishing After Drywall Installation:



1. Apply drywall mud base, covering seams and screws.



2. Apply drywall tape, also covering seams and screws.



3. Smooth drywall tape and compound with a tapping knife.



4. Apply second layer of mud and smooth with a tapping knife.



5. Once dry, smooth tape joints and install your panel door.