

SAFETY DATA SHEET

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product: 1250-WHITE Part Number: 3112500

Manufacturer: W. R. MEADOWS INC. Address: 300 Industrial Drive

Hampshire, Illinois 60140

Telephone: (847) 214-2100 In case of emergency, dial (800) 424-9300 (CHEMTREC)

Revision Date: 2/14/2023

Product Use: Concrete Curing Compound

SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS

Avoid direct contact.

Avoid of inhalation of mists/vapors.

SECTION 3: HAZARDOUS COMPONENTS

	CAS	% by	SARA	Vapor Pressure	LEL
Chemical Name:	<u>Number</u>	Weight	<u>313</u>	(mm Hg@20°C)	<u>(@25°C)</u>
1. Light Aromatic Naphtha	64742-95-6	1-5	No	2.1	1
2. Titanium Dioxide	13463-67-7	1-5	No	N/A	N/A

N/A = Not Applicable

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Immediately flush eyes with water for fifteen minutes. If symptoms persist, seek medical attention. **SKIN CONTACT:** Remove contaminated shoes/clothing. Wipe excess from skin and wash with soap if available. Seek

medical attention if irritation persists. Do not use clothing until thoroughly decontaminated.

INHALATION: Remove victim to fresh air and treat symptomatically. Seek medical attention if symptoms persist.

INGESTION: Do not induce vomiting. If vomiting spontaneously occurs, keep the victim's head below the hips to prevent

lung aspiration. Seek immediate medical attention.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

SECTION 5: FIRE AND EXPLOSIVES HAZARDS

FLASHPOINT: >210 °F

EXTINGUISHING MEDIA: Water fog, foam, dry chemical, or carbon dioxide.

CHEMICAL/COMBUSTION HAZARDS: Carbon dioxide, carbon monoxide, and incomplete combustion products. PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Avoid smoke inhalation. Personal protective equipment should include helmet, face shield, bunker coat, gloves, rubber boots, and a positive pressure NIOSH-approved self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Evacuate unauthorized personnel from spill area. Wear appropriate personal protective equipment. Shut off source of spill if safe to do so. Dike and contain. Recover free product and soak up residue with an absorbent, such as clay or other suitable material. Place in non-leaking containers for proper disposal. Flush area to remove trace residues. Dispose of flush solutions as above.

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING PROCEDURES: Avoid direct contact.

SAFE STORAGE: Keep containers closed when not in use. Prevent product from freezing.

		SAF	ETY DAT	A SHEI	ΕT			
Date of Preparation: 2/			Page 2 o					3112500
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION								
Chamical Name	DEL	OSHA		CIZINI	- 1.4.4		CGIH	CIZINI
Chemical Name:	PEL N/E	PEL/CEILING	PEL/STEL	SKIN N/F	TWA	TLV/CEILING	TLV/STEL	SKIN N/F
1. Light Aromatic Naphtha	N/E	N/E	N/E	N/E	N/E	N/E N/A	N/E	N/E
2. Titanium Dioxide* *: This mat	N/A orial is in sol	N/A	N/A	N/A	N/A	oduct is dried and	N/A abradod	N/A
. IIIIs IIIat		Not Applicable		ot Establish		duct is uried and	abraueu.	
ENGINEERING CONTROLS: None required under normal use conditions.								
PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, chemical-resistant gloves.								
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES								
BOILING POINT: 212 °F		VAPOR DENSIT	Γ Y: > 1 (Air=1)		% VOLATILE BY \	/OLUME: N/E	
VAPORATION RATE: <1 (Ether =1) pH LEVEL: 8.50 % VOLATILE BY WEIGHT: 83 (Approxim					proximate)			
WEIGHT PER GALLON: 8.40 PRODUCT APPEARANCE: White Liquid VOC CONTENT: 193 g/L								
ODOR: Mild Organic		ODOR THRESH	OLD: N/D			MELTING/FREEZ	ING POINT: N/	D
FLASH POINT: See Section 5		FLAMMABILIT	Y : N/D			UEL/LEL: N/D		
VAPOR PRESSURE: N/D	·							
·	ARTITION COEFFICENT: N/D AUTOIGNITION TEMPERATURE: N/D DECOMPOSITION TEMPERATURE: N/D					RE: N/D		
VISCOSITY: N/D		,	Not Determine		TI\ //T\/	N/E = N	ot Established	
CTARILITY, Ctable		HAZARDOUS P	10: STABILI					
STABILITY: Stable.	TO AVOID.		_	ION: WIII	not occi	ır.		
CONDITIONS AND MATERIALS HAZARDOUS DECOMPOSITION		_						
HAZARDOOS DECOMPOSITIO		SECTION 11: 1		CAL INFO	ORMATI	ION		
EYE CONTACT: Direct contact							irritation.	
SKIN CONTACT: Direct contact	-				,, , , , , , , , , , , , , , , , , , , ,	,		
INHALATION: Not expected to be an exposure pathway under normal use conditions.								
INGESTION: Not expected to								
SIGNS AND SYMPTOMS: Sym	ptoms of ey	e irritation inclu	de pain, teari	ng, rednes	s, and sw	velling. Symptom	s of skin	
irritation include reddening, sv	-		•	•			-	
chest discomfort, shortness of	breath, and	reduced lung fu	unction. Symp	otoms of g	gastrointe	estinal irritation ir	ıclude	
sore throat, abdominal pain, nausea, vomiting, and diarrhea.								
AGGRAVATED MEDICAL CONI		-						
OTHER HEALTH EFFECTS: Nor	ie recognize		- FCOLOCIC	AL INICO	DA ATIO	N1		
ECOTOXICITY: N/E		SECTION 12:	RADABILITY:			N OACCUMULATIVE	DOTENTIAL	1/5
SOIL MOBILITY: N/E		OTHER ADVE		•	ы		: POTENTIAL: N : Established	I/E
SOIL WIODILITY. N/L		SECTION 13: V			ORMAT	,	LStublisheu	
WASTE DISPOSAL INFORMAT					OMMAI	ION		
		ECTION 14: TI			ORMAT	TION		
HAZARDOUS/NON-HAZARDO					_			
UN NUMBER: None.		AZARD CLASS:			PACKI	NG GROUP: None	e.	
UN PROPER SHIPPING NAME:								
ENVIRONMENTAL HAZARDS:	Not applica	ble.						
BULK TRANSPORTATION INFO		-		in bulk co	nfiguratio	on.		
SPECIAL PRECAUTIONS: F	rotect prod	uct from freezin	g.					

SECTION 15: REGULATORY INFORMATION

OTHER REGULATORY CONSIDERATIONS: None.

SAFETY DATA SHEET

Date of Preparation:	2/14/23	Page 3 of 3	3112500
		SECTION 16: OTHER INFORMATION	
PREPARATION DATE:	2/14/2023		
PREPARED BY:	Dave Carey		

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.