




SAFETY DATA SHEET

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product: 2245-WHITE **Part Number:** 3022450
Manufacturer: W. R. MEADOWS, INC. **Address:** 300 Industrial Drive
Hampshire, Illinois 60140
Telephone: (847) 214-2100 **In case of emergency, dial (800) 424-9300 (CHEMTREC)**
Revision Date: 5/7/2024
Product Use: Concrete Curing Compound

SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS

HMIS		HAZARD STATEMENTS	
		WARNING!	
Health		Flammable liquid/vapor. (Category 3)	
Flammability		Harmful if inhaled. (Category 4)	
Reactivity		May be harmful if swallowed and enters airway. (Category 2)	
Personal Protection		Prolonged/repeated contact may cause	
		organ damage. (Category 2)	
		PRECAUTIONARY STATEMENTS	
		Avoid direct contact.	
		Avoid of inhalation of mists/vapors.	
		Keep containers closed when not in use/Avoid ignition sources.	
		Store in well-ventilated location. For outdoor use or in well-ventilated locations.	
		Wear appropriate personal protective equipment.	

SECTION 3: HAZARDOUS COMPONENTS

Chemical Name:	CAS Number	% by Weight	SARA 313	Vapor Pressure (mm Hg@20°C)	LEL (@25°C)
1. Light Aromatic Naphtha	64742-95-6	10-15	No	2.1	1
2. Titanium Dioxide	13463-67-7	1-5	No	N/A	N/A
3. 1,2,4-Trimethyl Benzene	95-63-6	1-5	Yes	N/A	0.9
N/A = Not Applicable					

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Immediately flush eyes with water for fifteen minutes. If symptoms persist, seek medical attention.
SKIN CONTACT: Remove contaminated shoes/clothing. Wipe excess from skin and wash with soap if available. Seek medical attention if irritation persists. Do not use clothing until thoroughly decontaminated.
INHALATION: Remove victim to fresh air and treat symptomatically. Seek medical attention if symptoms persist.
INGESTION: Do not induce vomiting. If vomiting spontaneously occurs, keep the victim's head below the hips to prevent lung aspiration. Seek immediate medical attention.
MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

SECTION 5: FIRE AND EXPLOSIVES HAZARDS

FLASHPOINT: 128 °F (Closed Cup Method 1010)
EXTINGUISHING MEDIA: Water fog, foam, dry chemical, or carbon dioxide.
CHEMICAL/COMBUSTION HAZARDS: Carbon dioxide, carbon monoxide, and incomplete combustion products.
PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Avoid smoke inhalation. Personal protective equipment should include helmet, face shield, bunker coat, gloves, rubber boots, and a positive pressure NIOSH-approved self-contained breathing apparatus.

SAFETY DATA SHEET

Date of Preparation: 5/7/24			Page 2 of 3			3022450		
SECTION 6: ACCIDENTAL RELEASE MEASURES								
SPILL OR LEAK PROCEDURES: Evacuate unauthorized personnel from spill area. Remove ignition sources. Wear appropriate personal protective equipment. Shut off source of spill if safe to do so. Dike and contain. Recover free product and soak up residue with an absorbent such as clay or other suitable material. Place in non-leaking containers for proper disposal. Flush area to remove trace residues. Dispose of flush solutions as above.								
SECTION 7: HANDLING AND STORAGE								
SAFE HANDLING PROCEDURES: Avoid direct contact.								
SAFE STORAGE: Keep containers closed when not in use. Prevent product from freezing. Keep away from ignition sources.								
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION								
OSHA					ACGIH			
Chemical Name:	PEL	PEL/CEILING	PEL/STEL	SKIN	TWA	TLV/CEILING	TLV/STEL	SKIN
1. Light Aromatic Naphtha	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E
2. Titanium Dioxide*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3. 1,2,4-Trimethyl Benzene	25 ppm	N/E	N/E	N/E	25 ppm	N/E	N/E	N/E
This material is in solution. No exposure is anticipated unless the product is dried/abraded. N/A = Not Applicable, N/E = Not Established								
ENGINEERING CONTROLS: Use with adequate ventilation. Use explosion-proof equipment as required.								
PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, chemical-resistant gloves.								
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES								
BOILING POINT: 212 °F			VAPOR DENSITY: > 1 (Air=1)			% VOLATILE BY VOLUME: N/E		
EVAPORATION RATE: <1 (Ether =1)			pH LEVEL: N/E			% VOLATILE BY WEIGHT: 67		
WEIGHT PER GALLON: 8.44			PRODUCT APPEARANCE: White Liquid			VOC CONTENT: 319 g/L		
ODOR: Mild Organic			ODOR THRESHOLD: N/D			MELTING/FREEZING POINT: N/D		
FLASH POINT: See Section 5			FLAMMABILITY: N/D			UEL/LEL: N/D		
VAPOR PRESSURE: N/D			RELATIVE DENSITY: N/D			SOLUBILITY: N/D		
PARTITION COEFFICENT: N/D			AUTOIGNITION TEMPERATURE: N/D			DECOMPOSITION TEMPERATURE: N/D		
VISCOSITY: N/D			N/D = Not Determined			N/E = Not Established		
SECTION 10: STABILITY/REACTIVITY								
STABILITY: Stable.			HAZARDOUS POLYMERIZATION: Will not occur.					
CONDITIONS AND MATERIALS TO AVOID: Strong oxidizing agents.								
HAZARDOUS DECOMPOSITION PRODUCTS: None recognized.								
SECTION 11: TOXICOLOGICAL INFORMATION								
EYE CONTACT: Direct contact may cause mild to moderate irritation. Product vapors/mists may also cause irritation.								
SKIN CONTACT: Direct contact may result in mild to moderate irritation.								
INHALATION: Exposure may produce irritation of the throat, respiratory tract, and other mucous membranes. Exposure to excessive vapor concentrations may cause signs of transient central nervous system depression (headache, drowsiness, loss of coordination, and fatigue). Repeated and/or prolonged occupational exposures may result in permanent damage and can be potentially fatal.								
INGESTION: Not expected to be an exposure pathway under normal use conditions.								
SIGNS AND SYMPTOMS: Symptoms of eye irritation include pain, tearing, redness, and swelling. Symptoms of skin irritation include reddening, swelling, and rash. Symptoms of respiratory irritation include runny nose, coughing, chest discomfort, shortness of breath reduced lung function, and symptoms of central nervous system depression. Symptoms of gastrointestinal irritation include sore throat, abdominal pain, nausea, vomiting, and diarrhea.								
AGGRAVATED MEDICAL CONDITIONS: Skin, eye, and respiratory disorders may be aggravated by product exposure.								
OTHER HEALTH EFFECTS: May cause liver abnormalities and may be harmful to the human fetus.								
SECTION 12: ECOLOGICAL INFORMATION								
ECOTOXICITY: N/E			DEGRADABILITY: N/E			BIOACCUMULATIVE POTENTIAL: N/E		
SOIL MOBILITY: N/E			OTHER ADVERSE EFFECTS: N/E			N/E = Not Established		

SAFETY DATA SHEET

Date of Preparation: 5/7/24	Page 3 of 3	3022450
SECTION 13: WASTE DISPOSAL INFORMATION		
WASTE DISPOSAL INFORMATION: Ignitable waste suitable for fuel blending.		
SECTION 14: TRANSPORTATION INFORMATION		
HAZARDOUS/NON-HAZARDOUS MATERIAL: Non-hazardous by ground transportation.		
UN NUMBER: None.	HAZARD CLASS: None.	PACKING GROUP: None.
UN PROPER SHIPPING NAME: Not regulated.		
ENVIRONMENTAL HAZARDS: Not applicable.		
BULK TRANSPORTATION INFORMATION: NA 1993, Combustible Liquid, N.O.S. (Aromatic Naphtha, 1,2,4-Trimethylbenzene), PG III		
SPECIAL PRECAUTIONS: Protect product from freezing.		
SECTION 15: REGULATORY INFORMATION		
OTHER REGULATORY CONSIDERATIONS: None.		
SECTION 16: OTHER INFORMATION		
PREPARATION DATE:	5/7/2024	
PREPARED BY:	Dave Carey	

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.